


# Supporting and levelling components































## Parts index

Part.2	pag.124	Part.81	pag.147
Part.4	pag.125	Part.82	pag.153-154
Part.10	pag.128	Part.87	pag.137
Part.15	pag.129	Part.89	pag.138
Part.18	pag.130	Part.90	pag.143
Part.18pa	pag.126	Part.91	pag.142
Part.25	pag.132	Part.92	pag.135
Part.25pa	pag.127	Part.93	pag.139
Part.27	pag.131	Part.95	pag.144
Part.27pa	pag.126	Part.96	pag.140
Part.38	pag.133	Part.97	pag.145
Part.38pa	pag.127	Part.98	pag.141
Part.45	pag.134	Part.99	pag.146
Part.64	pag.148		
Part.68	pag.150		
Part.79	pag.136		

# Contents




 <p><b>Ø25</b> Part.2 pag.124</p>	 <p><b>Ø40</b> Part.4 pag.125</p>	 <p><b>Ø60</b> Part.18pa pag.126</p>	 <p><b>60x95</b> Part.27pa pag.126</p>	 <p><b>Ø80</b> Part.25pa pag.127</p>	 <p><b>Ø102</b> Part.38pa pag.127</p>
 <p><b>Ø40</b> Part.10 pag.128</p>	 <p><b>Ø50</b> Part.15 pag.129</p>	 <p><b>Ø60</b> Part.18 pag.130</p>	 <p><b>60x95</b> Part.27 pag.131</p>	 <p><b>Ø80</b> Part.25 pag.132</p>	 <p><b>Ø102</b> Part.38 pag.133</p>
 <p><b>Ø124</b> Part.45 pag.134</p>	 <p><b>Ø124</b> Part.92 pag.135</p>	 <p><b>Ø50</b> Part.79 pag.136</p>	 <p><b>Ø102</b> Part.87 pag.137</p>	 <p><b>Ø124</b> Part.89 pag.138</p>	 <p><b>Ø124</b> Part.93 pag.139</p>
 <p><b>Ø113</b> Part.96 pag.140</p>	 <p><b>Ø113</b> Part.98 pag.141</p>	 <p><b>Ø75</b> Part.91 pag.142</p>	 <p><b>Ø95</b> Part.90 pag.143</p>	 <p><b>Ø80</b> Part.95 pag.144</p>	 <p><b>Ø102</b> Part.97 pag.145</p>
 <p><b>Ø124</b> Part.99 pag.146</p>	 <p><b>Ø80</b> Part.81 pag.147</p>	 <p>Part.64 pag.148</p>	 <p>Part.68 pag.150</p>	 <p>Part.82 pag.153</p>	

# Fixed feet

base in reinforced polyamide

Part. **2** Ø **25**




ø d	A mm	H mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
			Code/Codice	Code/Codice	
<b>M8</b>	40	23	<b>2 / 7702</b>	<b>2 / 7703</b>	4000
	50	33	<b>2 / 7706</b>	<b>2 / 7707</b>	
<b>M10</b>	40	23	<b>2 / 7712</b>	<b>2 / 7713</b>	5000
	50	33	<b>2 / 7716</b>	<b>2 / 7717</b>	
<b>M12</b>	75	58	<b>2 / 80156</b>	<b>2 / 80157</b>	6000

**Base material:** reinforced polyamide.


**Box quantity:** 24 pieces.

**Washers UNI 6592-69 - Box quantity:** 24 pieces.



ø d mm	8,4	10,5	13
Smm	1,6	2	2,5
ø A mm	17	21	24
Zinc plated steel code	7636	7283	7284
Stainless steel code	7637	7286	7287

**Nuts UNI 5588-65 - Box quantity:** 24 pieces.



ø d	M8	M10	M12
Smm	6,5	8	10
Ch. mm	13	17	19
Zinc plated steel code	7634	7269	7270
Stainless steel code	7635	7272	7273

### On request

**Bases:** In reinforced polypropylene • other colours

**Box quantity:** not standard


**Assembling of:** Anti-slip pads • nuts • washers.

# Fixed feet

base in reinforced polyamide



Ø 40 Part. 4



$\varnothing d$	A mm	H mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
			Code/Codice	Code/Codice	
<b>M8</b>	40	21	4 / 7722	4 / 7723	4000
	50	31	4 / 7726	4 / 7727	
<b>M10</b>	40	21	4 / 7732	4 / 7733	5000
	50	31	4 / 7736	4 / 7737	
<b>M12</b>	75	56	4 / 80158	4 / 80159	6000

Base material: reinforced polyamide.

Box quantity: 24 pieces.

## Accessories


Anti-slip pads:

- code: 7263;

- material: PVC rubber (black);


- Box quantity: 24 pieces.

Washers UNI 6592-69 - Box quantity: 24 pieces.



$\varnothing d$ mm	8,4	10,5	13
S mm	1,6	2	2,5
$\varnothing A$ mm	17	21	24
Zinc plated steel code	7636	7283	7284
Stainless steel code	7637	7286	7287

Nuts UNI 5588-65 - Box quantity: 24 pieces.



$\varnothing d$	M8	M10	M12
S mm	6,5	8	10
Ch. mm	13	17	19
Zinc plated steel code	7634	7269	7270
Stainless steel code	7635	7272	7273

## On request


Bases: In reinforced polypropylene • other colours

Box quantity: not standard

Assembling of: Anti-slip pads • nuts • washers.

# Articulated feet in reinforced polyamide

Part. **18**  $\varnothing$  **60**



$\varnothing d$	A mm	H mm	Wrench mm	Spindle in reinforced polyamide		Max Static load N
				Code/Codice		
M 16	101	67	24	18 / 7627		7000
M 20	174	140	24	18 / 80160		7500

**Material base and spindle:** reinforced polyamide  
**Box quantity:** 24 pieces


### Accessories

#### Anti-slip pads:


- code: 7265;
- material: PVC rubber (black);
- **Box quantity:** 24 pieces.



**Washers** UNI 6592-69 - **Box quantity:** 24 pieces **Nuts** UNI 5588-65 - **Box quantity:** 24 pieces




$\varnothing d$ mm	17	21
S mm	3	3
$\varnothing A$ mm	30	37
Zinc plated steel code	7289	7290
Stainless steel code	7291	7292



$\varnothing d$	M16	M20
S mm	13	16
Ch. mm	24	30
Zinc plated code	7275	7276
Stainless steel code	7277	7278

Part. **27** 60x95



$\varnothing d$	A mm	H mm	Wrench mm	Spindle in reinforced polyamide		Max Static load N
				Code/Codice		
M 16	101	67	24	27 / 7628		7000
M 20	174	140	24	27 / 80161		7500

**Material base and spindle:** reinforced polyamide  
**Box quantity:** 24 pieces


### Accessories

#### Anti-slip pads:


- code: 7632;
- material: PVC rubber (black);
- **Box quantity:** 24 pieces.



**Washers** UNI 6592-69 - **Box quantity:** 24 pieces **Nuts** UNI 5588-65 - **Box quantity:** 24 pieces



$\varnothing d$ mm	17	21
S mm	3	3
$\varnothing A$ mm	30	37
Zinc plated steel code	7289	7290
Stainless steel code	7291	7292



$\varnothing d$	M16	M20
S mm	13	16
Ch. mm	24	30
Zinc plated steel code	7275	7276
Stainless steel code	7277	7278

### On request

**Bases:** In reinforced polypropylene • other colours.


**Box quantity:** not standard.

**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet in reinforced polyamide



Ø 80 Part. 25



Ø d	A	H	Wrench	Spindle in reinforced polyamide		Max Static load N
				Code/Codice		
M 16	104	67	24	25 / 7629		7000
M 20	177	140	24	25 / 80162		7500

Material base and spindle: reinforced polyamide  
Box quantity: 24 pieces


### Accessories

#### Anti-slip pads:


- code: 7266;
- material: PVC rubber (black);
- Box quantity: 24 pieces.



Washers UNI 6592-69 - Box quantity: 24 pieces Nuts UNI 5588-65 - Box quantity: 24 pieces




Ø d mm	17	21
S mm	3	3
Ø A mm	30	37
Zinc plated steel code	7289	7290
Stainless steel code	7291	7292



Ø d	M16	M20
S mm	13	16
Ch. mm	24	30
Zinc plated code	7275	7276
Stainless steel code	7277	7278

Ø 102 Part. 38



Ø d	A	H	Wrench	Spindle in reinforced polyamide		Max Static load N
				Code/Codice		
M 16	107	67	24	38 / 7630		7000
M 20	180	140	24	38 / 80155		7500

Material base and spindle: reinforced polyamide  
Box quantity: 24 pieces


### Accessories

#### Anti-slip pads:


- code: 7267;
- material: PVC rubber (black);
- packaging: 24 pieces.



Washers UNI 6592-69 - Box quantity: 24 pieces Nuts UNI 5588-65 - Box quantity: 24 pieces



Ø d mm	17	21
S mm	3	3
Ø A mm	30	37
Zinc plated steel code	7289	7290
Stainless steel code	7291	7292



Ø d	M16	M20
S mm	13	16
Ch. mm	24	30
Zinc plated steel code	7275	7276
Stainless steel code	7277	7278


### On request

- Bases: In reinforced polypropylene • other colours.
- Box quantity: not standard.
- Assembling of: Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide

Part. **10**  $\varnothing$  **40**



$\varnothing d$	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M8</b>	68	45	6	<b>10 / 7390</b>	<b>10 / 7391</b>	10000
	88	65	6	<b>10 / 7392</b>	<b>10 / 7393</b>	
	130	107	6	<b>10 / 7894</b>	<b>10 / 7895</b>	
<b>M10</b>	60	35	8	<b>10 / 7000</b>	<b>10 / 7001</b>	11000
	95	70	8	<b>10 / 7002</b>	<b>10 / 7003</b>	
	140	115	8	<b>10 / 7004</b>	<b>10 / 7005</b>	
<b>M12</b>	70	43	10	<b>10 / 7006</b>	<b>10 / 7007</b>	12000
	90	63	10	<b>10 / 7008</b>	<b>10 / 7009</b>	
	105	77	10	<b>10 / 7394</b>	<b>10 / 7395</b>	
	120	93	10	<b>10 / 7010</b>	<b>10 / 7011</b>	
	150	123	10	<b>10 / 7012</b>	<b>10 / 7013</b>	
<b>M14</b>	90	61	12	<b>10 / 7014</b>	<b>10 / 7015</b>	13000
	120	91	12	<b>10 / 7016</b>	<b>10 / 7017</b>	
	145	116	12	<b>10 / 7690</b>	<b>10 / 7691</b>	

Base material: reinforced polyamide.

### Accessories

Anti-slip pads:

code: 7263

material: PVC rubber (black);




Nuts UNI 5588-65 - Box quantity: 24 pieces.



$\varnothing d$	M8	M10	M12	M14
Smm	6,5	8	10	11
Ch. mm	13	17	19	22
Zinc plated steel code	7634	7269	7270	7271
Stainless steel code	7635	7272	7273	7274



Washers UNI 6592-69 Box quantity: 24 pieces.



$\varnothing d$ mm	8,4	10,5	13	15
Smm	1,6	2	2,5	2,5
$\varnothing A$ mm	17	21	24	28
Zinc plated steel code	7636	7283	7284	7285
Stainless steel code	7637	7286	7287	7288

### On request

Bases: In reinforced polypropylene • other colours.

Spindles with: Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

Box quantity: not standard.


Assembling of: Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide



Ø 50 Part. 15



ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M8</b>	68	45	6	15 / 7396	15 / 7397	11000
	88	65	6	15 / 7398	15 / 7399	
	130	107	6	15 / 7896	15 / 7897	
<b>M10</b>	60	35	8	15 / 7018	15 / 7019	12000
	95	70	8	15 / 7020	15 / 7021	
	140	115	8	15 / 7022	15 / 7023	
<b>M12</b>	70	43	10	15 / 7024	15 / 7025	13000
	90	63	10	15 / 7026	15 / 7027	
	105	77	10	15 / 7400	15 / 7401	
	120	93	10	15 / 7028	15 / 7029	
	150	123	10	15 / 7030	15 / 7031	
<b>M14</b>	90	61	12	15 / 7032	15 / 7033	14000
	120	91	12	15 / 7034	15 / 7035	
	145	116	12	15 / 7886	15 / 7887	

**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.


## Accessories

### Anti-slip pads:

- code: 7264;
- material: PVC rubber (black);
- Box quantity: 24 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



ø d	M8	M10	M12	M14
Smm	6,5	8	10	11
Ch. mm	13	17	19	22
Zinc plated steel code	7634	7269	7270	7271
Stainless steel code	7635	7272	7273	7274

### Washers UNI 6592-69 Box quantity: 24 pieces.



ø d mm	8,4	10,5	13	15
Smm	1,6	2	2,5	2,5
ø A mm	17	21	24	28
Zinc plated steel code	7636	7283	7284	7285
Stainless steel code	7637	7286	7287	7288

## On request


- Bases:** In reinforced polypropylene • other colours.
- Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.
- Box quantity:** not standard.
- Assembling of:** Anti-slip pads • nuts • washers.



# Articulated feet

## Base in reinforced polyamide

Part. **18**  $\varnothing$  **60**




$\varnothing d$	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M8</b>	72	45	6	<b>18 / 7402</b>	<b>18 / 7403</b>	12000
	92	65	6	<b>18 / 7404</b>	<b>18 / 7405</b>	
	134	107	6	<b>18 / 7898</b>	<b>18 / 7899</b>	
<b>M10</b>	64	35	8	<b>18 / 7036</b>	<b>18 / 7037</b>	13000
	99	70	8	<b>18 / 7038</b>	<b>18 / 7039</b>	
	144	115	8	<b>18 / 7040</b>	<b>18 / 7041</b>	
<b>M12</b>	74	43	10	<b>18 / 7042</b>	<b>18 / 7043</b>	14000
	94	63	10	<b>18 / 7044</b>	<b>18 / 7045</b>	
	109	77	10	<b>18 / 7406</b>	<b>18 / 7407</b>	
	124	93	10	<b>18 / 7046</b>	<b>18 / 7047</b>	
<b>M14</b>	94	61	12	<b>18 / 7050</b>	<b>18 / 7051</b>	15000
	124	91	12	<b>18 / 7052</b>	<b>18 / 7053</b>	
	149	116	12	<b>18 / 7888</b>	<b>18 / 7889</b>	
<b>M16</b>	95	60	13	<b>18 / 7054</b>	<b>18 / 7055</b>	17000
	125	90	13	<b>18 / 7408</b>	<b>18 / 7409</b>	
	140	105	13	<b>18 / 7056</b>	<b>18 / 7057</b>	
	160	125	13	<b>18 / 7058</b>	<b>18 / 7059</b>	
	190	155	13	<b>18 / 7410</b>	<b>18 / 7411</b>	
<b>M20</b>	200	165	13	<b>18 / 7060</b>	<b>18 / 7061</b>	19000
	125	86	17	<b>18 / 7062</b>	<b>18 / 7063</b>	
	155	116	17	<b>18 / 7064</b>	<b>18 / 7065</b>	
	180	141	17	<b>18 / 7066</b>	<b>18 / 7067</b>	
	245	206	17	<b>18 / 7068</b>	<b>18 / 7069</b>	

**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.


### Accessories

#### Anti-slip pads:

- code: 7265;
- material: PVC rubber (black);
- **Box quantity:** 24 pieces.




**Nuts UNI 5588-65 - Box quantity:** 24 pieces.



$\varnothing d$	M8	M10	M12	M14	M16	M20
Smm	6,5	8	10	11	13	16
Ch. mm	13	17	19	22	24	30
Zinc plated steel code	7634	7269	7270	7271	7275	7276
Stainless steel code	7635	7272	7273	7274	7277	7278

**Washers UNI 6592-69 - Box quantity:** 24 pieces.



$\varnothing d$ mm	8,4	10,5	13	15	17	21
Smm	1,6	2	2,5	2,5	3	3
$\varnothing A$ mm	17	21	24	28	30	37
Zinc plated steel code	7636	7283	7284	7285	7289	7290
Stainless steel code	7637	7286	7287	7288	7291	7292


### On request

- Bases:** In reinforced polypropylene • other colours.
- Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.
- Box quantity:** not standard.
- Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet base in reinforced polyamide



**60x95 Part. 27**



ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
M8	72	45	6	27 / 7412	27 / 7413	12000
	92	65	6	27 / 7414	27 / 7415	
	134	107	6	27 / 7900	27 / 7901	
M10	64	35	8	27 / 7416	27 / 7417	13000
	99	70	8	27 / 7418	27 / 7419	
	144	115	8	27 / 7420	27 / 7421	
M12	74	43	10	27 / 7422	27 / 7423	14000
	94	63	10	27 / 7424	27 / 7425	
	109	77	10	27 / 7426	27 / 7427	
	124	93	10	27 / 7428	27 / 7429	
M14	154	123	10	27 / 7430	27 / 7431	15000
	94	61	12	27 / 7432	27 / 7433	
	124	91	12	27 / 7434	27 / 7435	
M16	149	116	12	27 / 7890	27 / 7891	17000
	95	60	13	27 / 7436	27 / 7437	
	125	90	13	27 / 7438	27 / 7439	
	140	105	13	27 / 7440	27 / 7441	
	160	125	13	27 / 7442	27 / 7443	
	190	155	13	27 / 7444	27 / 7445	
M20	200	165	13	27 / 7446	27 / 7447	19000
	125	86	17	27 / 7448	27 / 7449	
	155	116	17	27 / 7450	27 / 7451	
	180	141	17	27 / 7452	27 / 7453	
	245	206	17	27 / 7454	27 / 7455	

**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.


## Accessories

### Anti-slip pads:

- code: 7632;
- material: PVC rubber (black);
- Box quantity: 24 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



ø d	M8	M10	M12	M14	M16	M20
Smm	6,5	8	10	11	13	16
Ch. mm	13	17	19	22	24	30
Zinc plated steel code	7634	7269	7270	7271	7275	7276
Stainless steel code	7635	7272	7273	7274	7277	7278

### Washers UNI 6592-69- Box quantity: 24 pieces.



ø d mm	8,4	10,5	13	15	17	21
Smm	1,6	2	2,5	2,5	3	3
ø A mm	17	21	24	28	30	37
Zinc plated steel code	7636	7283	7284	7285	7289	7290
Stainless steel code	7637	7286	7287	7288	7291	7292


## On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.  
**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.  
**Box quantity:** not standard.  
**Assembling of:** Anti-slip pads • nuts • washers.



# Articulated feet base in reinforced polyamide

Part. **25**  $\varnothing$  **80**



$\varnothing d$	A mm	H mm	Wrench mm	Spindle in zinc plated steel		Max static load N
				Code/Codice	Spindle in stainless steel AISI 304	
				Code/Codice	Code/Codice	
<b>M8</b>	74	45	6	25 / 7456	25 / 7457	12000
	94	65	6	25 / 7458	25 / 7459	
	136	107	6	25 / 7902	25 / 7903	
<b>M10</b>	66	35	8	25 / 7070	25 / 7071	14000
	101	70	8	25 / 7072	25 / 7073	
	146	115	8	25 / 7074	25 / 7075	
<b>M12</b>	76	43	10	25 / 7076	25 / 7077	15000
	96	63	10	25 / 7078	25 / 7079	
	111	77	10	25 / 7460	25 / 7461	
	126	93	10	25 / 7080	25 / 7081	
<b>M14</b>	156	123	10	25 / 7082	25 / 7083	16000
	96	61	12	25 / 7084	25 / 7085	
	126	91	12	25 / 7086	25 / 7087	
<b>M16</b>	151	116	12	25 / 7892	25 / 7893	19000
	97	60	13	25 / 7088	25 / 7089	
	127	90	13	25 / 7462	25 / 7463	
	142	105	13	25 / 7090	25 / 7091	
	162	125	13	25 / 7092	25 / 7093	
<b>M20</b>	192	155	13	25 / 7464	25 / 7465	21000
	202	165	13	25 / 7094	25 / 7095	
	127	86	17	25 / 7096	25 / 7097	
	157	116	17	25 / 7098	25 / 7099	
<b>M24</b>	182	141	17	25 / 7100	25 / 7101	23000
	247	206	17	25 / 7102	25 / 7103	
	137	96	19	25 / 7466	25 / 7467	
	163	122	19	25 / 7104	25 / 7105	
<b>M24</b>	193	152	19	25 / 7106	25 / 7107	23000
	223	182	19	25 / 7108	25 / 7109	
	341	300	19	25 / 7472	25 / 7473	

**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.

### Accessories

#### Anti-slip pads:


code: 7266

material: PVC rubber (black);

Box quantity: 24 pieces.




**Nuts UNI 5588-65 - Box quantity:** 24 pieces.



$\varnothing d$	M8	M10	M12	M14	M16	M20	M24
Smm	6,5	8	10	11	13	16	19
Ch. mm	13	17	19	22	24	30	36
Zinc plated steel code	7634	7269	7270	7271	7275	7276	7279
Stainless steel code	7635	7272	7273	7274	7277	7278	7280

**Washers UNI 6592-69 - Box quantity:** 24 pieces.



$\varnothing d$ mm	8,4	10,5	13	15	17	21	25
Smm	1,6	2	2,5	2,5	3	3	4
$\varnothing A$ mm	17	21	24	28	30	37	44
Zinc plated steel code	7636	7283	7284	7285	7289	7290	7293
Stainless steel code	7637	7286	7287	7288	7291	7292	7294

### On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.


**Box quantity:** not standard.

**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet base in reinforced polyamide



Ø 102 Part. 38



ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
M16	100	60	13	38 / 7110	38 / 7111	22000
	130	90	13	38 / 7474	38 / 7475	
	145	105	13	38 / 7112	38 / 7113	
	165	125	13	38 / 7114	38 / 7115	
	195	155	13	38 / 7476	38 / 7477	
	205	165	13	38 / 7116	38 / 7117	
M20	130	86	17	38 / 7118	38 / 7119	24000
	160	116	17	38 / 7120	38 / 7121	
	185	141	17	38 / 7122	38 / 7123	
	250	206	17	38 / 7124	38 / 7125	
M24	140	96	19	38 / 7478	38 / 7479	26000
	166	122	19	38 / 7126	38 / 7127	
	196	152	19	38 / 7128	38 / 7129	
	226	182	19	38 / 7130	38 / 7131	
	344	300	19	38 / 7484	38 / 7485	


**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.

## Accessories

- Anti-slip pads:**
- **code:** 7267;
  - **material:** PVC rubber (black);
  - **Box quantity:** 24 pieces.




**Nuts UNI 5588-65 - Box quantity:** 24 pieces.



ø d	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

**Washers UNI 6592-69 - Box quantity:** 24 pieces.



ø d mm	17	21	25
Smm	3	3	4
ø A mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294


## On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.  
**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.  
**Box quantity:** not standard.  
**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide

Part. **45** Ø **124**



Ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel		Spindle in stainless steel AISI 304		Max static load N
				Code/Codice	Code/Codice	Code/Codice	Code/Codice	
<b>M16</b>	104	60	13	<b>45 / 7132</b>		<b>45 / 7133</b>		25000
	134	90	13	<b>45 / 7486</b>		<b>45 / 7487</b>		
	149	105	13	<b>45 / 7134</b>		<b>45 / 7135</b>		
	169	125	13	<b>45 / 7136</b>		<b>45 / 7137</b>		
	199	155	13	<b>45 / 7488</b>		<b>45 / 7489</b>		
	209	165	13	<b>45 / 7138</b>		<b>45 / 7139</b>		
<b>M20</b>	134	86	17	<b>45 / 7140</b>		<b>45 / 7141</b>		27000
	164	116	17	<b>45 / 7142</b>		<b>45 / 7143</b>		
	189	141	17	<b>45 / 7144</b>		<b>45 / 7145</b>		
	254	206	17	<b>45 / 7146</b>		<b>45 / 7147</b>		
<b>M24</b>	144	96	19	<b>45 / 7490</b>		<b>45 / 7491</b>		29000
	170	122	19	<b>45 / 7148</b>		<b>45 / 7149</b>		
	200	152	19	<b>45 / 7150</b>		<b>45 / 7151</b>		
	230	182	19	<b>45 / 7152</b>		<b>45 / 7153</b>		
	348	300	19	<b>45 / 7496</b>		<b>45 / 7497</b>		

**Base material:** reinforced polyamide.  
**Box quantity:** 8 pieces.


### Accessories

#### Anti-slip pads:

- **code:** 7268;
- **material:** PVC rubber (black);
- **Box quantity:** 8 pieces.




#### Nuts UNI 5588-65 - Box quantity: 24 pieces.



Ø d	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

#### Washers UNI 6592-69 - Box quantity: 24 pieces.



Ø d mm	17	21	25
Smm	3	3	4
Ø A mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294

### On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.


**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide



Ø 124 Part. 92



ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel		Spindle in stainless steel AISI 304		Max static load N
				Code/Codice	Code/Codice	Code/Codice	Code/Codice	
M16	120	60	13	92 / 7782	92 / 7783	25000		
	150	90	13	92 / 7784	92 / 7785			
	165	105	13	92 / 7786	92 / 7787			
	185	125	13	92 / 7788	92 / 7789			
	215	155	13	92 / 7790	92 / 7791			
	225	165	13	92 / 7792	92 / 7793			
M20	149	86	17	92 / 7794	92 / 7795	27000		
	179	116	17	92 / 7796	92 / 7797			
	204	141	17	92 / 7798	92 / 7799			
	269	206	17	92 / 7800	92 / 7801			
M24	159	96	19	92 / 80702	92 / 80703	29000		
	185	122	19	92 / 80704	92 / 80705			
	215	152	19	92 / 80706	92 / 80707			
	245	182	19	92 / 80708	92 / 80709			
	363	300	19	92 / 80710	92 / 80711			

**Base material:** reinforced polyamide.  
**Box quantity:** 8 pieces.


## Accessories

### Anti-slip pads:

- code: 7633;
- material: PVC rubber (black);
- Box quantity: 8 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



ø d	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

### Washers UNI 6592-69 - Box quantity: 24 pieces.



ø d mm	17	21	25
Smm	3	3	4
ø A mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294

## On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.


**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.

**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet base in reinforced polyamide

Part. **79** Ø **50**




$\varnothing d$	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M10</b>	60	40	17	<b>79 / 82268</b>	<b>79 / 82589</b>	12000
	65	45	17	<b>79 / 82074</b>	<b>79 / 82075</b>	
	90	70	17	<b>79 / 82076</b>	<b>79 / 82077</b>	
	120	100	17	<b>79 / 82078</b>	<b>79 / 82079</b>	

**Base material:** reinforced polyamide.  
**Box quantity:** 24 pieces.

## Accessories

### Anti-slip pads:

- code: 7264;
- material: PVC rubber (black);
- Box quantity: 24 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



$\varnothing d$	M10
Smm	8
Ch. mm	17
Zinc plated steel code	7269
Stainless steel code	7272

### Washers UNI 6592-69 Box quantity: 24 pieces.



$\varnothing d$ mm	10,5
Smm	2
$\varnothing A$ mm	21
Zinc plated steel code	7283
Stainless steel code	7286

## On request


**Bases:** In reinforced polypropylene • other colours  
**Spindles with:** threads with other pitches and lengths.  
**Box quantity:** not standard.  
**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide



Ø 102 Part. 87




Ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel		Spindle in stainless steel AISI 304		Max static load N
				Code/Codice		Code/Codice		
M16	98	58	13	87 / 7498		87 / 7499		33000
	159	119	13	87 / 7904		87 / 7905		
	185	145	13	87 / 7154		87 / 7155		
	241	201	13	87 / 7156		87 / 7157		
M18	197	157	15	87 / 82134		87 / 82135		35000
	150	107	17	87 / 7158		87 / 7159		
M20	178	135	17	87 / 7500		87 / 7501		35000
	200	157	17	87 / 7160		87 / 7161		
	136	90	19	87 / 7162		87 / 7163		
M24	173	127	19	87 / 7502		87 / 7503		37000
	208	162	19	87 / 7164		87 / 7165		

Base material: reinforced polyamide.  
Box quantity: 24 pieces.


## Accessories

### Anti-slip pads:

- code: 7267;
- material: PVC rubber (black);
- Box quantity: 24 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



Ø d	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

### Washers UNI 6592-69 - Box quantity: 24 pieces.



Ø d mm	17	21	25
Smm	3	3	4
Ø A mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294

## On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.


**Assembling of:** Anti-slip pads • nuts • washers.



# Articulated feet

base in reinforced polyamide

Part. **89** Ø **124**




ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
M16	100	58	13	89 / 7504	89 / 7505	43000
	161	119	13	89 / 7906	89 / 7907	
	187	145	13	89 / 7166	89 / 7167	
	243	201	13	89 / 7168	89 / 7169	
M18	199	157	15	89 / 7852	89 / 7851	45000
	152	107	17	89 / 7170	89 / 7171	
M20	180	135	17	89 / 7506	89 / 7507	47000
	202	157	17	89 / 7172	89 / 7173	
M24	138	90	19	89 / 7174	89 / 7175	50000
	175	127	19	89 / 7508	89 / 7509	
	210	162	19	89 / 7176	89 / 7177	
M30	173	125	24	89 / 7178	89 / 7179	50000
	233	185	24	89 / 7180	89 / 7181	

**Base material:** reinforced polyamide.  
**Box quantity:** 8 pieces.

### Accessories

- Anti-slip pads:**
- code: 7268;
  - material: PVC rubber (black);
  - **Box quantity:** 8 pieces.



**Nuts UNI 5588-65 - Box quantity:** 24 pieces.

ø d	M16	M20	M24	M30
Smm	13	16	19	24
Ch. mm	24	30	36	46
Zinc plated steel code	7275	7276	7279	7281
Stainless steel code	7277	7278	7280	7282

**Washers UNI 6592-69 - Box quantity:** 24 pieces.

ø d mm	17	21	25	31
Smm	3	3	4	4
ø A mm	30	37	44	56
Zinc plated steel code	7289	7290	7293	7295
Stainless steel code	7291	7292	7294	7296

### On request


- Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.  
**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and length.  
**Box quantity:** not standard.  
**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet

base in reinforced polyamide



Ø 124 Part. 93




Ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel		Spindle in stainless steel AISI 304		Max static load N
				Code/Codice	Code/Codice	Code/Codice	Code/Codice	
M16	115	58	13	93 / 7510	93 / 7511	43000		
	176	119	13	93 / 7908	93 / 7909			
	202	145	13	93 / 7512	93 / 7513			
	258	201	13	93 / 7514	93 / 7515			
M18	214	157	15	93 / 82136	93 / 82137			
M20	167	107	17	93 / 7516	93 / 7517	45000		
	195	135	17	93 / 7518	93 / 7519			
	217	157	17	93 / 7520	93 / 7521			
M24	153	90	19	93 / 7522	93 / 7523	47000		
	190	127	19	93 / 7524	93 / 7525			
	225	162	19	93 / 7526	93 / 7527			
M30	188	125	24	93 / 7528	93 / 7529	50000		
	248	185	24	93 / 7530	93 / 7531			

Base material: reinforced polyamide.  
Box quantity: 8 pieces.


## Accessories

### Anti-slip pads:

- code: 7633;
- material: PVC rubber (black);
- Box quantity: 8 pieces.




### Nuts UNI 5588-65 - Box quantity: 24 pieces.



Ø d	M16	M20	M24	M30
Smm	13	16	19	24
Ch. mm	24	30	36	46
Zinc plated steel code	7275	7276	7279	7281
Stainless steel code	7277	7278	7280	7282

### Washers UNI 6592-69 - Box quantity: 24 pieces.



Ø d mm	17	21	25	31
Smm	3	3	4	4
Ø A mm	30	37	44	56
Zinc plated steel code	7289	7290	7293	7295
Stainless steel code	7291	7292	7294	7296

## On request

**Bases:** In reinforced polypropylene • other colours • with prebored fixing holes.


**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.

**Assembling of:** Anti-slip pads • nuts • washers.

# Articulated feet base in steel

Part. **96** Ø **113**




$\varnothing d$	A mm	H mm	Wrench mm	Spindle and base in zinc plated steel	Spindle and base in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M16</b>	100	58	13	<b>96 / 7562</b>	<b>96 / 7563</b>	15000 (Zinc plated) S = 3,5
	161	119	13	<b>96 / 7916</b>	<b>96 / 7917</b>	
	187	145	13	<b>96 / 7564</b>	<b>96 / 7565</b>	
	243	201	13	<b>96 / 7566</b>	<b>96 / 7567</b>	
<b>M18</b>	199	157	15	<b>96 / 82138</b>	<b>96 / 82139</b>	10000 (AISI 304) S = 3
	152	107	17	<b>96 / 7568</b>	<b>96 / 7569</b>	
<b>M20</b>	180	135	17	<b>96 / 7570</b>	<b>96 / 7571</b>	
	202	157	17	<b>96 / 7572</b>	<b>96 / 7573</b>	
<b>M24</b>	138	90	19	<b>96 / 7574</b>	<b>96 / 7575</b>	
	175	127	19	<b>96 / 7576</b>	<b>96 / 7577</b>	
	210	162	19	<b>96 / 7578</b>	<b>96 / 7579</b>	
<b>M30</b>	173	125	24	<b>96 / 7580</b>	<b>96 / 7581</b>	
	233	185	24	<b>96 / 7582</b>	<b>96 / 7583</b>	

Box quantity: 8 pieces.


### Accessories

Nuts UNI 5588-65 - **Box quantity:** 24 pieces.



$\varnothing d$	M16	M20	M24	M30
Smm	13	16	19	24
Ch. mm	24	30	36	46
Zinc plated steel code	7275	7276	7279	7281
Stainless steel code	7277	7278	7280	7282

Washers UNI 6592-69 - **Box quantity:** 24 pieces.



$\varnothing d$ mm	17	21	25	31
Smm	3	3	4	4
$\varnothing A$ mm	30	37	44	56
Zinc plated steel code	7289	7290	7293	7295
Stainless steel code	7291	7292	7294	7296

### On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.


**Box quantity:** not standard.

**Assembling of:** nuts • washers.

# Articulated feet base in steel



Ø 113 Part. 98



Ø d	A mm	H mm	Wrench mm	Spindle and base in zinc plated steel	Spindle and base in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M16</b>	100	58	13	<b>98 / 7584</b>	<b>98 / 7585</b>	15000 (Zinc plated)
	161	119	13	<b>98 / 7918</b>	<b>98 / 7919</b>	
	187	145	13	<b>98 / 7586</b>	<b>98 / 7587</b>	
	243	201	13	<b>98 / 7588</b>	<b>98 / 7589</b>	
<b>M18</b>	199	157	15	<b>98 / 82140</b>	<b>98 / 82141</b>	S = 3,5
<b>M20</b>	152	107	17	<b>98 / 7590</b>	<b>98 / 7591</b>	
	180	135	17	<b>98 / 7592</b>	<b>98 / 7593</b>	
	202	157	17	<b>98 / 7594</b>	<b>98 / 7595</b>	
<b>M24</b>	138	90	19	<b>98 / 7596</b>	<b>98 / 7597</b>	10000 (AISI 304) S = 3
	175	127	19	<b>98 / 7598</b>	<b>98 / 7599</b>	
	210	162	19	<b>98 / 7600</b>	<b>98 / 7601</b>	
<b>M30</b>	173	125	24	<b>98 / 7602</b>	<b>98 / 7603</b>	
	233	185	24	<b>98 / 7604</b>	<b>98 / 7605</b>	

Box quantity: 8 pieces.

## Accessories

Nuts UNI 5588-65 - Box quantity: 24 pieces.

Ø d	M16	M20	M24	M30
Smm	13	16	19	24
Ch. mm	24	30	36	46
Zinc plated steel code	7275	7276	7279	7281
Stainless steel code	7277	7278	7280	7282

Washers UNI 6592-69 - Box quantity: 24 pieces.

Ø d mm	17	21	25	31
Smm	3	3	4	4
Ø A mm	30	37	44	56
Zinc plated steel code	7289	7290	7293	7295
Stainless steel code	7291	7292	7294	7296


## On request

Spindles with: Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

Box quantity: not standard.

Assembling of: nuts • washers.

Part. **91**  $\varnothing$  **75**



				Spindle and base in stainless steel AISI 304		Max static load N	
$\varnothing d$	A mm	H mm	Wrench mm	Code/Codice			
M12	109	70	10	91 / 7997		12000	
M14	148	108	12	91 / 7952			
	102	58	13	91 / 7760			
M16	163	119	13	91 / 7933			
	189	145	13	91 / 7761			
	245	201	13	91 / 7762			
M18	201	157	15	91 / 82133			
	153	107	17	91 / 7763			
M20	181	135	17	91 / 7764			15000
	203	157	17	91 / 7765			
	139	90	19	91 / 7766			
M24	176	127	19	91 / 7767			
	211	162	19	91 / 7768			
M30	174	125	24	91 / 7769			
	234	185	24	91 / 7770			


**Anti-slip pad material:** 90 shore NBR rubber.

**Box quantity:** 8 pieces.

**Features:** Co-moulded anti-slip pad allows a perfect adherence with steel base. Consequent absence of internal cavities makes foot extremely cleanable.


### Accessories

Nuts UNI 5588-65 - **Box quantity:** 24 pieces.



$\varnothing d$	M12	M14	M16	M20	M24	M30
Smm	10	11	13	16	19	24
Ch. mm	19	22	24	30	36	46
Stainless steel code	7273	7274	7277	7278	7280	7282

Washers UNI 6592-69 - **Box quantity:** 24 pieces.



$\varnothing d$ mm	13	15	17	21	25	31
Smm	2,5	2,5	3	3	4	4
$\varnothing A$ mm	24	28	30	37	44	56
Stainless steel code	7287	7288	7291	7292	7294	7296

### On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.


**Box quantity:** not standard.

**Assembling of:** nuts • washers.

# Cleanable feet base in stainless steel



Ø 95 Part. 90



				Spindle and base in stainless steel AISI 304		Max static load N	
$\varnothing d$	A mm	H mm	Wrench mm	Code/Codice			
M12	109	70	10	90 / 80023		15000	
M14	148	108	12	90 / 7859			
	102	58	13	90 / 7771			
M16	163	119	13	90 / 7931			
	189	145	13	90 / 7772			
	245	201	13	90 / 7773			
M18	201	157	15	90 / 82142			18000
	153	107	17	90 / 7774			
M20	181	135	17	90 / 7775			
	203	157	17	90 / 7776			
M24	139	90	19	90 / 7777			
	176	127	19	90 / 7778			
	211	162	19	90 / 7779			
M30	174	125	24	90 / 7780			
	234	185	24	90 / 7781			


**Anti-slip pad material:** 90 shore NBR rubber.

**Box quantity:** 8 pieces.

**Features:** Co-moulded anti-slip pad allows a perfect adherence with steel base.  
Consequent absence of internal cavities makes foot extremely cleanable.


## Accessories

**Nuts** UNI 5588-65 - **Box quantity:** 24 pieces.



$\varnothing d$	M14	M16	M20	M24	M30
Smm	11	13	16	19	24
Ch. mm	22	24	30	36	46
Stainless steel code	7274	7277	7278	7280	7282

**Washers** UNI 6592-69 - **Box quantity:** 24 pieces.



$\varnothing d$ mm	15	17	21	25	31
Smm	2,5	3	3	4	4
$\varnothing A$ mm	28	30	37	44	56
Stainless steel code	7288	7291	7292	7294	7296

## On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.


**Box quantity:** not standard.

**Assembling of:** nuts • washers.

# Articulated feet

base in nickel plated steel

Part. **95**  $\varnothing$  **80**



$\varnothing d$	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M16</b>	101	58	13	<b>95 / 7532</b>	<b>95 / 7533</b>	46000
	162	119	13	<b>95 / 7910</b>	<b>95 / 7911</b>	
	188	145	13	<b>95 / 7534</b>	<b>95 / 7535</b>	
	244	201	13	<b>95 / 7536</b>	<b>95 / 7537</b>	
<b>M18</b>	200	157	15	<b>95 / 82144</b>	<b>95 / 82145</b>	
<b>M20</b>	153	107	17	<b>95 / 7538</b>	<b>95 / 7539</b>	47000
	181	135	17	<b>95 / 7540</b>	<b>95 / 7541</b>	
	203	157	17	<b>95 / 7542</b>	<b>95 / 7543</b>	
<b>M24</b>	139	90	19	<b>95 / 7544</b>	<b>95 / 7545</b>	48000
	176	127	19	<b>95 / 7546</b>	<b>95 / 7547</b>	
	211	162	19	<b>95 / 7548</b>	<b>95 / 7549</b>	

**Base material:** nickel plated steel.

**Box quantity:** 8 pieces.

**Features:** The feet is complete with anti-slip pad made out of P.V.C rubber.

## Accessories

**Nuts UNI 5588-65 - Box quantity:** 24 pieces.

$\varnothing d$	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

**Washers UNI 6592-69 - Box quantity:** 24 pieces.

$\varnothing d$ mm	17	21	25
Smm	3	3	4
$\varnothing A$ mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294

## On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.


**Assembling of:** nuts • washers.

# Articulated feet

base in nickel plated steel



Ø 102 Part. 97



Ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
M16	101	58	13	97 / 7550	97 / 7551	50000
	162	119	13	97 / 7912	97 / 7913	
	188	145	13	97 / 7182	97 / 7183	
	244	201	13	97 / 7184	97 / 7185	
M18	200	157	15	97 / 82146	97 / 82147	51000
	153	107	17	97 / 7186	97 / 7187	
M20	181	135	17	97 / 7552	97 / 7553	51000
	203	157	17	97 / 7188	97 / 7189	
M24	139	90	19	97 / 7190	97 / 7191	52000
	176	127	19	97 / 7554	97 / 7555	
	211	162	19	97 / 7192	97 / 7193	

**Base material:** nickel plated steel.

**Box quantity:** 8 pieces.

**Features:** The feet is complete with anti-slip pad made out of P.V.C rubber.

## Accessories

**Nuts** UNI 5588-65 - **Box quantity:** 24 pieces.

Ø d	M16	M20	M24
Smm	13	16	19
Ch. mm	24	30	36
Zinc plated steel code	7275	7276	7279
Stainless steel code	7277	7278	7280

**Washers** UNI 6592-69 - **Box quantity:** 24 pieces.

Ø d mm	17	21	25
Smm	3	3	4
Ø A mm	30	37	44
Zinc plated steel code	7289	7290	7293
Stainless steel code	7291	7292	7294

## On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.


**Assembling of:** nuts • washers.



# Articulated feet

base in nickel plated steel

Part. **99** Ø **124**



ø d	A mm	H mm	Wrench mm	Spindle in zinc plated steel	Spindle in stainless steel AISI 304	Max static load N
				Code/Codice	Code/Codice	
<b>M16</b>	104	58	13	<b>99 / 7556</b>	<b>99 / 7557</b>	55000
	165	119	13	<b>99 / 7914</b>	<b>99 / 7915</b>	
	191	145	13	<b>99 / 7194</b>	<b>99 / 7195</b>	
	247	201	13	<b>99 / 7196</b>	<b>99 / 7197</b>	
<b>M18</b>	203	157	15	<b>99 / 82148</b>	<b>99 / 82149</b>	56000
	156	107	17	<b>99 / 7198</b>	<b>99 / 7199</b>	
<b>M20</b>	184	135	17	<b>99 / 7558</b>	<b>99 / 7559</b>	57000
	206	157	17	<b>99 / 7200</b>	<b>99 / 7201</b>	
	142	90	19	<b>99 / 7202</b>	<b>99 / 7203</b>	
<b>M24</b>	179	127	19	<b>99 / 7560</b>	<b>99 / 7561</b>	58000
	214	162	19	<b>99 / 7204</b>	<b>99 / 7205</b>	
	177	125	24	<b>99 / 7206</b>	<b>99 / 7207</b>	
<b>M30</b>	237	185	24	<b>99 / 7208</b>	<b>99 / 7209</b>	58000

**Base material:** nickel plated steel.

**Box quantity:** 8 pieces.

**Features:** The feet is complete with anti-slip pad made out of P.V.C rubber.

### Accessories

**Nuts UNI 5588-65 - Box quantity:** 24 pieces.

ø d	M16	M20	M24	M30
Smm	13	16	19	24
Ch. mm	24	30	36	46
Zinc plated steel code	7275	7276	7279	7281
Stainless steel code	7277	7278	7280	7282

**Washers UNI 6592-69 - Box quantity:** 24 pieces.

ø d mm	17	21	25	31
Smm	3	3	4	4
ø A mm	30	37	44	56
Zinc plated steel code	7289	7290	7293	7295
Stainless steel code	7291	7292	7294	7296

### On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.

**Box quantity:** not standard.


**Assembling of:** nuts • washers.

# Articulated feet

base in steel



Ø 80 Part. 81




$\varnothing d$	A	H	Wrench	Spindle and base in zinc plated steel	Max static load N
M 24	120	85	19	<b>Code/Codice</b>	
				<b>81 / 80214</b>	40000

**Material:** Base and spindle in zinc plated steel  
**Box quantity:** 8 pieces.


## Accessories

**Nuts** UNI 5588-65 - **Box quantity:** 24 pieces.



$\varnothing d$	M24
Smm	19
Ch. mm	36
Zinc plated steel code	7279

**Washers** UNI 6592-69 - **Box quantity:** 24 pieces.



$\varnothing d$ mm	25
Smm	4
$\varnothing A$ mm	44
Zinc plated steel code	7293


## On request

**Spindles with:** Sunk hexagon head • second wrench seat head • hexagon wrench seat • threads with other pitches and lengths.  
**Box quantity:** not standard.  
**Assembling of:** nuts • washers.

# Threaded Bushings

for round tubes

Part. **64**



### Tube dimensions

Outside dia. mm	Thickness Poll"	Inside dia. mm	Thread D	D1 mm	D2 mm	H mm	L mm	Code/Codice	Max static load N	
30	-	1	28	M8	30	28	6	31	64 / 7802	4500
				M10	30	28	6	31	64 / 7803	5000
				M12	30	28	6	31	64 / 7804	5500
				M14	30	28	6	31	64 / 7805	6000
				M16	30	28	6	31	64 / 7806	6500
	-	1,5	27	M8	30	27	6	31	64 / 80857	4500
				M10	30	27	6	31	64 / 80858	5000
				M12	30	27	6	31	64 / 80859	5500
				M14	30	27	6	31	64 / 80860	6000
				M16	30	27	6	31	64 / 80861	6500
	-	2	26	M8	30	26	6	31	64 / 80862	4500
				M10	30	26	6	31	64 / 80863	5000
				M12	30	26	6	31	64 / 80864	5500
				M14	30	26	6	31	64 / 80865	6000
				M16	30	26	6	31	64 / 80866	6500
	-	2,5	25	M8	30	25	6	31	64 / 80867	4500
				M10	30	25	6	31	64 / 80868	5000
				M12	30	25	6	31	64 / 80869	5500
				M14	30	25	6	31	64 / 80870	6000
				M16	30	25	6	31	64 / 80871	6500
38	-	1,5	35	M8	38	35	8	38	64 / 7882	4500
				M10	38	35	8	38	64 / 7210	5000
				M12	38	35	8	38	64 / 7211	5500
				M14	38	35	8	38	64 / 7212	6000
				M16	38	35	8	38	64 / 7213	6500
	-	2	34	M8	38	34	8	38	64 / 81015	4500
				M10	38	34	8	38	64 / 81016	5000
				M12	38	34	8	38	64 / 80873	5500
				M14	38	34	8	38	64 / 80874	6000
				M16	38	34	8	38	64 / 80875	6500
	-	2,5	34	M8	38	34	8	38	64 / 82083	4500
				M10	38	34	8	38	64 / 80876	5000
				M12	38	34	8	38	64 / 80877	5500
				M14	38	34	8	38	64 / 80878	6000
				M16	38	34	8	38	64 / 80879	6500
42,4 1 1/4	-	1,5	39,4	M8	42,4	39,4	8	38	64 / 7883	6500
				M10	42,4	39,4	8	38	64 / 7214	7000
				M12	42,4	39,4	8	38	64 / 7215	7500
				M14	42,4	39,4	8	38	64 / 7216	8000
				M16	42,4	39,4	8	38	64 / 7217	8500
	-	2	38,4	M20	42,4	39,4	8	38	64 / 7218	9000
				M8	42,4	38,4	8	38	64 / 81017	6500
				M10	42,4	38,4	8	38	64 / 80880	7000
				M12	42,4	38,4	8	38	64 / 80881	7500
				M14	42,4	38,4	8	38	64 / 80882	8000
	-	2,5	37,4	M16	42,4	38,4	8	38	64 / 80883	8500
				M20	42,4	38,4	8	38	64 / 80884	9000
				M8	42,4	37,4	8	38	64 / 82084	6500
				M10	42,4	37,4	8	38	64 / 80885	7000
				M12	42,4	37,4	8	38	64 / 80886	7500
-	2,5	37,4	M14	42,4	37,4	8	38	64 / 80887	8000	
			M16	42,4	37,4	8	38	64 / 80888	8500	
			M20	42,4	37,4	8	38	64 / 80889	9000	

# Threaded Bushings

for round tubes



Part. 64

Tube dimensions								Code/Codice	Max static load N		
Outside dia. mm	Thickness mm	Inside dia. mm	Thread D	D1 mm	D2 mm	H mm	L mm				
48,3	1,5	45,3	M8	48,3	45,3	10	45	64 / 7930	7000		
			M10	48,3	45,3	10	45	64 / 7614	7500		
			M12	48,3	45,3	10	45	64 / 7219	8000		
			M14	48,3	45,3	10	45	64 / 7220	8500		
			M16	48,3	45,3	10	45	64 / 7221	9000		
			M20	48,3	45,3	10	45	64 / 7222	9500		
			M8	48,3	44,3	10	45	64 / 81018	7000		
			M10	48,3	44,3	10	45	64 / 81019	7500		
			M12	48,3	44,3	10	45	64 / 80890	8000		
			M14	48,3	44,3	10	45	64 / 80891	8500		
	2	44,3	M16	48,3	44,3	10	45	64 / 80892	9000		
			M20	48,3	44,3	10	45	64 / 80893	9500		
			M8	48,3	43,3	10	45	64 / 81020	7000		
			M10	48,3	43,3	10	45	64 / 81021	7500		
			M12	48,3	43,3	10	45	64 / 80894	8000		
			M14	48,3	43,3	10	45	64 / 80895	8500		
			M16	48,3	43,3	10	45	64 / 80896	9000		
			M20	48,3	43,3	10	45	64 / 80897	9500		
			2,5	43,3	M8	48,3	43,3	10	45	64 / 81022	7000
					M10	48,3	43,3	10	45	64 / 81023	7500
M12	48,3	43,3			10	45	64 / 81024	8000			
M14	48,3	43,3			10	45	64 / 81025	8500			
M16	48,3	43,3			10	45	64 / 81026	9000			
M20	48,3	43,3			10	45	64 / 80953	9500			
50	1,5	47			M8	50	47	10	45	64 / 81027	7000
					M10	50	47	10	45	64 / 81028	7500
					M12	50	47	10	45	64 / 80898	8000
					M14	50	47	10	45	64 / 80899	8500
			M16	50	47	10	45	64 / 80900	9000		
			M20	50	47	10	45	64 / 80901	9500		
			1,5	47,9	M8	50,9	47,9	10	45	64 / 81029	7000
					M10	50,9	47,9	10	45	64 / 81030	7500
					M12	50,9	47,9	10	45	64 / 80902	8000
					M14	50,9	47,9	10	45	64 / 80903	8500
M16	50,9	47,9			10	45	64 / 80904	9000			
M20	50,9	47,9			10	45	64 / 80905	9500			
50,9	2	46,9			M8	50,9	46,9	10	45	64 / 82085	7000
					M10	50,9	46,9	10	45	64 / 82086	7500
					M12	50,9	46,9	10	45	64 / 80906	8000
					M14	50,9	46,9	10	45	64 / 80907	8500
			M16	50,9	46,9	10	45	64 / 80908	9000		
			M20	50,9	46,9	10	45	64 / 80909	9500		
			2,5	45,9	M8	50,9	45,9	10	45	64 / 80932	7000
					M10	50,9	45,9	10	45	64 / 7615	7500
					M12	50,9	45,9	10	45	64 / 7616	8000
					M14	50,9	45,9	10	45	64 / 7617	8500
M16	50,9	45,9			10	45	64 / 7223	9000			
M20	50,9	45,9			10	45	64 / 7224	9500			
M24	50,9	45,9			10	45	64 / 7225	10000			
2	56,3	M8			60,3	57,3	12	52	64 / 7934	7000	
		M10			60,3	57,3	12	52	64 / 7618	7500	
		M12			60,3	57,3	12	52	64 / 7619	8000	
		M14	60,3	57,3	12	52	64 / 7620	8500			
		M16	60,3	57,3	12	52	64 / 7226	9000			
		M20	60,3	57,3	12	52	64 / 7227	9500			
		M24	60,3	57,3	12	52	64 / 7228	10000			
		2,5	55,3	M8	60,3	56,3	12	52	64 / 7935	7000	
				M10	60,3	56,3	12	52	64 / 7621	7500	
				M12	60,3	56,3	12	52	64 / 7622	8000	
M14	60,3			56,3	12	52	64 / 7623	8500			
M16	60,3			56,3	12	52	64 / 7229	9000			
M20	60,3			56,3	12	52	64 / 7230	9500			
M24	60,3			56,3	12	52	64 / 7231	10000			



**Material:** Bush in reinforced polyamide, threaded insert in brass.  
**Box quantity:** 24 pieces.

**On request**  
**Box quantity:** According to your request



# Threaded Bushings for square tubes

Part. **68**



### Tube dimensions

Outside mm	Thickness mm	Inside mm	Thread D	D1 mm	D2 mm	H mm	L mm	Code/Codice	Max static load N
20	1,5	17	M8	20	17	5	23	68 / 7758	4500
			M8	25	22	6	26	68 / 7807	4500
25	1,5	22	M10	25	22	6	26	68 / 7808	5000
			M12	25	22	6	26	68 / 7809	5500
			M8	30	27	6	31	68 / 7936	4500
30	1,5	27	M10	30	27	6	31	68 / 7232	5000
			M12	30	27	6	31	68 / 7233	5500
			M14	30	27	6	31	68 / 7234	6000
	2	26	M16	30	27	6	31	68 / 7235	6500
			M8	30	26	6	31	68 / 81031	4500
			M10	30	26	6	31	68 / 7817	5000
35	1,5	32	M12	30	26	6	31	68 / 7818	5500
			M14	30	26	6	31	68 / 80913	6000
			M16	30	26	6	31	68 / 80914	6500
			M8	35	32	8	38	68 / 7937	6500
			M10	35	32	8	38	68 / 7236	7000
	2	31	M12	35	32	8	38	68 / 7237	7500
			M14	35	32	8	38	68 / 7238	8000
			M16	35	32	8	38	68 / 7239	8500
			M20	35	32	8	38	68 / 7240	9000
			M8	35	31	8	38	68 / 80163	6500
40	1,2	37,6	M10	35	31	8	38	68 / 80036	7000
			M12	35	31	8	38	68 / 80164	7500
			M14	35	31	8	38	68 / 80165	8000
			M16	35	31	8	38	68 / 80172	8500
			M20	35	31	8	38	68 / 80173	9000
			M8	40	37,6	8	38	68 / 80714	7000
	1,5	37	M10	40	37,6	8	38	68 / 80715	7500
			M12	40	37,6	8	38	68 / 80716	8000
			M14	40	37,6	8	38	68 / 80717	8500
			M16	40	37,6	8	38	68 / 80546	9000
			M20	40	37,6	8	38	68 / 80718	9500
			M8	40	37	8	38	68 / 7938	7000
	2	36	M10	40	37	8	38	68 / 7241	7500
			M12	40	37	8	38	68 / 7242	8000
			M14	40	37	8	38	68 / 7243	8500
			M16	40	37	8	38	68 / 7244	9000
			M20	40	37	8	38	68 / 7245	9500
			M8	40	36	8	38	68 / 7939	7000
2,5	35	M10	40	36	8	38	68 / 7246	7500	
		M12	40	36	8	38	68 / 7247	8000	
		M14	40	36	8	38	68 / 7248	8500	
		M16	40	36	8	38	68 / 7249	9000	
		M20	40	36	8	38	68 / 7250	9500	
		M8	40	35	8	38	68 / 80915	7000	
2,5	35	M10	40	35	8	38	68 / 80916	7500	
		M12	40	35	8	38	68 / 80917	8000	
		M14	40	35	8	38	68 / 80918	8500	
		M16	40	35	8	38	68 / 80919	9000	
			M20	40	35	8	38	68 / 80920	9500

# Threaded Bushings

for square tubes



Part. **68**

Tube dimensions								Code/Codice	Max static load N	
Outside mm	Thickness mm	Inside mm	Thread D	D1 mm	D2 mm	H mm	L mm			
45	2	41	M8	45	41	8	38	68 / 82118	7000	
			M10	45	41	8	38	68 / 82119	7500	
			M12	45	41	8	38	68 / 82120	8000	
			M14	45	41	8	38	68 / 82121	8500	
			M16	45	41	8	38	68 / 82122	9000	
			M20	45	41	8	38	68 / 82123	9500	
50	1,2	47,6	M8	50	47,6	10	45	68 / 80921	7000	
			M10	50	47,6	10	45	68 / 80922	7500	
			M12	50	47,6	10	45	68 / 80923	8000	
			M14	50	47,6	10	45	68 / 80924	8500	
			M16	50	47,6	10	45	68 / 80925	9000	
			M20	50	47,6	10	45	68 / 80926	9500	
	1,5	47	M8	50	47	10	45	68 / 7940	7000	
			M10	50	47	10	45	68 / 7624	7500	
			M12	50	47	10	45	68 / 7251	8000	
			M14	50	47	10	45	68 / 7252	8500	
			M16	50	47	10	45	68 / 7253	9000	
			M20	50	47	10	45	68 / 7254	9500	
	2	46	M8	50	46	10	45	68 / 7941	7000	
			M10	50	46	10	45	68 / 7625	7500	
			M12	50	46	10	45	68 / 7255	8000	
			M14	50	46	10	45	68 / 7256	8500	
			M16	50	46	10	45	68 / 7257	9000	
			M20	50	46	10	45	68 / 7258	9500	
		2,5	45	M8	50	45	10	45	68 / 7942	7000
				M10	50	45	10	45	68 / 7626	7500
				M12	50	45	10	45	68 / 7259	8000
				M14	50	45	10	45	68 / 7260	8500
				M16	50	45	10	45	68 / 7261	9000
				M20	50	45	10	45	68 / 7262	9500
3	44	M8	50	44	10	45	68 / 82080	7000		
		M10	50	44	10	45	68 / 80927	7500		
		M12	50	44	10	45	68 / 80928	8000		
		M14	50	44	10	45	68 / 80929	8500		
		M16	50	44	10	45	68 / 80930	9000		
		M20	50	44	10	45	68 / 80931	9500		
60	2	56	M8	60	56	10	45	68 / 81032	7000	
			M10	60	56	10	45	68 / 80932	7500	
			M12	60	56	10	45	68 / 80933	8000	
			M14	60	56	10	45	68 / 80934	8500	
			M16	60	56	10	45	68 / 80935	9000	
			M20	60	56	10	45	68 / 80936	9500	
	3	54	M8	60	54	10	45	68 / 82081	7000	
			M10	60	54	10	45	68 / 80937	7500	
			M12	60	54	10	45	68 / 80938	8000	
			M14	60	54	10	45	68 / 80939	8500	
			M16	60	54	10	45	68 / 80940	9000	
			M20	60	54	10	45	68 / 80941	9500	
80	3	74	M16	80	74	10	45	68 / 82082	9000	
			M20	80	74	10	45	68 / 82013	9500	


**Materials:** Bush in reinforced polyamide, threaded insert in brass.

**Box quantity:** 24 pieces.

**On request**

**Box quantity:** According to your request.


## Part. 68



**Tube dimensions**

Outside mm	Thickness mm	Inside mm	Thread D	D1 mm	D2 mm	H mm	L mm	M mm	N mm	Code/Codice
<b>20x20</b>	1,5	17x17	<b>M8</b>	20x20	17x17	5	28	13	18	<b>68 / 7869</b>

## Example of application



**Material:** Bush in reinforced polyamide, threaded insert in brass.  
**Box Quantity:** 24 pieces.



**On request**  
**Box Quantity:** not standard.

# Threaded Bushings


for rectangular tubes



Part. **82**



Pressure fitted



Tube dimensions								Code/Codice	Max static load N
Outside mm	Thickness mm	Inside mm	Thread D	D1 mm	D2 mm	H mm	L mm		
20x50	2	16x46	<b>M8</b>	20x50	16x46	5	38	<b>82 / 80325</b>	4500
			<b>M8</b>	30x60	25x55	8	38	<b>82 / 82173</b>	4500
30x60	2,5	25x55	<b>M10</b>	30x60	25x55	8	38	<b>82 / 82175</b>	5000
			<b>M12</b>	30x60	25x55	8	38	<b>82 / 82176</b>	5500
			<b>M14</b>	30x60	25x55	8	38	<b>82 / 82177</b>	6000
			<b>M16</b>	30x60	25x55	8	38	<b>82 / 82174</b>	6500
40x80	2	36x76	<b>M14</b>	40x80	36x76	10	45	<b>82 / 82180</b>	9000
			<b>M16</b>	40x80	36x76	10	45	<b>82 / 80326</b>	9000
			<b>M20</b>	40x80	36x76	10	45	<b>82 / 80327</b>	9500
	3	34x74	<b>M14</b>	40x80	34x74	10	45	<b>82 / 82590</b>	9000
			<b>M16</b>	40x80	34x74	10	45	<b>82 / 82516</b>	9000
			<b>M20</b>	40x80	34x74	10	45	<b>82 / 82591</b>	9500
50x100	2	46x96	<b>M14</b>	50x100	46x96	10	45	<b>82 / 82181</b>	9000
			<b>M16</b>	50x100	46x96	10	45	<b>82 / 80693</b>	9000
			<b>M20</b>	50x100	46x96	10	45	<b>82 / 80694</b>	9500
	3	44x94	<b>M14</b>	50x100	44x94	10	45	<b>82 / 82182</b>	9000
			<b>M16</b>	50x100	44x94	10	45	<b>82 / 82178</b>	9000
			<b>M20</b>	50x100	44x94	10	45	<b>82 / 82179</b>	9500
50x150	3	44x144	<b>M14</b>	50x150	44x144	10	45	<b>82 / 82183</b>	9000
			<b>M16</b>	50x150	44x144	10	45	<b>82 / 80211</b>	9000
			<b>M20</b>	50x150	44x144	10	45	<b>82 / 80212</b>	9500
60x120	3	54x114	<b>M14</b>	60x120	54x114	10	45	<b>82 / 82184</b>	9000
			<b>M16</b>	60x120	54x114	10	45	<b>82 / 80209</b>	9000
			<b>M20</b>	60x120	54x114	10	45	<b>82 / 80210</b>	9500


**Material:** Bush in reinforced polyamide, threaded insert in brass.  
**Box Quantity:** 24 pieces.

**On request**

**Box Quantity:** not standard.




## Part. 82



### Tube dimensions

Outside mm	Thickness mm	Inside mm	Thread D	D1 mm	D2 mm	H mm	L mm	M mm	N mm	Code/Codice
20x50	2	16x46	M8	20x50	16x46	5	28	13	18	82 / 80328

### Example of application



**Material:** Bush in reinforced polyamide, threaded insert in brass.  
**Box Quantity:** 24 pieces.

**On request**

**Box Quantity:** not standard.