



Pulegge per cinghie dentate
Timing belt pulleys
Zahnriemenscheiben
Poulies pour courroies dentées
Poleas para correas dentadas





MXL 025 - 0,080" (2,032 mm)

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight Gewicht Poids Peso Kg
Alluminio / Aluminium / Aluminum / Aluminium	16 MXL 025	MXL 2516	MF	F02	16	10,35	9,84	15,0	8,0	-	8,5	16	-	-
	18 MXL 025	MXL 2518	MF	F03	18	11,64	11,12	16,0	9,5	-	8,5	16	-	-
	20 MXL 025	MXL 2520	MF	F03	20	12,94	12,43	16,0	9,5	-	8,5	16	-	-
	22 MXL 025	MXL 2522	6F	F04	22	14,23	13,72	17,5	10,0	-	11,0	16	3	3
	24 MXL 025	MXL 2524	6F	F06	24	15,52	15,01	20,0	10,0	-	11,0	16	3	3
	28 MXL 025	MXL 2528	6F	F08	28	18,11	17,60	25,0	11,0	-	11,0	16	3	3
	30 MXL 025	MXL 2530	6F	F08	30	19,40	18,90	25,0	12,0	-	11,0	16	4	4
	32 MXL 025	MXL 2532	6F	F08	32	20,70	20,19	25,0	14,0	-	11,0	16	4	4
	36 MXL 025	MXL 2536	6F	F09	36	23,29	22,78	28,0	16,0	-	11,0	16	4	4
	40 MXL 025	MXL 2540	6F	F10	40	25,87	25,37	32,0	18,0	-	11,0	16	4	4
	42 MXL 025	MXL 2542	6F	F10	42	27,17	26,67	32,0	18,0	-	11,0	16	5	5
	44 MXL 025	MXL 2544	6F	F13	44	28,46	27,95	37,0	18,0	-	11,0	16	5	5
	48 MXL 025	MXL 2548	6	-	48	31,05	30,54	-	20,0	-	11,0	16	5	5
Alluminio / Aluminium / Aluminum / Aluminium	60 MXL 025	MXL 2560	6	-	60	38,81	38,30	-	24,0	-	11,0	16	5	5
	72 MXL 025	MXL 2572	6	-	72	46,57	46,06	-	25,0	-	11,0	16	6	6

XL 037 - 1/5" (5,08 mm)





Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight Gewicht Poids Peso Kg	
Alluminio / Aluminium / Aluminum Aluminium / Aluminio	con flangia / with flanges mit Flanges / avec flasques / con tapetas	10 XL 037	XA37010	XC37010	6F	F07	10	16,17	15,66	23	9,5	-	14,3	20	4	0,02
		11 XL 037	XA37011	XC37011	6F	F07	11	17,79	17,28	23	9,5	-	14,3	20	4	0,02
		12 XL 037	XA37012	XC37012	6F	F08	12	19,40	18,90	25	10	-	14,3	20	4	0,03
		13 XL 037	XA37013	XC37013	6F	F08	13	21,02	20,51	25	10	-	14,3	20	4	0,04
		14 XL 037	XA37014	XC37014	6F	F09	14	22,64	22,13	28	15	-	14,3	20	4	0,05
		15 XL 037	XA37015	XC37015	6F	F09	15	24,26	23,75	28	15	-	14,3	20	6	0,05
		16 XL 037	XA37016	XC37016	6F	F10	16	25,87	25,36	32	16	-	14,3	20	6	0,06
		17 XL 037	XA37017	XC37017	6F	F10	17	27,49	26,98	32	20	-	14,3	20	6	0,07
		18 XL 037	XA37018	XC37018	6F	F11	18	29,11	28,60	35	20	-	14,3	20	6	0,08
		19 XL 037	XA37019	XC37019	6F	F11	19	30,72	30,22	35	20	-	14,3	22	6	0,09
		20 XL 037	XA37020	XC37020	6F	F14	20	32,34	31,83	38	23,5	-	14,3	22	6	0,11
		21 XL 037	XA37021	XC37021	6F	F14	21	33,96	33,45	38	23,5	-	14,3	22	6	0,12
		22 XL 037	XA37022	XC37022	6F	F15	22	35,57	35,07	42	25	-	14,3	22	6	0,13
		24 XL 037	XA37024	XC37024	6F	F17	24	38,81	38,30	44	30	-	14,3	22	6	0,15
		26 XL 037	XA37026	XC37026	6F	F18	26	42,04	41,53	48	30	-	14,3	22	8	0,19
		27 XL 037	XA37027	XC37027	6F	F18	27	43,66	43,15	48	34	-	14,3	22	8	0,20
		28 XL 037	XA37028	XC37028	6F	F19	28	45,28	44,77	51	34	-	14,3	22	8	0,22
		29 XL 037	XA37029	XC37029	6F	F19	29	46,89	46,39	51	34	-	14,3	22	8	0,22
		30 XL 037	XA37030	XC37030	6F	F20	30	48,51	48,00	54	38	-	14,3	22	8	0,11
		32 XL 037	XA37032	XC37032	6F	F21	32	51,74	51,24	57	38	-	14,3	25	8	0,12
Altern. / Altern. / Altern. Altern. / Altern.	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	34 XL 037	XA37034	XC37034	6		34	54,98	54,47	-	45	-	14,3	25	8	0,12
		35 XL 037	XA37035	XC37035	6		35	56,60	56,09	-	45	-	14,3	25	8	0,13
		36 XL 037	XA37036	XC37036	6		36	58,21	57,70	-	45	-	14,3	25	8	0,14
		38 XL 037	XA37038	XC37038	6		38	61,45	60,94	-	45	-	14,3	25	8	0,16
		39 XL 037	XA37039	XC37039	6		39	63,06	62,56	-	45	-	14,3	25	8	0,17
		40 XL 037	XA37040	XC37040	6		40	64,68	64,17	-	45	-	14,3	25	8	0,17
		41 XL 037	XA37041	XC37041	6		41	66,30	65,79	-	45	-	14,3	25	8	0,18
		42 XL 037	XA37042	XC37042	6		42	67,91	67,41	-	45	-	14,3	25	8	0,18
		43 XL 037	XA37043	XC37043	6		43	69,53	69,02	-	45	-	14,3	25	8	0,19
		44 XL 037	XA37044	XC37044	6		44	71,15	70,64	-	45	-	14,3	25	8	0,19
		45 XL 037	XA37045	XC37045	6W		45	72,77	72,26	-	45	61	14,3	25	10	0,19
		46 XL 037	XA37046	XC37046	6W		46	74,38	73,87	-	45	61	14,3	25	10	0,19
47 XL 037	XA37047	XC37047	6W		47	76,00	75,49	-	45	61	14,3	25	10	0,19		
Acciaio / Steel / Stahl Acier / Acero		48 XL 037	XA37048	XC37048	6W		48	77,62	77,11	-	45	61	14,3	25	10	0,19
		49 XL 037	XA37049	XC37049	6W		49	79,23	78,73	-	45	61	14,3	25	10	0,22
		52 XL 037	XA37052	XC37052	6W		52	84,08	83,58	-	45	67	14,3	25	10	0,22
		56 XL 037	XA37056	XC37056	6W		56	90,55	90,04	-	45	80	14,3	25	10	0,25
		57 XL 037	XA37057	XC37057	6W		57	92,17	91,66	-	45	80	14,3	25	10	0,25
		58 XL 037	XA37058	XC37058	6W		58	93,79	93,28	-	45	80	14,3	25	10	0,25
		59 XL 037	XA37059	XC37059	6W		59	95,40	94,90	-	45	80	14,3	25	10	0,25
		60 XL 037	XA37060	XC37060	6W		60	97,02	96,51	-	45	80	14,3	25	10	0,25
		68 XL 037	XA37068	XC37068	6W		68	109,96	109,45	-	45	100	14,3	25	10	0,30
		69 XL 037	XA37069	XC37069	6W		69	111,57	111,07	-	45	100	14,3	25	10	0,30
		70 XL 037	XA37070	XC37070	6W		70	113,19	112,68	-	45	100	14,3	25	10	0,30
		71 XL 037	XA37071	XC37071	6W		71	114,81	114,30	-	45	100	14,3	25	10	0,30
72 XL 037	XA37072	XC37072	6W		72	116,42	115,92	-	45	100	14,3	25	10	0,30		

L 050 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	10L050	L050010	6F	F13	10	30,32	29,56	37	20	—	19,0	28	8	0,11
		11L050	L050011	6F	F13	11	33,35	32,59	37	22	—	19,0	30	8	0,14
		12L050	L050012	6F	F16	12	36,38	35,62	43	24	—	19,0	30	8	0,17
		13L050	L050013	6F	F17	13	39,41	38,65	44	28	—	19,0	30	8	0,18
		14L050	L050014	6F	F18	14	42,45	41,68	48	28	—	19,0	30	8	0,22
		15L050	L050015	6F	F19	15	45,48	44,72	51	34	—	19,0	30	8	0,28
		16L050	L050016	6F	F20	16	48,51	47,75	54	36	—	19,0	32	8	0,35
		17L050	L050017	6F	F21	17	51,54	50,78	57	36	—	19,0	32	10	0,36
		18L050	L050018	6F	F22	18	54,57	53,81	60	40	—	19,0	32	10	0,42
		19L050	L050019	6F	F24	19	57,61	56,84	64	40	—	19,0	32	10	0,45
		20L050	L050020	6F	F25	20	60,64	59,88	66	40	—	19,0	32	10	0,48
		21L050	L050021	6F	F26	21	63,67	62,91	70	45	—	19,0	32	10	0,57
		22L050	L050022	6F	F27	22	66,70	65,94	75	45	—	19,0	32	10	0,59
		23L050	L050023	6F	F28	23	69,73	68,97	79	55	—	19,0	32	10	0,61
		24L050	L050024	6F	F28	24	72,77	72,00	79	55	—	19,0	32	10	0,80
		25L050	L050025	6F	F29	25	75,80	75,04	83	58	—	19,0	32	10	0,85
		26L050	L050026	6F	F30	26	78,83	78,07	87	58	—	19,0	32	11	0,90
		27L050	L050027	6F	F30	27	81,86	81,10	87	58	—	19,0	32	11	0,91
		28L050	L050028	6F	F31	28	84,89	84,13	91	58	—	19,0	32	11	0,95
		29L050	L050029	6F	F32	29	87,93	87,16	93	58	—	19,0	32	11	1,00
		30L050	L050030	6F	F33	30	90,96	90,20	97	70	—	19,0	32	11	1,07
		32L050	L050032	6F	F34	32	97,02	96,26	102	70	—	19,0	32	11	1,23
		33L050	L050033	6F	F35	33	100,05	99,29	106	70	—	19,0	32	11	1,30
		34L050	L050034	6F	F36	34	103,08	102,32	112	70	—	19,0	32	11	1,37
		35L050	L050035	6F	F36	35	106,12	105,35	112	70	—	19,0	32	11	1,44
		36L050	L050036	6F	F37	36	109,15	108,39	115	70	—	19,0	32	11	1,50
		40L050	L050040	6WF	F40	40	121,28	120,51	128	70	100	19,0	32	11	1,77
		41L050	L050041	6WF	F41	41	124,31	123,55	131	70	103	19,0	32	11	1,84
		42L050	L050042	6WF	F42	42	127,34	126,58	135	70	106	19,0	32	11	1,97
		44L050	L050044	6WF	F45	44	133,40	132,64	142	70	112	19,0	32	11	2,20
		45L050	L050045	6WF	F45	45	136,44	135,67	142	70	115	19,0	32	11	2,27
		47L050	L050047	6WF	F48	47	142,50	141,74	150	70	121	19,0	32	11	2,45
		48L050	L050048	6WF	F48	48	145,53	144,77	150	70	124	19,0	32	11	2,67
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	49L050	L050049	6W		49	148,56	147,80	-	70	127	19,0	32	14	1,80
		50L050	L050050	6W		50	151,60	150,83	-	70	130	19,0	32	14	1,90
		52L050	L050052	6W		52	157,66	156,90	-	70	136	19,0	32	14	2,10
		56L050	L050056	6W		56	169,79	169,02	-	70	149	19,0	32	14	2,18
		57L050	L050057	6W		57	172,82	172,06	-	70	152	19,0	32	14	2,47
		60L050	L050060	6W		60	181,91	181,15	-	75	160	19,0	42	14	3,10
		65L050	L050065	6A		65	197,07	196,31	-	75	176	19,0	42	14	3,20
		66L050	L050066	6A		66	200,11	199,34	-	75	179	19,0	42	14	3,23
		72L050	L050072	6A		72	218,30	217,53	-	75	197	19,0	42	14	4,86
		84L050	L050084	6A		84	254,68	253,92	-	75	233	19,0	42	14	5,00
		90L050	L050090	6A		90	272,87	272,11	-	75	252	19,0	42	14	5,50
		96L050	L050096	6A		96	291,06	290,30	-	75	269	19,0	42	14	6,00
		120L050	L050120	6A		120	363,83	363,07	-	75	342	19,0	42	14	8,50

L 075 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	10L075	L075010	6F	F13	10	30,32	29,56	37	20	—	25,4	38	8	0,15
		11L075	L075011	6F	F13	11	33,35	32,59	37	22	—	25,4	38	8	0,17
		12L075	L075012	6F	F16	12	36,38	35,62	43	24	—	25,4	38	8	0,22
		13L075	L075013	6F	F17	13	39,41	38,65	44	28	—	25,4	38	8	0,25
		14L075	L075014	6F	F18	14	42,45	41,68	48	28	—	25,4	38	11	0,28
		15L075	L075015	6F	F19	15	45,48	44,72	51	34	—	25,4	38	11	0,38
		16L075	L075016	6F	F20	16	48,51	47,75	54	36	—	25,4	38	11	0,43
		17L075	L075017	6F	F21	17	51,54	50,78	57	36	—	25,4	38	11	0,44
		18L075	L075018	6F	F22	18	54,57	53,81	60	40	—	25,4	38	11	0,52
		19L075	L075019	6F	F24	19	57,61	56,84	64	40	—	25,4	38	11	0,56
		20L075	L075020	6F	F25	20	60,64	59,88	66	40	—	25,4	38	11	0,59
		21L075	L075021	6F	F26	21	63,67	62,91	70	45	—	25,4	38	11	0,64
		22L075	L075022	6F	F27	22	66,70	65,94	75	45	—	25,4	38	11	0,69
		23L075	L075023	6F	F28	23	69,73	68,97	79	55	—	25,4	38	11	0,76
		24L075	L075024	6F	F28	24	72,77	72,00	79	55	—	25,4	38	11	0,87
		25L075	L075025	6F	F29	25	75,80	75,04	83	58	—	25,4	38	11	0,95
		26L075	L075026	6F	F30	26	78,83	78,07	87	58	—	25,4	38	11	1,06
		27L075	L075027	6F	F30	27	81,86	81,10	97	58	—	25,4	38	11	1,18
		28L075	L075028	6F	F31	28	84,89	84,13	91	58	—	25,4	38	11	1,19
		29L075	L075029	6F	F32	29	87,93	87,16	93	58	—	25,4	38	11	1,25
		30L075	L075030	6F	F33	30	90,96	90,20	97	70	—	25,4	38	11	1,33
		32L075	L075032	6F	F34	32	97,02	96,26	102	70	—	25,4	38	11	1,54
		33L075	L075033	6F	F35	33	100,05	99,29	106	70	—	25,4	38	11	1,63
		34L075	L075034	6F	F36	34	103,08	102,32	112	70	—	25,4	38	11	1,37
		35L075	L075035	6F	F36	35	106,12	105,35	112	70	—	25,4	38	11	1,80
		36L075	L075036	6F	F37	36	109,15	108,39	115	70	—	25,4	38	11	1,89
		40L075	L075040	6WF	F40	40	121,28	120,51	128	70	100	25,4	38	11	2,35
		41L075	L075041	6WF	F41	41	124,31	123,55	131	70	103	25,4	38	11	2,40
		42L075	L075042	6WF	F42	42	127,34	126,58	135	70	106	25,4	38	11	2,53
		44L075	L075044	6WF	F45	44	133,40	132,64	142	70	112	25,4	38	11	2,75
		45L075	L075045	6WF	F45	45	136,44	135,67	142	70	115	25,4	38	11	2,86
		47L075	L075047	6WF	F48	47	142,50	141,74	150	70	121	25,4	38	11	3,02
		48L075	L075048	6WF	F48	48	145,53	144,77	150	70	124	25,4	38	11	3,19
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	49L075	L075049	6W		49	148,56	147,80	—	70	127	25,4	38	14	2,10
		50L075	L075050	6W		50	151,60	150,83	—	70	130	25,4	38	14	2,20
		52L075	L075052	6W		52	157,66	156,90	—	70	136	25,4	38	14	2,38
		56L075	L075056	6W		56	169,79	169,02	—	70	149	25,4	38	14	2,49
		57L075	L075057	6W		57	172,82	172,06	—	70	152	25,4	38	14	2,73
		60L075	L075060	6W		60	181,91	181,15	—	75	160	25,4	45	14	3,44
		65L075	L075065	6A		65	197,07	196,31	—	75	176	25,4	45	14	3,50
		66L075	L075066	6A		66	200,11	199,34	—	75	179	25,4	45	14	3,60
		72L075	L075072	6A		72	218,30	217,53	—	75	197	25,4	45	14	4,58
		84L075	L075084	6A		84	254,68	253,92	—	75	233	25,4	45	14	5,60
		90L075	L075090	6A		90	272,87	272,11	—	75	252	25,4	45	14	6,50
		96L075	L075096	6A		96	291,06	290,30	—	75	269	25,4	45	14	7,00
120L075	L075120	6A		120	363,83	363,07	—	75	342	25,4	45	14	10,00		



L 100 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	10L100	6F	F13	10	30,32	29,56	37	20	—	31,8	45	8	0,15
		11L100	6F	F14	11	33,35	32,59	38	22	—	31,8	45	8	0,20
		12L100	6F	F16	12	36,38	35,62	43	24	—	31,8	45	8	0,26
		13L100	6F	F17	13	39,41	38,65	44	28	—	31,8	45	8	0,30
		14L100	6F	F18	14	42,45	41,68	48	28	—	31,8	45	11	0,34
		15L100	6F	F19	15	45,48	44,72	51	34	—	31,8	45	11	0,45
		16L100	6F	F20	16	48,51	47,75	54	36	—	31,8	45	11	0,52
		17L100	6F	F21	17	51,54	50,78	57	36	—	31,8	45	11	0,53
		18L100	6F	F22	18	54,57	53,81	60	40	—	31,8	45	11	0,62
		19L100	6F	F24	19	57,61	56,84	64	40	—	31,8	45	11	0,66
		20L100	6F	F25	20	60,64	59,88	66	40	—	31,8	45	11	0,72
		21L100	6F	F26	21	63,67	62,91	70	45	—	31,8	45	11	0,77
		22L100	6F	F27	22	66,70	65,94	75	45	—	31,8	45	11	0,88
		23L100	6F	F28	23	69,73	68,97	79	55	—	31,8	45	11	1,12
		24L100	6F	F28	24	72,77	72,00	79	55	—	31,8	45	11	1,13
		25L100	6F	F29	25	75,80	75,04	83	58	—	31,8	45	11	1,18
		26L100	6F	F30	26	78,83	78,07	87	58	—	31,8	45	11	1,24
		27L100	6F	F30	27	81,86	81,10	87	58	—	31,8	45	11	1,35
		28L100	6F	F31	28	84,89	84,13	91	58	—	31,8	45	11	1,42
		29L100	6F	F32	29	87,93	87,16	93	58	—	31,8	45	11	1,50
		30L100	6F	F33	30	90,96	90,20	97	70	—	31,8	45	11	1,61
		32L100	6F	F34	32	97,02	96,26	102	70	—	31,8	45	11	1,84
		33L100	6F	F35	33	100,05	99,29	106	70	—	31,8	45	11	1,95
		34L100	6F	F36	34	103,08	102,32	112	70	—	31,8	45	11	2,10
		35L100	6F	F36	35	106,12	105,35	112	70	—	31,8	45	11	2,23
		36L100	6F	F37	36	109,15	108,39	115	70	—	31,8	45	11	2,32
		40L100	6WF	F40	40	121,28	120,51	128	70	100	31,8	45	11	2,80
		41L100	6WF	F41	41	124,31	123,55	131	70	103	31,8	45	11	2,95
		42L100	6WF	F42	42	127,34	126,58	135	70	106	31,8	45	11	3,10
		44L100	6WF	F45	44	133,40	132,62	142	70	112	31,8	45	11	3,36
		45L100	6WF	F45	45	136,44	135,67	142	70	115	31,8	45	11	3,45
		47L100	6WF	F48	47	142,50	141,74	150	70	121	31,8	45	11	3,65
		48L100	6WF	F48	48	145,53	144,77	150	70	124	31,8	45	11	3,86
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	49L100	6W		49	148,56	147,80	—	70	127	31,8	45	14	2,40
		50L100	6W		50	151,60	150,83	—	70	130	31,8	45	14	2,50
		52L100	6W		52	157,66	156,90	—	70	136	31,8	45	14	2,70
		56L100	6W		56	169,79	169,02	—	70	149	31,8	45	14	2,91
		57L100	6W		57	172,82	172,06	—	70	152	31,8	45	14	3,10
		60L100	6W		60	181,91	181,15	—	75	160	31,8	50	14	3,55
		65L100	6A		65	197,07	196,31	—	75	176	31,8	50	14	4,00
		66L100	6A		66	200,11	199,34	—	75	179	31,8	50	14	4,15
		72L100	6A		72	218,30	217,53	—	75	197	31,8	50	14	5,00
		84L100	6A		84	254,68	253,92	—	75	233	31,8	50	14	6,30
		90L100	6A		90	272,87	272,11	—	75	252	31,8	50	14	7,50
		96L100	6A		96	291,06	290,30	—	75	269	31,8	50	14	8,20
		120L100	6A		120	363,83	363,07	—	75	342	31,8	50	14	11,50

H 075 - 1/2" (12,75 mm)





Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	14H075	6F	F24	14	56,60	55,22	64	40	—	26,4	40	8	0,59
		15H075	6F	F25	15	60,64	59,27	66	45	—	26,4	40	8	0,65
		16H075	6F	F26	16	64,68	63,31	70	45	—	26,4	40	8	0,70
		17H075	6F	F27	17	68,72	67,35	75	45	—	26,4	40	8	0,73
		18H075	6F	F28	18	72,77	71,39	79	55	—	26,4	40	11	0,91
		19H075	6F	F29	19	76,81	75,44	83	60	—	26,4	40	11	1,08
		20H075	6F	F30	20	80,85	79,48	87	62	—	26,4	40	11	1,18
		21H075	6F	F31	21	84,89	83,52	91	65	—	26,4	40	11	1,30
		22H075	6F	F32	22	88,94	87,56	93	68	—	26,4	40	11	1,42
		23H075	6F	F33	23	92,98	91,61	97	72	—	26,4	40	11	1,67
		24H075	6F	F34	24	97,02	95,65	102	72	—	26,4	40	11	1,71
		25H075	6F	F35	25	101,06	99,69	106	72	—	26,4	40	11	1,87
		26H075	6F	F36	26	105,11	103,73	112	80	—	26,4	40	11	2,00
		27H075	6F	F37	27	109,15	107,78	115	80	—	26,4	40	11	2,10
		28H075	6F	F38	28	113,19	111,82	120	80	—	26,4	40	11	2,26
		29H075	6F	F39	29	117,23	115,86	123	80	—	26,4	40	11	2,49
		30H075	6F	F40	30	121,28	119,90	128	80	—	26,4	40	11	2,70
		32H075	6F	F42	32	129,36	127,99	135	80	—	26,4	40	11	2,85
		33H075	6F	F44	33	133,40	132,03	140	80	—	26,4	40	11	3,10
		34H075	6F	F45	34	137,45	136,07	142	80	—	26,4	40	11	3,30
		35H075	6F	F48	35	141,49	140,12	150	80	—	26,4	40	11	3,50
		36H075	6WF	F48	36	145,53	144,16	150	80	118	26,4	40	11	3,65
		38H075	6WF	F50	38	153,62	152,24	158	80	126	26,4	40	11	3,90
		40H075	6WF	F52	40	161,70	160,33	168	80	134	26,4	40	11	4,23
		42H075	6WF	F53	42	169,79	168,41	175	80	140	26,4	40	11	4,80
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	44H075	6WF	F55	44	177,87	176,50	184	80	150	26,4	40	14	5,20
		45H075	6WF	F57	45	181,91	180,54	192	80	154	26,4	40	14	5,45
		48H075	6WF	F59	48	194,04	192,67	200	90	166	26,4	45	14	4,30
		49H075	6W		49	198,08	196,71	—	90	170	26,4	45	14	4,50
		50H075	6W		50	202,13	200,75	—	90	174	26,4	45	14	4,66

H 100 - 1/2" (12,75 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	14H100	H100014	6F	F24	14	56,60	55,22	64	45	—	31,8	45	11	0,67
		15H100	H100015	6F	F25	15	60,64	59,27	66	45	—	31,8	45	11	0,77
		16H100	H100016	6F	F26	16	64,68	63,31	70	45	—	31,8	45	11	0,88
		17H100	H100017	6F	F27	17	68,72	67,35	75	45	—	31,8	45	11	0,88
		18H100	H100018	6F	F28	18	72,77	71,39	79	55	—	31,8	45	14	1,06
		19H100	H100019	6F	F29	19	76,81	75,44	83	60	—	31,8	45	14	1,23
		20H100	H100020	6F	F30	20	80,85	79,48	87	62	—	31,8	45	14	1,33
		21H100	H100021	6F	F31	21	84,89	83,52	91	65	—	31,8	45	14	1,43
		22H100	H100022	6F	F32	22	88,94	87,56	93	68	—	31,8	45	14	1,63
		23H100	H100023	6F	F33	23	92,98	91,61	97	72	—	31,8	45	14	1,85
		24H100	H100024	6F	F34	24	97,02	95,65	102	72	—	31,8	45	14	1,93
		25H100	H100025	6F	F35	25	101,06	99,69	106	72	—	31,8	45	14	2,07
		26H100	H100026	6F	F36	26	105,11	103,73	112	80	—	31,8	45	14	2,30
		27H100	H100027	6F	F37	27	109,15	107,78	115	80	—	31,8	45	14	2,40
		28H100	H100028	6F	F38	28	113,19	111,82	120	80	—	31,8	45	14	2,53
		29H100	H100029	6F	F39	29	117,23	115,86	123	80	—	31,8	45	14	2,70
		30H100	H100030	6F	F40	30	121,28	119,90	128	80	—	31,8	45	14	2,93
		32H100	H100032	6F	F42	32	129,36	127,99	135	80	—	31,8	45	14	3,06
		33H100	H100033	6F	F44	33	133,40	132,03	140	80	—	31,8	45	14	3,40
		34H100	H100034	6F	F45	34	137,45	136,07	142	80	—	31,8	45	14	3,57
		35H100	H100035	6F	F48	35	141,49	140,12	150	80	—	31,8	45	14	3,80
		36H100	H100036	6WF	F48	36	145,53	144,16	150	80	118	31,8	45	14	3,92
		38H100	H100038	6WF	F50	38	153,62	152,24	158	80	123	31,8	45	14	4,40
		40H100	H100040	6WF	F52	40	161,70	160,33	168	80	134	31,8	45	14	4,95
		42H100	H100042	6WF	F53	42	169,79	168,41	175	80	140	31,8	45	14	5,60
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	44H100	H100044	6WF	F55	44	177,87	176,50	184	80	150	31,8	50	14	6,20
		45H100	H100045	6WF	F57	45	181,91	180,54	192	80	154	31,8	50	14	6,45
		48H100	H100048	6WF	F59	48	194,04	192,67	200	90	166	31,8	50	14	5,30
		49H100	H100049	6W		49	198,08	196,71	—	90	170	31,8	50	19	5,40
		50H100	H100050	6W		50	202,13	200,75	—	90	174	31,8	50	19	5,50
		52H100	H100052	6W		52	210,21	208,84	—	90	182	31,8	50	19	5,80
		58H100	H100058	6A		58	234,47	233,09	—	90	207	31,8	50	19	6,20
		60H100	H100060	6A		60	242,55	241,18	—	90	215	31,8	50	19	7,50
		70H100	H100070	6A		70	282,98	281,61	—	100	255	31,8	55	19	8,20
		72H100	H100072	6A		72	291,06	289,69	—	100	263	31,8	55	19	9,00
		82H100	H100082	6A		82	331,49	330,12	—	100	304	31,8	55	19	9,20
		84H100	H100084	6A		84	339,57	338,20	—	100	312	31,8	55	19	10,00
		94H100	H100094	6A		94	380,00	378,63	—	120	352	31,8	60	19	13,00
		96H100	H100096	6A		96	388,08	386,71	—	120	360	31,8	60	19	13,80
		106H100	H100106	6A		106	428,51	427,14	—	120	401	31,8	60	19	15,50
		116H100	H100116	6A		116	468,93	467,56	—	120	441	31,8	60	19	18,00
		118H100	H100118	6A		118	477,02	475,65	—	120	449	31,8	60	19	20,00
		120H100	H100120	6A		120	485,10	483,73	—	120	458	31,8	60	19	22,00
		150H100	H100150	6A		150	606,38	605,01	—	120	579	31,8	60	19	25,00
		152H100	H100152	6A		152	614,47	613,09	—	120	587	31,8	60	19	26,00
		154H100	H100154	6A		154	622,55	621,18	—	120	595	31,8	60	19	27,00
		156H100	H100156	6A		156	630,64	629,26	—	120	603	31,8	60	19	28,00

H 150 - 1/2" (12,75 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro código	Tipo Type Typ Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	14H150	H150014	6F	F24	14	56,60	55,22	64	42	—	46,0	58	11	0,91
		15H150	H150015	6F	F25	15	60,64	59,27	66	45	—	46,0	58	11	0,99
		16H150	H150016	6F	F26	16	64,68	63,31	70	45	—	46,0	58	11	1,08
		17H150	H150017	6F	F27	17	68,72	67,35	75	45	—	46,0	58	11	1,15
		18H150	H150018	6F	F28	18	72,77	71,39	79	55	—	46,0	58	14	1,45
		19H150	H150019	6F	F29	19	76,81	75,44	83	60	—	46,0	58	14	1,55
		20H150	H150020	6F	F30	20	80,85	79,48	87	62	—	46,0	58	14	1,66
		21H150	H150021	6F	F31	21	84,89	83,52	91	65	—	46,0	58	14	1,87
		22H150	H150022	6F	F32	22	88,94	87,56	93	68	—	46,0	58	14	2,07
		23H150	H150023	6F	F33	23	92,98	91,61	97	72	—	46,0	58	14	2,28
		24H150	H150024	6F	F34	24	97,02	95,65	102	72	—	46,0	58	14	2,50
		25H150	H150025	6F	F35	25	101,06	99,69	106	72	—	46,0	58	14	2,71
		26H150	H150026	6F	F36	26	105,11	103,73	112	80	—	46,0	58	14	2,99
		27H150	H150027	6F	F37	27	109,15	107,78	115	80	—	46,0	58	14	3,15
		28H150	H150028	6F	F38	28	113,19	111,82	120	80	—	46,0	58	14	3,39
		29H150	H150029	6F	F39	29	117,23	115,86	123	80	—	46,0	58	14	3,57
		30H150	H150030	6F	F40	30	121,28	119,90	128	80	—	46,0	58	14	3,86
		32H150	H150032	6F	F42	32	129,36	127,99	135	80	—	46,0	58	14	4,37
		33H150	H150033	6F	F44	33	133,40	132,03	140	80	—	46,0	58	14	4,66
		34H150	H150034	6F	F45	34	137,45	136,07	142	80	—	46,0	58	14	4,98
		35H150	H150035	6F	F48	35	141,49	140,12	150	80	—	46,0	58	14	5,30
		36H150	H150036	6WF	F48	36	145,53	144,16	150	80	118	46,0	58	14	5,50
		38H150	H150038	6WF	F50	38	153,62	152,24	158	80	126	46,0	58	14	6,10
		40H150	H150040	6WF	F52	40	161,70	160,33	168	80	134	46,0	58	14	6,80
		42H150	H150042	6WF	F53	42	169,79	168,41	175	80	140	46,0	58	19	7,60
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	44H150	H150044	6WF	F55	44	177,87	176,50	184	80	150	46,0	58	19	8,50
		45H150	H150045	6WF	F57	45	181,91	180,54	192	80	154	46,0	58	19	9,00
		48H150	H150048	6WF	F59	48	194,04	192,67	200	90	166	46,0	65	19	6,70
		49H150	H150049	6W		49	198,08	196,71	—	90	170	46,0	65	19	7,00
		50H150	H150050	6W		50	202,13	200,75	—	90	174	46,0	65	19	7,10
		52H150	H150052	6W		52	210,21	208,84	—	90	182	46,0	65	19	7,30
		58H150	H150058	6A		58	234,47	233,09	—	90	207	46,0	65	19	8,10
		60H150	H150060	6A		60	242,55	241,18	—	90	215	46,0	65	19	9,00
		70H150	H150070	6A		70	282,98	281,61	—	100	255	46,0	65	24	10,50
		72H150	H150072	6A		72	291,06	289,69	—	100	263	46,0	65	24	11,00
		82H150	H150082	6A		82	331,49	330,12	—	100	304	46,0	65	24	12,00
		84H150	H150084	6A		84	339,57	338,20	—	100	312	46,0	65	24	13,00
		94H150	H150094	6A		94	380,00	378,63	—	120	352	46,0	65	24	16,00
		96H150	H150096	6A		96	388,08	386,71	—	120	360	46,0	65	24	17,00
		106H150	H150106	6A		106	428,51	427,14	—	120	401	46,0	65	24	19,50
		116H150	H150116	6A		116	468,93	467,56	—	120	441	46,0	65	24	22,00
		118H150	H150118	6A		118	477,02	475,65	—	120	449	46,0	65	24	23,50
		120H150	H150120	6A		120	485,10	483,73	—	120	458	46,0	65	24	25,00
		150H150	H150150	6A		150	606,38	605,01	—	120	579	46,0	65	24	31,50
		152H150	H150152	6A		152	614,47	613,09	—	120	587	46,0	65	24	33,00
		154H150	H150154	6A		154	622,55	621,18	—	120	595	46,0	65	24	34,50
		156H150	H150156	6A		156	630,64	629,26	—	120	603	46,0	65	24	36,00



H 200 - 1/2" (12,75 mm)

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	14H200	H200014	6F	F24	14	56,60	55,22	64	42	—	58,7	70	1,13
		15H200	H200015	6F	F25	15	60,64	59,27	66	45	—	58,7	70	1,21
		16H200	H200016	6F	F26	16	64,68	63,31	70	45	—	58,7	70	1,30
		17H200	H200017	6F	F27	17	68,72	67,35	75	45	—	58,7	70	1,45
		18H200	H200018	6F	F28	18	72,77	71,39	79	55	—	58,7	70	1,65
		19H200	H200019	6F	F29	19	76,81	75,44	83	60	—	58,7	70	1,90
		20H200	H200020	6F	F30	20	80,85	79,48	87	62	—	58,7	70	2,11
		21H200	H200021	6F	F31	21	84,89	83,52	91	65	—	58,7	70	2,23
		22H200	H200022	6F	F32	22	88,94	87,56	93	68	—	58,7	70	2,45
		23H200	H200023	6F	F33	23	92,98	91,61	97	72	—	58,7	70	2,71
		24H200	H200024	6F	F34	24	97,02	95,65	102	72	—	58,7	70	2,97
		25H200	H200025	6F	F35	25	101,06	99,69	106	72	—	58,7	70	3,32
		26H200	H200026	6F	F36	26	105,11	103,73	112	80	—	58,7	70	3,61
		27H200	H200027	6F	F37	27	109,15	107,78	115	80	—	58,7	70	3,90
		28H200	H200028	6F	F38	28	113,19	111,82	120	80	—	58,7	70	4,10
		29H200	H200029	6F	F39	29	117,23	115,86	123	80	—	58,7	70	4,42
		30H200	H200030	6F	F40	30	121,28	119,90	128	80	—	58,7	70	4,74
		32H200	H200032	6F	F42	32	129,36	127,99	135	80	—	58,7	70	5,60
		33H200	H200033	6F	F44	33	133,40	132,03	140	80	—	58,7	70	5,90
		34H200	H200034	6F	F45	34	137,45	136,07	142	80	—	58,7	70	6,20
		35H200	H200035	6F	F48	35	141,49	140,12	150	80	—	58,7	70	6,60
		36H200	H200036	6WF	F48	36	145,53	144,16	150	80	118	58,7	70	7,10
		38H200	H200038	6WF	F50	38	153,62	152,24	158	80	126	58,7	70	7,80
		40H200	H200040	6WF	F52	40	161,70	160,33	168	80	134	58,7	70	8,40
		42H200	H200042	6WF	F53	42	169,79	168,41	180	80	140	58,7	70	9,70
		44H200	H200044	6WF	F55	44	177,87	176,50	184	80	150	58,7	70	10,50
		45H200	H200045	6WF	F57	45	181,91	180,54	192	80	154	58,7	70	11,30
		48H200	H200048	6WF	F59	48	194,04	192,67	200	90	166	58,7	75	8,60
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques / sin tapetas	49H200	H200049	6W	F59	49	198,08	196,71	—	90	170	58,7	75	7,60
		50H200	H200050	6W	F59	50	202,13	200,75	—	90	174	58,7	75	8,30
		52H200	H200052	6W	F59	52	210,21	208,84	—	90	182	58,7	75	8,50
		58H200	H200058	6A	F58	58	234,47	233,09	—	90	207	85,7	75	10,00
		60H200	H200060	6A	F58	60	242,55	241,18	—	90	215	85,7	75	11,00
		70H200	H200070	6A	F58	70	282,98	281,61	—	100	255	85,7	75	12,50
		72H200	H200072	6A	F58	72	291,06	289,69	—	100	263	85,7	75	14,00
		82H200	H200082	6A	F58	82	331,49	330,12	—	100	304	85,7	75	13,50
		84H200	H200084	6A	F58	84	339,57	338,20	—	100	312	85,7	75	15,00
		94H200	H200094	6A	F58	94	380,00	378,63	—	120	352	85,7	75	18,90
		96H200	H200096	6A	F58	96	388,08	386,71	—	120	360	85,7	75	20,30
		106H200	H200106	6A	F58	106	428,51	427,14	—	120	401	85,7	75	22,50
		116H200	H200116	6A	F58	116	468,93	467,56	—	120	441	85,7	75	24,70
		118H200	H200118	6A	F58	118	477,02	475,65	—	120	449	85,7	75	26,00
		120H200	H200120	6A	F58	120	485,10	483,73	—	120	458	85,7	75	28,00
		150H200	H200150	6A	F58	150	606,38	605,01	—	120	579	85,7	75	32,50
		152H200	H200152	6A	F58	152	614,47	613,09	—	120	587	85,7	75	35,00
		154H200	H200154	6A	F58	154	622,55	621,18	—	120	595	85,7	75	38,00
		156H200	H200156	6A	F58	156	630,64	629,26	—	120	603	85,7	75	41,00

H 300 - 1/2" (12,75 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg		
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	14H300	H300014	6F	F24	14	56,60	55,22	64	42	—	85,7	100	11	1,35		
		15H300	H300015	6F	F25	15	60,64	59,27	66	45	—	85,7	100	11	1,55		
		16H300	H300016	6F	F26	16	64,68	63,31	70	45	—	85,7	100	11	1,80		
		17H300	H300017	6F	F27	17	68,72	67,35	75	45	—	85,7	100	11	2,10		
		18H300	H300018	6F	F28	18	72,77	71,39	79	55	—	85,7	100	19	2,38		
		19H300	H300019	6F	F29	19	76,81	75,44	83	60	—	85,7	100	19	2,64		
		20H300	H300020	6F	F30	20	80,85	79,48	87	62	—	85,7	100	19	3,10		
		21H300	H300021	6F	F31	21	84,89	83,52	91	65	—	85,7	100	19	3,32		
		22H300	H300022	6F	F32	22	88,94	87,56	93	68	—	85,7	100	19	3,67		
		23H300	H300023	6F	F33	23	92,98	91,61	97	72	—	85,7	100	19	4,00		
		24H300	H300024	6F	F34	24	97,02	95,65	102	72	—	85,7	100	19	4,40		
		25H300	H300025	6F	F35	25	101,06	99,69	106	72	—	85,7	100	19	4,79		
		26H300	H300026	6F	F36	26	105,11	103,73	112	80	—	85,7	100	19	5,20		
		27H300	H300027	6F	F37	27	109,15	107,78	115	80	—	85,7	100	19	5,60		
		28H300	H300028	6F	F38	28	113,19	111,82	120	80	—	85,7	100	19	5,60		
		29H300	H300029	6F	F39	29	117,23	115,86	123	80	—	85,7	100	19	6,00		
		30H300	H300030	6F	F40	30	121,28	119,90	128	80	—	85,7	100	19	7,00		
		32H300	H300032	6F	F42	32	129,36	127,99	135	80	—	85,7	100	19	7,80		
		33H300	H300033	6F	F44	33	133,40	132,03	140	80	—	85,7	100	19	8,70		
		34H300	H300034	6F	F45	34	137,45	136,07	142	80	—	85,7	100	19	9,70		
		35H300	H300035	6F	F48	35	141,49	140,12	150	80	—	85,7	100	19	9,80		
		Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges / ohne flanschen sans flasques / sin tapetas	36H300	H300036	6WF	F48	36	145,53	144,16	150	80	118	85,7	100	19	9,90
				38H300	H300038	6WF	F50	38	153,62	152,24	158	80	126	85,7	100	19	11,00
				40H300	H300040	6WF	F52	40	161,70	160,33	168	80	134	85,7	100	19	12,20
				42H300	H300042	6WF	F53	42	169,79	168,41	180	80	140	85,7	100	24	13,80
44H300	H300044			6WF	F55	44	177,87	176,50	184	80	150	85,7	100	24	15,00		
45H300	H300045			6WF	F57	45	181,91	180,54	192	80	154	85,7	100	24	15,20		
48H300	H300048			6WF	F59	48	194,04	192,67	200	90	166	85,7	100	24	14,40		
49H300	H300049			6WF		49	198,08	196,71	—	90	170	85,7	100	24	9,40		
50H300	H300050			6WF		50	202,13	200,75	—	90	174	85,7	100	24	10,60		
52H300	H300052			6WF		52	210,21	208,84	—	90	182	85,7	100	24	11,80		
58H300	H300058			6A		58	234,47	233,09	—	90	207	85,7	100	24	12,20		
60H300	H300060			6A		60	242,55	241,18	—	90	215	85,7	100	24	13,00		
70H300	H300070			6A		70	282,98	281,61	—	100	255	85,7	100	28	16,50		
72H300	H300072			6A		72	291,06	289,69	—	100	263	85,7	100	28	19,00		
82H300	H300082			6A		82	331,49	330,12	—	100	304	85,7	100	28	18,00		
84H300	H300084			6A		84	339,57	338,20	—	100	312	85,7	100	28	20,00		
94H300	H300094			6A		94	380,00	378,63	—	120	352	85,7	100	28	25,50		
96H300	H300096			6A		96	388,08	386,71	—	120	360	85,7	100	28	27,00		
106H300	H300106			6A		106	428,51	427,14	—	120	401	85,7	100	28	27,90		
116H300	H300116			6A		116	468,93	467,56	—	120	441	85,7	100	28	28,50		
118H300	H300118			6A		118	477,02	475,65	—	120	449	85,7	100	28	31,00		
120H300	H300120			6A		120	485,10	483,73	—	120	458	85,7	100	28	33,00		
150H300	H300150			6A		150	606,38	605,01	—	120	579	85,7	100	28	38,00		
152H300	H300152			6A		152	614,47	613,09	—	120	587	85,7	100	28	40,00		
154H300	H300154			6A		154	622,55	621,18	—	120	595	85,7	100	28	42,00		
156H300	H300156	6A		156	630,64	629,26	—	120	603	85,7	100	28	44,20				

XH 200 - 7/8" (22,225 mm)





Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH200	XH20018	6F	F44	18	127,34	124,55	140	100	—	65	80	24	5,90
		19XH200	XH20019	6F	F46	19	134,41	131,62	146	100	—	65	80	24	6,50
		20XH200	XH20020	6F	F50	20	141,49	138,69	155	100	—	65	80	24	7,20
		21XH200	XH20021	6F	F51	21	148,56	145,77	160	110	—	65	80	24	7,90
		22XH200	XH20022	6F	F52	22	155,64	152,84	168	110	—	65	80	24	8,70
		24XH200	XH20024	6F	F81	24	169,79	166,99	184	120	—	65	80	24	10,60
		25XH200	XH20025	6F	F56	25	176,86	174,07	188	120	—	65	80	24	11,40
		26XH200	XH20026	6F	F59	26	183,94	181,14	200	120	—	65	80	24	12,20
		27XH200	XH20027	6F	F59	27	191,01	188,22	200	120	—	65	80	24	13,50
		28XH200	XH20028	6F	F61	28	198,08	195,29	212	150	—	65	80	24	14,80
		30XH200	XH20030	6F	F62	30	212,23	209,44	226	150	—	65	80	24	16,60
		32XH200	XH20032	6WF	F64	32	226,38	223,59	240	150	184	65	80	24	17,90
		34XH200	XH20034	6WF	F66	34	240,53	237,74	256	150	198	65	80	24	18,20
	38XH200	XH20038	6WF	F69	38	268,83	266,03	286	150	227	65	100	28	19,00	
	40XH200	XH20040	6WF	F70	40	282,98	280,18	296	150	241	65	100	28	22,10	
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	46XH200	XH20046	6W		46	325,42	322,63	—	150	283	65	100	28	26,00
		48XH200	XH20048	6W		48	339,57	336,78	—	150	297	65	100	28	27,60
		50XH200	XH20050	6W		50	410,32	407,52	—	150	368	65	100	28	27,60
		60XH200	XH20060	6W		60	424,47	421,67	—	150	382	65	100	28	22,10
		70XH200	XH20070	6A		70	495,21	492,42	—	190	453	65	100	28	39,00
		72XH200	XH20072	6A		72	509,36	506,56	—	190	467	65	100	28	42,00
		78XH200	XH20078	6A		78	551,81	549,01	—	190	510	65	100	28	48,00
		80XH200	XH20080	6A		80	565,95	563,16	—	190	524	65	100	28	51,00
		82XH200	XH20082	6A		82	580,10	577,31	—	190	538	65	100	28	54,00
		84XH200	XH20084	6A		84	594,25	591,46	—	190	552	65	100	28	57,00
		94XH200	XH20094	6A		94	665,00	662,20	—	190	623	65	100	28	64,00
		96XH200	XH20096	6A		96	679,15	676,35	—	190	637	65	100	28	67,00
		118XH200	XH20118	6A		118	834,78	831,99	—	190	792	65	100	28	88,00
		120XH200	XH20120	6A		120	848,93	846,14	—	190	806	65	100	28	90,00

XH 300 - 7/8" (22,225 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH300	XH30018	6F	F44	18	127,34	124,55	140	100	—	90,5	110	28	8,90
		19XH300	XH30019	6F	F46	19	134,41	131,62	146	100	—	90,5	110	28	9,20
		20XH300	XH30020	6F	F50	20	141,49	138,69	155	100	—	90,5	110	28	9,50
		21XH300	XH30021	6F	F51	21	148,56	145,77	160	110	—	90,5	110	28	10,80
		22XH300	XH30022	6F	F52	22	155,64	152,84	168	110	—	90,5	110	28	12,10
		24XH300	XH30024	6F	F81	24	169,79	166,99	184	120	—	90,5	110	28	14,10
		25XH300	XH30025	6F	F56	25	176,86	174,07	188	120	—	90,5	110	28	15,40
		26XH300	XH30026	6F	F59	26	183,94	181,14	200	120	—	90,5	110	28	16,70
		27XH300	XH30027	6F	F59	27	191,01	188,22	200	120	—	90,5	110	28	18,40
		28XH300	XH30028	6F	F61	28	198,08	195,29	212	150	—	90,5	110	28	20,20
		30XH300	XH30030	6F	F62	30	212,23	209,44	226	150	—	90,5	110	28	23,80
		32XH300	XH30032	6WF	F64	32	226,38	223,59	240	150	—	90,5	110	28	26,60
		34XH300	XH30034	6WF	F66	34	240,53	237,74	256	150	198	90,5	110	28	29,40
	38XH300	XH30038	6WF	F69	38	268,83	266,03	286	175	227	90,5	120	32	32,00	
	40XH300	XH30040	6WF	F70	40	282,98	280,18	296	175	241	90,5	120	32	37,50	
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	46XH300	XH30046	6W		46	325,42	322,63	—	175	283	90,5	120	32	32,50
		48XH300	XH30048	6W		48	339,57	336,78	—	175	297	90,5	120	32	34,00
		50XH300	XH30050	6W		50	410,32	407,52	—	175	368	90,5	120	32	37,00
		60XH300	XH30060	6W		60	424,47	421,67	—	175	382	90,5	120	32	39,00
		70XH300	XH30070	6A		70	495,21	492,42	—	175	453	90,5	120	32	53,00
		72XH300	XH30072	6A		72	509,36	506,56	—	175	467	90,5	120	32	55,00
		78XH300	XH30078	6A		78	551,81	549,01	—	175	510	90,5	120	32	62,00
		80XH300	XH30080	6A		80	565,95	563,16	—	175	524	90,5	120	32	64,00
		82XH300	XH30082	6A		82	580,10	577,31	—	175	538	90,5	120	32	66,00
		84XH300	XH30084	6A		84	594,25	591,46	—	175	552	90,5	120	32	69,00
		94XH300	XH30094	6A		94	665,00	662,20	—	175	623	90,5	120	32	81,00
		96XH300	XH30096	6A		96	679,15	676,35	—	175	637	90,5	120	32	85,00
		118XH300	XH30118	6A		118	834,78	831,99	—	175	792	90,5	120	32	116,00
		120XH300	XH30120	6A		120	848,93	846,14	—	175	806	90,5	120	32	121,00

XH 400 - 7/8" (22,225 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH400	XH40018	6F	F44	18	127,34	124,55	140	100	—	118	132	32	9,50
		19XH400	XH40019	6F	F46	19	134,41	131,62	146	100	—	118	132	32	10,65
		20XH400	XH40020	6F	F50	20	141,49	138,69	154	100	—	118	132	32	11,80
		21XH400	XH40021	6F	F51	21	148,56	145,77	160	110	—	118	132	32	13,20
		22XH400	XH40022	6F	F52	22	155,64	152,84	168	110	—	118	132	32	14,73
		24XH400	XH40024	6F	F81	24	169,79	166,99	184	120	—	118	132	32	17,80
		25XH400	XH40025	6F	F56	25	176,86	174,07	192	120	—	118	132	32	19,40
		26XH400	XH40026	6F	F59	26	183,94	181,14	200	120	—	118	132	32	21,10
		27XH400	XH40027	6F	F59	27	191,01	188,22	200	120	—	118	132	32	22,80
		28XH400	XH40028	6F	F61	28	198,08	195,29	211	150	—	118	132	32	22,60
		30XH400	XH40030	6F	F62	30	212,23	209,44	226	150	—	118	132	32	28,70
		32XH400	XH40032	6F	F64	32	226,38	223,59	240	150	—	118	132	32	32,50
		34XH400	XH40034	6F	F66	34	240,53	237,74	256	150	—	118	132	32	36,50
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	38XH400	XH40038	6WF	F69	38	268,83	266,03	286	150	227	118	132	32	40,00
		40XH400	XH40040	6WF	F70	40	282,98	280,18	296	150	241	118	132	32	32,90
		46XH400	XH40046	6W		46	325,42	322,63	—	175	283	118	132	32	38,00
		48XH400	XH40048	6W		48	339,57	336,78	—	175	297	118	132	32	41,00
		50XH400	XH40050	6W		50	410,32	407,52	—	175	368	118	132	32	46,00
		60XH400	XH40060	6W		60	424,47	421,67	—	175	382	118	132	32	47,00
		70XH400	XH40070	6A		70	495,21	492,42	—	175	453	118	132	32	66,00
		72XH400	XH40072	6A		72	509,36	506,56	—	175	467	118	132	32	68,00
		78XH400	XH40078	6A		78	551,81	549,01	—	175	510	118	132	32	71,00
		80XH400	XH40080	6A		80	565,95	563,16	—	175	524	118	132	32	73,00
		82XH400	XH40082	6A		82	580,10	577,31	—	175	538	118	132	32	74,50
		84XH400	XH40084	6A		84	594,25	591,46	—	175	552	118	132	32	78,00
		94XH400	XH40094	6A		94	665,00	662,20	—	175	623	118	132	32	86,00
96XH400	XH40096	6A		96	679,15	676,35	—	175	637	118	132	32	98,00		
118XH400	XH40118	6A		118	834,78	831,99	—	175	792	118	132	32	142,00		
120XH400	XH40120	6A		120	848,93	846,14	—	175	806	118	132	32	156,00		







XXH 200 - 1" 1/4 (31,750 mm)

Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vorbohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	18XXH200	XXH2018	6F	F58	18	181,91	178,87	198	140	—	64,2	100	14,2
		19XXH200	XXH2019	6F	F60	19	192,02	188,97	205	140	—	64,2	100	15,8
		20XXH200	XXH2020	6F	F61	20	202,13	199,08	212	150	—	64,2	100	17,3
		21XXH200	XXH2021	6F	F62	21	212,23	209,19	226	150	—	64,2	100	18,5
		22XXH200	XXH2022	6F	F64	22	222,34	219,29	240	150	—	64,2	100	20,0
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	24XXH200	XXH2024	6		24	242,55	239,50	—	150	—	64,2	100	23,6
		25XXH200	XXH2025	6W		25	252,66	249,61	—	150	196	64,2	100	18,0
		26XXH200	XXH2026	6W		26	262,76	259,79	—	150	207	64,2	100	20,0
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	27XXH200	XXH2027	6W		27	272,87	269,82	—	150	216	64,2	100	24,0
		30XXH200	XXH2030	6W		30	303,19	300,14	—	150	247	64,2	100	26,0
		34XXH200	XXH2034	6W		34	343,62	340,57	—	150	287	64,2	100	31,8
		40XXH200	XXH2040	6W		40	404,25	401,21	—	150	348	64,2	100	43,0
		48XXH200	XXH2048	6W		48	485,10	482,06	—	175	429	64,2	100	60,4
		60XXH200	XXH2060	6A		60	606,38	603,33	—	175	547	64,2	120	100,0
		72XXH200	XXH2072	6A		72	727,66	724,61	—	175	668	64,2	120	130,0
		90XXH200	XXH2090	6A		90	909,57	906,52	—	175	850	64,2	120	156,0

XXH 300 - 1" 1/4 (31,750 mm)

Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vorbohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	18XXH300	XXH30018	6F	F58	18	181,91	178,87	198	140	—	91,4	110	16,0
		19XXH300	XXH30019	6F	F60	19	192,02	188,97	205	140	—	91,4	110	18,4
		20XXH300	XXH30020	6F	F61	20	202,13	199,08	212	150	—	91,4	110	20,4
		21XXH300	XXH30021	6F	F62	21	212,23	209,19	226	150	—	91,4	110	22,0
		22XXH300	XXH30022	6F	F64	22	222,34	219,29	240	150	—	91,4	110	25,0
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	24XXH300	XXH30024	6		24	242,55	239,50	—	150	—	91,4	110	29,2
		25XXH300	XXH30025	6W		25	252,66	249,61	—	150	196	91,4	110	24,6
		26XXH300	XXH30026	6W		26	262,76	259,79	—	150	207	91,4	110	27,0
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	27XXH300	XXH30027	6W		27	272,87	269,82	—	150	216	91,4	110	29,0
		30XXH300	XXH30030	6W		30	303,19	300,14	—	150	247	91,4	110	31,0
		34XXH300	XXH30034	6W		34	343,62	340,57	—	150	287	91,4	110	39,0
		40XXH300	XXH30040	6W		40	404,25	401,21	—	150	348	91,4	110	45,0
		48XXH300	XXH30048	6W		48	485,10	482,06	—	175	429	91,4	110	60,0
		60XXH300	XXH30060	6A		60	606,38	603,33	—	175	547	91,4	120	100,0
		72XXH300	XXH30072	6A		72	727,66	724,61	—	175	668	91,4	120	135,0
		90XXH300	XXH30090	6A		90	909,57	906,52	—	175	850	91,4	120	160,0



XXH 400 - 1" 1/4 (31,750 mm)

Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	18XXH400	XXH4018	6F	F58	18	181,91	178,87	198	140	—	120,7	140	20,8
		19XXH400	XXH4019	6F	F60	19	192,02	188,97	205	140	—	120,7	140	24,0
		20XXH400	XXH4020	6F	F61	20	202,13	199,08	212	150	—	120,7	140	26,0
		21XXH400	XXH4021	6F	F62	21	212,23	209,19	226	150	—	120,7	140	28,5
		22XXH400	XXH4022	6F	F64	22	222,34	219,29	240	150	—	120,7	140	31,6
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	24XXH400	XXH4024	6		24	242,55	239,50	—	150	—	120,7	140	35,0
		25XXH400	XXH4025	6W		25	252,66	249,61	—	150	196	120,7	140	28,0
		26XXH400	XXH4026	6W		26	262,76	259,79	—	150	207	120,7	140	32,4
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	27XXH400	XXH4027	6W		27	272,87	269,82	—	150	216	120,7	140	34,0
		30XXH400	XXH4030	6W		30	303,19	300,14	—	185	247	120,7	140	36,0
		34XXH400	XXH4034	6W		34	343,62	340,57	—	185	287	120,7	140	47,6
		40XXH400	XXH4040	6W		40	404,25	401,21	—	185	348	120,7	140	65,0
		48XXH400	XXH4048	6W		48	485,10	482,06	—	185	429	120,7	140	80,5
		60XXH400	XXH4060	6A		60	606,38	603,33	—	185	547	120,7	140	108,0
		72XXH400	XXH4072	6A		72	727,66	724,61	—	220	668	120,7	140	140,0
		90XXH400	XXH4090	6A		90	909,57	906,52	—	220	850	120,7	140	170,0

XXH 500 - 1" 1/4 (31,750 mm)

Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	18XXH500	XXH5018	6F	F58	18	181,91	178,87	198	140	—	145,3	168	24,0
		19XXH500	XXH5019	6F	F60	19	192,02	188,97	205	140	—	145,3	168	28,0
		20XXH500	XXH5020	6F	F61	20	202,13	199,08	212	150	—	145,3	168	31,4
		21XXH500	XXH5021	6F	F62	21	212,23	209,19	226	150	—	145,3	168	34,0
		22XXH500	XXH5022	6F	F64	22	222,34	219,29	240	150	—	145,3	168	38,3
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	24XXH500	XXH5024	6		24	242,55	239,50	—	150	—	145,3	168	45,0
		25XXH500	XXH5025	6W		25	252,66	249,61	—	150	196	145,3	168	36,0
		26XXH500	XXH5026	6W		26	262,76	259,79	—	150	207	145,3	168	37,5
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	27XXH500	XXH5027	6W		27	272,87	269,82	—	150	216	145,3	168	42,0
		30XXH500	XXH5030	6W		30	303,19	300,14	—	215	247	145,3	168	46,8
		34XXH500	XXH5034	6W		34	343,62	340,57	—	215	287	145,3	168	57,0
		40XXH500	XXH5040	6W		40	404,25	401,21	—	215	348	145,3	168	68,0
		48XXH500	XXH5048	6W		48	485,10	482,06	—	215	429	145,3	168	88,8
		60XXH500	XXH5060	6A		60	606,38	603,33	—	240	547	145,3	120	99,8
		72XXH500	XXH5072	6A		72	727,66	724,61	—	240	668	145,3	120	172,0
		90XXH500	XXH5090	6A		90	909,57	906,52	—	240	850	145,3	120	242,5


Le barre dentate XL e L sono costruite in acciaio UNI C 40 e in alluminio UNI 3571 TA 16, adatte alla anodizzazione. Le barre MXL sono costruite solo in alluminio.

The timing bars XL and L are made of steel UNI C 40 and of aluminium UNI 3571 TA 16, suitable for anodic treatment, whereas the bars MXL are made of aluminium only.

Die stangen XL und L sind aus stahl UNI C 40 und aluminium UNI 3571 TA 16 geeignet fuer anodischen oxydation. Die stangen MXL werden nur aus aluminium gefertigt.

Les barreaux dentes XL et L sont fabriqués en acier UNI C 40 et en aluminium UNI 3571 TA 16, apte au traitement anodi = que, tandis que les barreaux MXL ne sont fabriqués qu'en aluminium.

Las barras dentadas XL y L se construyen en acero UNI C 40 y en aluminio UNI 3571 TA 16 para la oxidacion anodica, mientras que las barras MXL solo se fabrican en aluminio.



MXL - 0.080" (mm 2,032)

Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo		N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	LU	L
	AL					
MXL 11	BMXL 011	11	6,60	50	75	
MXL 12	BMXL 012	12	7,26	50	75	
MXL 13	BMXL 013	13	7,90	50	75	
MXL 14	BMXL 014	14	8,56	50	75	
MXL 15	BMXL 015	15	9,19	50	75	
MXL 16	BMXL 016	16	9,83	50	75	
MXL 17	BMXL 017	17	10,49	50	75	
MXL 18	BMXL 018	18	11,12	50	75	
MXL 19	BMXL 019	19	11,78	90	120	
MXL 20	BMXL 020	20	12,42	90	120	
MXL 21	BMXL 021	21	13,08	90	120	
MXL 22	BMXL 022	22	13,72	125	140	
MXL 23	BMXL 023	23	14,38	125	140	
MXL 24	BMXL 024	24	15,01	125	140	
MXL 25	BMXL 025	25	15,67	125	140	
MXL 26	BMXL 026	26	16,31	125	140	
MXL 27	BMXL 027	27	16,94	125	140	
MXL 28	BMXL 028	28	16,70	125	140	
MXL 29	BMXL 029	29	18,24	125	140	
MXL 30	BMXL 030	30	18,90	125	140	
MXL 32	BMXL 032	32	20,19	125	140	
MXL 34	BMXL 034	34	21,49	125	140	
MXL 35	BMXL 035	35	22,12	132	140	
MXL 36	BMXL 036	36	22,78	132	140	
MXL 38	BMXL 038	38	24,08	132	140	
MXL 40	BMXL 040	40	25,37	132	140	
MXL 42	BMXL 042	42	26,67	140	140	
MXL 44	BMXL 044	44	27,94	140	140	
MXL 45	BMXL 045	45	28,60	140	140	
MXL 48	BMXL 048	48	30,53	140	140	
MXL 50	BMXL 050	50	32,33	140	140	
MXL 60	BMXL 060	60	38,30	160	160	
MXL 64	BMXL 064	64	40,89	160	160	
MXL 65	BMXL 065	65	41,53	160	160	
MXL 70	BMXL 070	70	44,78	160	160	
MXL 72	BMXL 072	72	46,05	160	160	
MXL 75	BMXL 075	75	48,01	160	160	
MXL 90	BMXL 090	90	57,71	160	160	
MXL 110	BMXL 110	110	70,64	160	160	

XL - 1/5" (mm 5,08)



Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo		N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	LU	L
	AL	C40				
XL 10	BXLA 010	BXLC 010	10	15,66	125	140
XL 11	BXLA 011	BXLC 011	11	17,28	125	140
XL 12	BXLA 012	BXLC 012	12	18,90	125	140
XL 13	BXLA 013	BXLC 013	13	20,51	125	140
XL 14	BXLA 014	BXLC 014	14	22,13	132	140
XL 15	BXLA 015	BXLC 015	15	23,75	132	140
XL 16	BXLA 016	BXLC 016	16	25,36	140	140
XL 17	BXLA 017	BXLC 017	17	26,98	140	140
XL 18	BXLA 018	BXLC 018	18	28,60	140	140
XL 19	BXLA 019	BXLC 019	19	30,22	140	140
XL 20	BXLA 020	BXLC 020	20	31,83	140	140
XL 21	BXLA 021	BXLC 021	21	33,45	160	160
XL 22	BXLA 022	BXLC 022	22	35,07	160	160
XL 23	BXLA 023	BXLC 023	23	36,60	160	160
XL 24	BXLA 024	BXLC 024	24	38,30	160	160
XL 25	BXLA 025	BXLC 025	25	39,93	160	160
XL 26	BXLA 026	BXLC 026	26	41,53	160	160
XL 27	BXLA 027	BXLC 027	27	43,15	160	160
XL 28	BXLA 028	BXLC 028	28	44,77	160	160
XL 29	BXLA 029	BXLC 029	29	46,39	160	160
XL 30	BXLA 030	BXLC 030	30	48,00	160	160
XL 32	BXLA 032	BXLC 032	32	51,24	160	160
XL 34	BXLA 034	BXLC 034	34	54,47	160	160
XL 35	BXLA 035	BXLC 035	35	56,09	160	160
XL 36	BXLA 036	BXLC 036	36	57,70	160	160
XL 38	BXLA 038	BXLC 038	38	60,94	160	160
XL 40	BXLA 040	BXLC 040	40	64,17	160	160
XL 42	BXLA 042	BXLC 042	42	67,41	160	160
XL 44	BXLA 044	BXLC 044	44	70,64	160	160
XL 45	BXLA 045	BXLC 045	45	72,26	160	160
XL 48	BXLA 048	BXLC 048	48	77,11	160	160
XL 50	BXLA 050	BXLC 050	50	80,33	160	160
XL 60	BXLA 060	BXLC 060	60	96,51	160	160
XL 64	BXLA 064	BXLC 064	64	102,95	160	160
XL 65	BXLA 065	BXLC 065	65	104,56	160	160
XL 70	BXLA 070	BXLC 070	70	112,68	160	160
XL 72	BXLA 072	BXLC 072	72	115,92	160	160

L - 3/8" (mm 9,525)

Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo		N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	LU	L
	AL	C40				
L 10	BOLA 010	BOLC 010	10	29,56	140	140
L 11	BOLA 011	BOLC 011	11	32,59	140	140
L 12	BOLA 012	BOLC 012	12	35,62	160	160
L 13	BOLA 013	BOLC 013	13	38,65	160	160
L 14	BOLA 014	BOLC 014	14	41,68	160	160
L 15	BOLA 015	BOLC 015	15	44,72	160	160
L 16	BOLA 016	BOLC 016	16	47,75	160	160
L 17	BOLA 017	BOLC 017	17	50,78	160	160
L 18	BOLA 018	BOLC 018	18	53,81	160	160
L 19	BOLA 019	BOLC 019	19	56,84	160	160
L 20	BOLA 020	BOLC 020	20	59,88	160	160
L 21	BOLA 021	BOLC 021	21	62,91	160	160
L 22	BOLA 022	BOLC 022	22	65,94	160	160
L 23	BOLA 023	BOLC 023	23	68,97	160	160
L 24	BOLA 024	BOLC 024	24	72,00	160	160
L 27	BOLA 027	BOLC 027	27	81,10	160	160
L 30	BOLA 030	BOLC 030	30	90,20	160	160




N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Flangia / Flanges / Bordscheiben / Flasques / Tapetas					
	d = 0,5 mm	d = 1 mm	d = 1,5 mm	d = 1,5 mm	d = 2,5 mm	d = 2,5 mm
	MXL	XL	L	H	XH	XXH
8	-	-	-	-	-	-
9	-	-	-	-	-	-
10	-	F 07	F 13	-	-	-
11	-	F 07	F 13	-	-	-
12	-	F 08	F 16	-	-	-
13	-	F 08	F 17	-	-	-
14	-	F 09	F 18	F 24	-	-
15	-	F 09	F 19	F 25	-	-
16	F 02	F 10	F 20	F 26	-	-
17	-	F 10	F 21	F 27	-	-
18	F 03	F 11	F 22	F 28	F 44	F 58
19	-	F 11	F 24	F 29	F 46	F 60
20	F 03	F 14	F 25	F 30	F 49	F 61
21	-	F 14	F 26	F 31	F 51	F 62
22	F 04	F 15	F 27	F 32	F 52	F 64
23	-	-	F 28	F 33	-	-
24	F 06	F 17	F 28	F 34	F 81	-
25	-	-	F 29	F 35	F 56	-
26	-	F 18	F 30	F 36	F 59	-
27	-	F 18	F 30	F 37	F 59	-
28	F 08	F 19	F 31	F 38	F 61	-
29	-	F 19	F 32	F 39	-	-
30	F 08	F 24	F 33	F 40	F 62	-
31	-	-	-	-	-	-
32	F 08	F 21	F 34	F 42	F 64	-
33	-	-	F 35	F 44	-	-
34	-	-	F 34	F 48	F 66	-
35	-	-	F 36	F 48	-	-
36	F 09	-	F 37	F 48	-	-
37	-	-	-	-	-	-
38	-	-	-	F 50	F 69	-
39	-	-	-	-	-	-
40	F 10	-	F 40	F 52	F 70	-
41	-	-	F 41	-	-	-
42	F 10	-	F 42	F 53	-	-
43	-	-	-	-	-	-
44	F 13	-	F 45	F 55	-	-
45	-	-	F 45	F 57	-	-
46	-	-	-	-	-	-
47	-	-	F 48	-	-	-
48	-	-	F 48	F 59	-	-
49	-	-	-	-	-	-
50	-	-	-	-	-	-
51	-	-	-	-	-	-
52	-	-	-	-	-	-
53	-	-	-	-	-	-
54	-	-	-	-	-	-
55	-	-	-	-	-	-
56	-	-	-	-	-	-
57	-	-	-	-	-	-
58	-	-	-	-	-	-
59	-	-	-	-	-	-
60	-	-	-	-	-	-
61	-	-	-	-	-	-
63	-	-	-	-	-	-
64	-	-	-	-	-	-
65	-	-	-	-	-	-
66	-	-	-	-	-	-
67	-	-	-	-	-	-
68	-	-	-	-	-	-
69	-	-	-	-	-	-
70	-	-	-	-	-	-
71	-	-	-	-	-	-
72	-	-	-	-	-	-
73	-	-	-	-	-	-
74	-	-	-	-	-	-
75	-	-	-	-	-	-
76	-	-	-	-	-	-
77	-	-	-	-	-	-
78	-	-	-	-	-	-
79	-	-	-	-	-	-
80	-	-	-	-	-	-
81	-	-	-	-	-	-
82	-	-	-	-	-	-
83	-	-	-	-	-	-
84	-	-	-	-	-	-
85	-	-	-	-	-	-
86	-	-	-	-	-	-
87	-	-	-	-	-	-
88	-	-	-	-	-	-
89	-	-	-	-	-	-
90	-	-	-	-	-	-


Tipo flangia Flanges type Bordscheiben Type Type flasques Tipo tapetas			
F 01	13,0	10,0	6,0
F 02	15,0	12,0	8,0
F 03	16,0	13,0	9,5
F 04	17,5	14,5	11,6
F 05	18,0	15,0	11,5
F 06	20,0	16,5	12,2
F 07	23,0	18,0	12,5
F 08	25,0	21,5	15,0
F 09	28,0	24,0	17,8
F 10	32,0	27,5	23,0
F 11	35,0	30,5	23,0
F 12	36,0	31,0	25,0
F 13	37,0	33,0	25,0
F 14	38,0	34,0	26,5
F 15	42,0	38,0	30,5
F 16	43,0	39,0	31,0
F 17	44,0	40,5	32,5
F 18	48,0	43,5	37,0
F 19	51,0	47,0	40,0
F 20	54,0	50,5	43,0
F 21	57,0	52,0	46,0
F 22	60,0	57,0	47,0
F 23	61,0	56,5	49,0
F 24	64,0	57,0	47,0
F 25	66,0	63,0	52,0
F 26	70,0	66,5	53,0
F 27	75,0	68,5	60,0
F 28	79,0	72,5	60,0
F 29	83,0	78,0	68,0
F 30	87,0	82,5	72,0
F 31	91,0	85,5	76,0
F 32	93,0	89,0	80,0
F 33	97,0	93,8	83,0
F 34	102,0	97,0	82,5
F 35	106,0	101,0	90,0
F 36	112,0	105,5	91,0
F 37	115,0	109,0	94,0
F 38	120,0	112,5	99,5
F 39	123,0	117,5	107,0
F 40	128,0	124,0	107,0
F 41	131,0	125,5	115,0
F 42	135,0	128,5	115,0
F 43	138,0	132,0	121,0
F 44	140,0	125,0	107,0
F 45	142,0	137,0	120,0
F 46	146,0	133,0	107,0
F 47	148,0	143,0	132,0
F 48	150,0	145,0	130,0
F 49	154,0	142,0	122,0
F 50	158,0	153,0	138,5
F 51	160,0	148,0	120,0
F 52	168,0	161,0	148,0
F 53	175,0	170,0	157,0
F 54	180,0	174,0	154,0
F 55	184,0	177,0	162,0
F 56	188,0	176,0	150,0
F 57	192,0	187,0	173,0
F 58	198,0	180,0	150,0
F 59	200,0	193,0	180,0
F 60	205,0	189,0	160,0
F 61	212,0	200,0	162,0
F 62	226,0	214,0	190,0
F 63	230,0	222,0	200,0
F 64	240,0	224,0	192,0
F 65	250,0	228,0	200,0
F 66	256,0	240,0	220,0
F 67	265,0	240,0	213,0
F 68	275,0	253,0	225,0
F 69	286,0	277,0	242,0
F 70	296,0	287,0	260,0
F 71	300,0	280,0	252,0
F 72	325,0	305,0	278,0
F 73	350,0	330,0	302,0
F 74	375,0	355,0	328,0
F 75	405,0	380,0	354,0
F 76	430,0	406,0	380,0
F 77	455,0	432,0	405,0
F 78	480,0	457,0	430,0
F 79	530,0	508,0	481,0
F 80	595,0	572,0	544,0
F 81	184,0	168,0	135,0

Pulegge dentate per bussola conica
Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen
Poulies dentées à moyeu amovible
Poleas dentadas para
casquillos cónicos (taper)







**Tipo / Type
3F**




**Tipo / Type
3WF**




**Tipo / Type
3W**




**Tipo / Type
3A**




**Tipo / Type
4F**




**Tipo / Type
4WF**




**Tipo / Type
5F**




**Tipo / Type
5WF**




**Tipo / Type
7W**




**Tipo / Type
7A**




**Tipo / Type
8F**



**Tipo / Type
8WF**



**Tipo / Type
9W**



**Tipo / Type
9A**

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible
Poleas dentadas para casquillos cónicos (taper)



L 050 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18L050	TL50018	8F	F22	1108	28	54,57	53,81	60	45	-	19,0	22,0	3	0,2
		19L050	TL50019	8F	F24	1108	28	57,61	56,84	64	45	-	19,0	22,0	3	0,2
		20L050	TL50020	8F	F25	1108	28	60,64	59,88	66	48	-	19,0	22,0	3	0,2
		21L050	TL50021	8F	F26	1108	28	63,67	62,91	70	48	-	19,0	22,0	3	0,3
		22L050	TL50022	8F	F27	1108	28	66,70	65,94	75	51	-	19,0	22,0	3	0,3
		23L050	TL50023	8F	F28	1108	28	69,73	68,97	79	54	-	19,0	22,0	3	0,4
		24L050	TL50024	8F	F28	1108	28	72,77	72,00	79	54	-	19,0	22,0	3	0,4
		25L050	TL50025	8F	F29	1108	28	75,80	75,04	83	56	-	19,0	22,0	3	0,5
		26L050	TL50026	8F	F30	1108	28	78,83	78,07	87	60	-	19,0	22,0	3	0,5
		27L050	TL50027	8F	F30	1108	28	81,86	81,10	87	62	-	19,0	22,0	3	0,6
		28L050	TL50028	8F	F31	1108	28	84,89	84,13	91	65	-	19,0	22,0	3	0,6
		30L050	TL50030	8F	F33	1108	28	90,96	90,20	97	70	-	19,0	22,0	3	0,8
		32L050	TL50032	8F	F34	1108	28	97,02	96,26	102	74	-	19,0	22,0	3	0,9
		36L050	TL50036	8F	F37	1108	28	109,15	108,39	115	85	-	19,0	22,0	3	1,2
		40L050	TL50040	8F	F40	1610	42	121,28	120,51	128	88	-	19,0	25,0	3	1,5
44L050	TL50044	8WF	F45	1610	42	133,40	132,64	142	88	110	19,0	25,0	6	1,8		
48L050	TL50048	8WF	F48	1610	42	145,53	144,77	150	88	120	19,0	25,0	6	2,3		
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges ohne Flanschen sans flasques / sin tapetas	60L050	TL50060	7W		1610	42	181,91	181,15	-	92	166	19,0	25,0	6	2,0
		72L050	TL50072	7A		1610	42	218,30	217,53	-	92	202	19,0	25,0	6	3,0
		84L050	TL50084	7A		1610	42	254,68	253,90	-	92	236	19,0	25,0	6	4,0
		96L050	TL50096	7A		2012	50	291,06	290,30	-	106	270	19,0	32,0	13	5,5
		120L050	TL50120	7A		2012	50	363,83	363,07	-	106	343	19,0	32,0	13	6,8

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible Poleas dentadas para casquillos cónicos (taper)

L 075 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18L075	TL75018	3F	F22	1108	28	54,57	53,81	60	-	-	25,0	25,0	-	0,2
		19L075	TL75019	3F	F24	1108	28	57,61	56,84	64	-	-	25,0	25,0	-	0,3
		20L075	TL75020	3F	F25	1108	28	60,64	59,88	66	-	-	25,0	25,0	-	0,3
		21L075	TL75021	3F	F26	1108	28	63,67	62,91	70	-	-	25,0	25,0	-	0,4
		22L075	TL75022	3F	F27	1108	28	66,70	65,94	75	-	-	25,0	25,0	-	0,4
		23L075	TL75023	3F	F28	1108	28	69,73	68,97	79	-	-	25,0	25,0	-	0,4
		24L075	TL75024	3F	F28	1108	28	72,77	72,00	79	-	-	25,0	25,0	-	0,5
		25L075	TL75025	3F	F29	1108	28	75,80	75,04	83	-	-	25,0	25,0	-	0,6
		26L075	TL75026	3F	F30	1108	28	78,83	78,07	87	-	-	25,0	25,0	-	0,6
		27L075	TL75027	3F	F30	1108	28	81,86	81,10	87	-	-	25,0	25,0	-	0,7
		28L075	TL75028	3F	F31	1108	28	84,89	84,13	91	-	-	25,0	25,0	-	0,7
		30L075	TL75030	3F	F33	1108	28	90,96	90,20	97	-	-	25,0	25,0	-	0,9
		32L075	TL75032	3F	F34	1108	28	97,02	96,26	102	-	-	25,0	25,0	-	1,0
		36L075	TL75036	3F	F37	1610	42	109,15	108,39	115	-	-	25,0	25,0	-	1,2
		40L075	TL75040	3F	F40	1610	42	121,28	120,51	128	-	-	25,0	25,0	-	1,7
		44L075	TL75044	3WF	F45	1610	42	133,40	132,64	142	90	110	25,0	25,0	-	2,1
		48L075	TL75048	3WF	F48	1610	42	145,53	144,77	150	92	120	25,0	25,0	-	2,5
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60L075	TL75060	3W		1610	42	181,91	181,15	-	92	166	25,0	25,0	-	3,0
		72L075	TL75072	3A		1610	42	218,30	217,53	-	92	202	25,0	25,0	-	4,0
		84L075	TL75084	7A		2012	50	254,68	253,90	-	92	236	25,0	32,0	-	5,2
		96L075	TL75096	7A		2012	50	291,06	290,30	-	106	270	25,0	32,0	3,5	6,5
		120L075	TL75120	7A		2012	50	363,83	363,07	-	106	343	25,0	32,0	3,5	7,6

L 100 - 3/8" (9,525 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigio	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18L100	TL10018	5F	F22	1108	28	54,57	53,81	60	-	38	31,0	22,0	9,0	0,2
		19L100	TL10019	5F	F24	1108	28	57,61	56,84	64	-	38	31,0	22,0	9,0	0,3
		20L100	TL10020	5F	F25	1108	28	60,64	59,88	66	-	45	31,0	22,0	9,0	0,4
		21L100	TL10021	5F	F26	1108	28	63,67	62,91	70	-	45	31,0	22,0	9,0	0,4
		22L100	TL10022	5F	F27	1108	28	66,70	65,94	75	-	48	31,0	22,0	9,0	0,4
		23L100	TL10023	5F	F28	1108	28	69,73	68,97	79	-	52	32,0	22,0	10,0	0,5
		24L100	TL10024	5F	F28	1108	28	72,77	72,00	79	-	52	32,0	22,0	10,0	0,6
		25L100	TL10025	5F	F29	1108	28	75,80	75,04	83	-	54	32,0	22,0	10,0	0,6
		26L100	TL10026	5F	F30	1108	28	78,83	78,07	87	-	60	32,0	22,0	10,0	0,7
		27L100	TL10027	5F	F30	1108	28	81,86	81,10	91	-	60	32,0	22,0	10,0	0,8
		28L100	TL10028	5F	F31	1108	28	84,89	84,13	91	-	65	32,0	22,0	10,0	0,8
		30L100	TL10030	5F	F33	1210	32	90,96	90,20	97	-	71	32,0	25,0	7,0	0,9
		32L100	TL10032	5F	F34	1210	32	97,02	96,26	102	-	75	32,0	25,0	7,0	1,0
		36L100	TL10036	5F	F37	1610	42	109,15	108,39	115	-	86	32,0	25,0	7,0	1,4
		40L100	TL10040	5F	F40	1610	42	121,28	120,51	128	-	96	32,0	25,0	7,0	1,7
	44L100	TL10044	5WF	F45	1610	42	133,40	132,64	142	90	110	32,0	25,0	-	2,3	
	48L100	TL10048	5WF	F48	1610	42	145,53	144,77	150	92	120	32,0	25,0	7,0	2,7	
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60L100	TL10060	9W		1610	42	181,91	181,15	-	92	166	32,0	25,0	3,5	2,4
		72L100	TL10072	3A		2012	50	218,30	217,53	-	92	202	32,0	32,0	-	4,4
		84L100	TL10084	3A		2012	50	254,68	253,90	-	92	236	32,0	32,0	-	6,0
		96L100	TL10096	3A		2012	50	291,06	290,30	-	106	270	32,0	32,0	-	7,1
		120L100	TL10120	3A		2012	50	363,83	363,07	-	106	343	32,0	32,0	-	8,5

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible
Poleas dentadas para casquillos cónicos (taper)



H 100 - 1/2" (12,7 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	16H100	TH10016	5F	F26	1108	28	64,68	63,31	70	-	45	31,0	22,0	9,0	0,4
		18H100	TH10018	5F	F28	1210	32	72,77	71,39	79	-	52	31,0	25,0	6,0	0,5
		19H100	TH10019	5F	F29	1210	32	76,81	75,44	83	-	56	31,0	25,0	6,0	0,6
		20H100	TH10020	5F	F30	1210	32	80,55	79,48	87	-	60	31,0	25,0	6,0	0,7
		21H100	TH10021	5F	F31	1210	32	84,89	83,52	91	-	64	32,0	25,0	7,0	0,8
		22H100	TH10022	5F	F32	1210	32	88,94	87,56	93	-	67	32,0	25,0	7,0	0,9
		23H100	TH10023	5F	F33	1610	42	92,98	91,61	97	-	70	32,0	25,0	7,0	0,9
		24H100	TH10024	5F	F34	1610	42	97,02	95,65	102	-	74	32,0	25,0	7,0	1,0
		25H100	TH10025	5F	F35	1610	42	101,06	99,69	106	-	77	32,0	25,0	7,0	1,0
		26H100	TH10026	5F	F36	1610	42	105,11	103,73	112	-	82	32,0	25,0	7,0	1,2
		27H100	TH10027	5F	F37	1610	42	109,15	107,78	115	-	85	32,0	25,0	7,0	1,3
		28H100	TH10028	5F	F38	1610	42	113,19	111,82	120	-	90	32,0	25,0	7,0	1,5
		30H100	TH10030	5F	F40	1610	42	121,28	119,90	128	-	98	32,0	25,0	7,0	1,7
		32H100	TH10032	5WF	F42	1610	42	129,36	127,99	135	80	106	32,0	25,0	7,0	2,0
		36H100	TH10036	5WF	F48	1610	42	145,53	144,16	150	92	121	32,0	25,0	7,0	2,7
		40H100	TH10040	5WF	F52	1610	42	161,70	160,33	168	92	138	32,0	25,0	7,0	3,6
		44H100	TH10044	3WF	F55	2012	50	177,87	176,50	184	106	152	32,0	32,0	-	3,8
		48H100	TH10048	3WF	F59	2012	50	194,04	192,67	200	106	169	32,0	32,0	-	3,2
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60H100	TH10060	9A		2012	50	242,55	241,18	-	92	223	34,0	32,0	1,0	4,8
		72H100	TH10072	9A		2012	50	291,06	289,69	-	92	270	34,0	32,0	1,0	5,7
		84H100	TH10084	9A		2012	50	339,57	338,20	-	92	318	34,0	32,0	1,0	6,8
		96H100	TH10096	7A		2517	60	388,08	386,71	-	106	366	34,0	45,0	5,5	8,2
		120H100	TH10120	7A		2517	60	485,10	483,73	-	106	462	34,0	45,0	5,5	12,1

H 150 - 1/2" (12,7 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18H150	TH15018	5F	F28	1210	32	72,77	71,39	79	-	52	45,0	25,0	20,0	0,6
		19H150	TH15019	5F	F29	1210	32	76,81	75,44	83	-	56	45,0	25,0	20,0	0,7
		20H150	TH15020	5F	F30	1210	32	80,55	79,48	87	-	60	45,0	25,0	20,0	0,8
		21H150	TH15021	5F	F31	1210	32	84,89	83,52	91	-	64	45,0	25,0	20,0	1,0
		22H150	TH15022	5F	F32	1210	32	88,94	87,56	93	-	67	45,0	25,0	20,0	1,2
		23H150	TH15023	5F	F33	1610	42	92,98	91,61	97	-	70	45,0	25,0	20,0	1,3
		24H150	TH15024	5F	F34	1610	42	97,02	95,65	102	-	74	45,0	25,0	20,0	1,0
		25H150	TH15025	5F	F35	1610	42	101,06	99,69	106	-	77	45,0	25,0	20,0	1,2
		26H150	TH15026	5F	F36	1610	42	105,11	103,73	112	-	82	45,0	25,0	20,0	1,4
		27H150	TH15027	5F	F37	1610	42	109,15	107,78	115	-	85	45,0	25,0	20,0	1,6
		28H150	TH15028	5F	F38	1610	42	113,19	111,82	120	-	90	45,0	25,0	20,0	1,8
		30H150	TH15030	5F	F40	1610	42	121,28	119,90	128	-	98	45,0	25,0	20,0	2,3
		32H150	TH15032	5WF	F42	1610	42	129,36	127,99	135	80	106	45,0	25,0	20,0	2,3
		36H150	TH15036	5WF	F48	1610	42	145,53	144,16	150	92	121	45,0	25,0	20,0	3,1
		40H150	TH15040	5WF	F52	1610	42	161,70	160,33	168	92	138	45,0	25,0	20,0	4,0
		44H150	TH15044	5WF	F55	2012	50	177,87	176,50	184	106	152	45,0	32,0	13,0	4,4
		48H150	TH15048	5WF	F59	2012	50	194,04	192,67	200	106	169	45,0	32,0	13,0	4,8
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60H150	TH15060	9A		2012	50	242,55	241,18	-	92	223	46,0	32,0	7,5	5,4
		72H150	TH15072	9A		2012	50	291,06	289,69	-	92	270	46,0	32,0	7,5	6,5
		84H150	TH15084	9A		2012	50	339,57	338,20	-	92	318	46,0	32,0	7,5	8,4
		96H150	TH15096	9A		2517	60	388,08	386,71	-	106	366	46,0	45,0	0,5	11,0
		120H150	TH73120	9A		2517	60	485,10	483,73	-	106	462	46,0	45,0	0,5	14,8

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible Poleas dentadas para casquillos cónicos (taper)

H 200 - 1/2" (12,7 mm)

Caratteristiche Features Merkmal Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18H200	TH20018	5F	F28	1210	32	72,77	71,39	79	-	52	58,0	25,0	33,0	0,8
		19H200	TH20019	5F	F29	1210	32	76,81	75,44	83	-	56	58,0	25,0	33,0	0,9
		20H200	TH20020	5F	F30	1610	42	80,55	79,48	87	-	60	58,0	25,0	33,0	1,0
		21H200	TH20021	5F	F31	1610	42	84,89	83,52	91	-	64	58,0	25,0	33,0	1,7
		22H200	TH20022	5F	F32	1610	42	88,94	87,56	93	-	67	58,0	25,0	33,0	1,5
		23H200	TH20023	5F	F33	1610	42	92,98	91,61	97	-	70	58,0	25,0	33,0	1,8
		24H200	TH20024	5F	F34	1610	42	97,02	95,65	102	-	74	58,0	25,0	33,0	1,5
		25H200	TH20025	5F	F35	1610	42	101,06	99,69	106	-	77	58,0	25,0	33,0	1,5
		26H200	TH20026	5F	F36	1610	42	105,11	103,73	112	-	82	58,0	25,0	33,0	1,8
		27H200	TH20027	5F	F37	1610	42	109,15	107,78	115	-	85	58,0	25,0	33,0	1,9
		28H200	TH20028	5F	F38	1610	42	113,19	111,82	120	-	90	58,0	25,0	33,0	1,9
		30H200	TH20030	5F	F40	1610	42	121,28	119,90	128	-	98	58,0	25,0	33,0	2,3
		32H200	TH20032	5F	F42	2012	50	129,36	127,99	135	-	106	58,0	32,0	26,0	3,0
		36H200	TH20036	5WF	F48	2012	50	145,53	144,16	150	102	121	58,0	32,0	26,0	3,0
		40H200	TH20040	5WF	F52	2012	50	161,70	160,33	168	106	140	58,0	32,0	26,0	3,6
		44H200	TH20044	5WF	F55	2012	50	177,87	176,50	184	106	150	58,0	32,0	26,0	4,0
		48H200	TH20048	5WF	F59	2517	60	194,04	192,67	200	119	168	58,0	45,0	13,0	4,6
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60H200	TH20060	9A		2517	60	242,55	241,18	-	119	223	60,0	45,0	7,5	7,0
		72H200	TH20072	9A		2517	60	291,06	289,69	-	119	270	60,0	45,0	7,5	8,0
		84H200	TH20084	9A		2517	60	339,57	338,20	-	119	318	60,0	45,0	7,5	9,0
		96H200	TH20096	9A		2517	60	388,08	386,71	-	119	366	60,0	45,0	7,5	10,0
		120H200	TH20120	9A		2517	60	485,10	483,73	-	119	462	60,0	45,0	7,5	13,4

H 300 - 1/2" (12,7 mm)

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	20H300	TH30020	4F	F31	1615	42	80,85	79,48	87	-	65	84,0	38,0	23,0	1,5
		21H300	TH30021	4F	F31	1615	42	84,89	83,52	91	-	65	84,0	38,0	23,0	1,2
		22H300	TH30022	4F	F32	1615	42	88,94	87,56	93	-	67	84,0	38,0	23,0	1,6
		23H300	TH30023	4F	F33	1615	42	92,98	91,61	97	-	70	84,0	38,0	23,0	1,8
		24H300	TH30024	4F	F34	1615	42	97,02	95,65	102	-	74	84,0	38,0	23,0	2,0
		25H300	TH30025	4F	F35	1615	42	101,06	99,69	106	-	77	84,0	38,0	23,0	2,0
		26H300	TH30026	4F	F36	1615	42	105,11	103,73	112	-	82	84,0	38,0	23,0	2,7
		27H300	TH30027	4F	F37	2012	50	109,15	107,78	115	-	85	84,0	32,0	26,0	3,0
		28H300	TH30028	4F	F38	2012	50	113,19	111,82	120	-	90	84,0	32,0	26,0	2,4
		30H300	TH30030	4F	F40	2012	50	121,28	119,90	128	-	98	84,0	32,0	26,0	2,9
		32H300	TH30032	4F	F42	2517	60	129,36	127,99	135	-	106	84,0	45,0	19,5	3,3
		36H300	TH30036	4F	F48	2517	60	145,53	144,16	150	-	121	84,0	45,0	19,5	4,5
		40H300	TH30040	4F	F52	2517	60	161,70	160,33	168	-	138	84,0	45,0	19,5	6,0
		44H300	TH30044	4WF	F55	2517	60	177,87	176,50	184	119	150	86,0	45,0	20,5	6,6
		48H300	TH30048	4WF	F59	2517	60	194,04	192,67	200	119	168	86,0	45,0	20,5	7,6
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia without flanges ohne Flanschen sans flasques sin tapetas	60H300	TH30060	9A		2517	60	242,55	241,18	-	119	223	86,0	45,0	20,5	8,4
		72H300	TH30072	9A		2517	60	291,06	289,69	-	119	270	86,0	45,0	20,5	10,4
		84H300	TH30084	9A		2517	60	339,57	338,20	-	119	318	86,0	45,0	20,5	12,5
		96H300	TH30096	9A		3030	75	388,08	386,71	-	150	366	86,0	76,0	5,0	14,2
		120H300	TH30120	9A		3030	75	485,10	483,73	-	150	462	86,0	76,0	5,0	18,8

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible
Poleas dentadas para casquillos cónicos (taper)



XH 200 - 7/8" (22,225 mm)

Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH200	TXH2018	5F	F44	2517	60	127,34	124,55	140	-	95	64	45	19,0
		20XH200	TXH2020	5F	F49	2517	60	141,49	138,69	154	-	110	64	45	19,0
		22XH200	TXH2022	5F	F52	2517	60	155,64	152,84	168	-	120	64	45	19,0
		24XH200	TXH2024	5F	F55	2517	60	169,79	166,99	184	-	135	64	45	19,0
		26XH200	TXH2026	5F	F59	2517	60	183,94	181,14	200	-	150	64	45	19,0
		28XH200	TXH2028	4WF	F61	2517	60	198,08	195,29	212	120	165	64	45	9,5
		30XH200	TXH2030	4WF	F62	2517	60	212,23	209,44	226	120	180	64	45	9,5
		32XH200	TXH2032	4WF	F64	2517	60	226,38	223,59	240	120	195	64	45	9,5
		40XH200	TXH2040	4WF	F70	3020	75	282,98	280,18	296	160	245	64	51	9,5
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	48XH200	TXH2048	9W		3020	75	339,57	336,78	-	160	300	64	51	6,5
		60XH200	TXH2060	7A		3535	90	424,47	421,67	-	190	385	64	89	12,5
		72XH200	TXH2072	7A		3535	90	509,40	506,56	-	190	470	64	89	12,5
		84XH200	TXH2084	7A		3535	90	594,25	591,46	-	190	555	64	89	12,5
		96XH200	TXH2096	7A		3535	90	679,15	676,35	-	190	640	64	89	12,5
		120XH200	TXH2120	7A		3535	90	848,93	846,14	-	190	810	64	89	12,5

XH 300 - 7/8" (22,225 mm)


Caratteristiche Features Merkmal Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH300	TXH3018	5F	F44	2517	60	127,34	124,55	140	-	95	90	45	45,0
		20XH300	TXH3020	5F	F49	2517	60	141,49	138,69	154	-	110	90	45	45,0
		22XH300	TXH3022	5F	F52	2517	60	155,64	152,84	168	-	120	90	45	45,0
		24XH300	TXH3024	5F	F55	2517	60	169,79	166,99	184	-	135	90	45	45,0
		26XH300	TXH3026	5F	F59	2517	60	183,94	181,14	200	-	150	90	45	45,0
		28XH300	TXH3028	5F	F61	3020	75	198,08	195,29	212	120	165	90	51	39,0
		30XH300	TXH3030	5F	F62	3020	75	212,23	209,44	226	120	180	90	51	39,0
		32XH300	TXH3032	5F	F64	3020	75	226,38	223,59	240	120	195	90	51	39,0
		40XH300	TXH3040	4WF	F70	3020	75	282,98	280,18	296	160	245	90	51	19,5
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	48XH300	TXH3048	9A		3020	75	339,57	336,78	-	160	300	90	51	19,5
		60XH300	TXH3060	9A		3535	90	424,47	421,67	-	190	385	90	89	0,5
		72XH300	TXH3072	9A		3535	90	509,40	506,56	-	190	470	90	89	0,5
		84XH300	TXH3084	7A		4040	100	594,25	591,46	-	190	555	90	102	6,0
		96XH300	TXH3096	7A		4040	100	679,15	676,35	-	190	640	90	102	6,0
		120XH300	TXH3120	7A		4040	100	848,93	846,14	-	190	810	90	102	6,0

Pulegge dentate per bussola conica / Timing belt pulleys for taper bushes
Zahnriemenscheiben für Spannbüchsen / Poulies dentées à moyeu amovible
Poleas dentadas para casquillos cónicos (taper)

XH 400 - 7/8" (22,225 mm)

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	con flangia / with flanges mit Flanges / avec flasques / con tapetas	18XH400	TXH4018	5F	F44	2517	60	127,34	124,55	140	-	95	119	45	74,0
		20XH400	TXH4020	5F	F49	2517	60	141,49	138,69	154	-	110	119	45	74,0
		22XH400	TXH4022	5F	F52	2517	60	155,64	152,84	168	-	120	119	45	74,0
		24XH400	TXH4024	5F	F55	3020	75	169,79	166,99	184	-	135	119	51	68,0
		26XH400	TXH4026	5F	F59	3020	75	183,94	181,14	200	-	150	119	51	68,0
		28XH400	TXH4028	5F	F61	3020	75	198,08	195,29	212	120	165	119	51	68,0
		30XH400	TXH4030	5F	F62	3020	75	212,23	209,44	226	120	180	119	51	68,0
		32XH400	TXH4032	5F	F64	3020	75	226,38	223,59	240	120	195	119	51	68,0
		40XH400	TXH4040	4WF	F70	3535	90	282,98	280,18	296	160	245	119	89	15,0
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	48XH400	TXH4048	9W		3535	90	339,57	336,78	-	160	300	119	89	15,0
		60XH400	TXH4060	9A		4040	100	424,47	421,67	-	190	385	119	102	8,5
		72XH400	TXH4072	9A		4040	100	509,40	506,56	-	190	470	119	102	8,5
		84XH400	TXH4084	9A		4040	100	594,25	591,46	-	190	555	119	102	8,5
		96XH400	TXH4096	9A		4040	100	679,15	676,35	-	190	640	119	102	8,5
		120XH400	TXH4120	9A		4040	100	848,93	846,14	-	190	810	119	102	8,5

Pulegge dentate per cinghie passo metrico
Timing belt pulleys metric pitch
Zahnriemenscheiben metrische teilung
Poulies dentées pour courroies pas mètrique
Poleas dentadas para correas con paso metrico



Istruzioni per l'identificazione e la classificazione delle pulegge a passo metrico

Instructions for the identification and classification of timing belt pulleys metric pitch

Leitfaden zur suche und Klassifizierung der Zahnriemenscheiben metrische Teilung

Instructions pour la recherche et la classification des poulies dentées pas métrique

Guia a la busca y clasificación de las poleas dentadas en paso metrico

Esempio: ALTEZZA 40 T 10/32-2

40 = Larghezza totale della puleggia 40 mm (L)
T10 = Passo 10 mm
30 = N. denti
2 = N. della flangia

Example: PULLEY 40 T 10/32-2

40 = Total width of pulley 40 mm (L)
T10 = Pitch 10 mm
30 = No. of teeth
2 = No. of flanges

Beispiel: SCHIBE 40 T 10/32-2

40 = Gesamtbreite der Scheibe 40 mm (L)
T10 = Teilung 10 mm
30 = Zähnezahl
2 = Anzahl der Bordscheiben

Exemple: POULIE 40 T 10/32-2

40 = Largeur totale de la poulie 40 mm (L)
T10 = Pas 10 mm
30 = N. de dents
2 = N. de flasques

Ejemplo: POLEA 40 T 10/32-2

40 = Ancho total de la polea 40 mm (L)
T10 = Paso 10 mm
30 = Cantidad de dientes
2 = Cantidad de tapetas

Materiale:
alluminio 6082 T6
UNI 9006/4 adatto al trattamento anodico

Material:
aluminium 6082 T6 UNI
9006/4 suitable for anodic treatment

Werkstoff:
aluminium 6082 T6 UNI
9006/4 geeignet für anodischen oxydation


Matière:
aluminium 6082 T6 UNI
9006/4 apte au traitement anodique

Material:
aluminio 6082 T6 UNI
9006/4 apto para la oxidación anodica


Pulegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch

Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas métrique


Poleas dentadas para correas con paso metrico



Tipo / Type
1F



Tipo / Type
6F



Tipo / Type
6

T 2,5

(Paso 2,5 mm)
per cinghia larghezza 6 mm

(Pitch 2,5 mm)
for belt width 6 mm

(Teilung 2,5 mm)
für Riemenbreite 6 mm

(Pas 2,5 mm)
pour courroies largeur 6 mm

(Paso 2,5 mm)
para correas ancho 6 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zähnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
16T2,5/12-2	16T2012	1F	F01	12	9,60	9,00	13,0	6,0	9	16	4	0,004
16T2,5/14-2	16T2014	1F	F02	14	11,20	10,60	15,0	8,0	9	16	4	0,006
16T2,5/15-2	16T2015	1F	F02	15	12,00	11,40	15,0	8,0	9	16	4	0,006
16T2,5/16-2	16T2016	1F	F03	16	12,80	12,20	16,0	9,5	9	16	4	0,006
16T2,5/18-2	16T2018	6F	F04	18	14,40	13,80	17,5	10,0	10	16	4	0,006
16T2,5/19-2	16T2019	6F	F05	19	15,20	14,60	18,0	10,0	10	16	4	0,007
16T2,5/20-2	16T2020	6F	F06	20	16,00	15,40	20,0	10,5	10	16	4	0,008
16T2,5/22-2	16T2022	6F	F07	22	17,60	17,00	23,0	11,0	10	16	4	0,010
16T2,5/24-2	16T2024	6F	F07	24	19,15	18,55	23,0	12,0	10	16	4	0,012
16T2,5/25-2	16T2025	6F	F07	25	19,95	19,35	23,0	13,0	10	16	4	0,013
16T2,5/26-2	16T2026	6F	F09	26	20,75	20,15	25,0	14,0	10	16	4	0,015
16T2,5/28-2	16T2028	6F	F09	28	22,35	21,75	25,0	14,0	10	16	4	0,016
16T2,5/30-2	16T2030	6F	F09	30	23,95	23,35	28,0	16,0	10	16	6	0,018
16T2,5/32-2	16T2032	6F	F10	32	25,95	24,95	32,0	16,0	10	16	6	0,020
16T2,5/36-2	16T2036	6F	F12	36	28,75	28,10	36,0	20,0	10	16	6	0,026
16T2,5/40-2	16T2040	6F	F14	40	31,90	31,30	38,0	22,0	10	16	6	0,032
16T2,5/44-2	16T2044	6F	F15	44	35,10	34,50	42,0	24,0	10	16	6	0,038
16T2,5/48-0	16T2048	6	-	48	38,30	37,70	-	26,0	10	16	6	0,048
16T2,5/60-0	16T2060	6	-	60	47,85	47,25	-	34,0	10	16	8	0,073

Per pulegge aventi un numero di denti diverso dalla tabella, consultateci.

For pulleys with a number of teeth not included in these tables please ask for our quotation.

Verlagen sie angebaut für Zahnscheiben mit Anzahl von Zähnen die nicht in diesen Tafeln aufgefuehrt sind.

Pour les poulies avec un nombre de dents different du tableau, nous consulter.

Pidan oferta por lo que concierne una cantidad de dientes no incluida en estas tablas.

Pulegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch


Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas métrique

Poleas dentadas para correas con paso metrico




Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico	Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment	Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation	Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique	Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidación anodica
---	--	---	---	--

Tipo / Type
6F



Tipo / Type
6



T 5

(Passo 5 mm) (Pitch 5 mm) (Teilung 5 mm) (Pas 5 mm) (Paso 5 mm)
per cinghia larghezza 10 mm for belt width 10 mm für Riemenbreite 10 mm pour courroies largeur 10 mm para correas ancho 10 mm

Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
21T5/10-2	21T5010	6F	F06	10	16,05	15,05	20,0	8	15	21	4	0,012
21T5/12-2	21T5012	6F	F07	12	19,25	18,25	23,0	11	15	21	4	0,016
21T5/14-2	21T5014	6F	F08	14	22,45	21,45	25,0	13	15	21	4	0,019
21T5/15-2	21T5015	6F	F09	15	24,05	23,05	28,0	16	15	21	6	0,021
21T5/16-2	21T5016	6F	F10	16	25,06	24,60	32,0	18	15	21	6	0,025
21T5/18-2	21T5018	6F	F10	18	28,80	27,80	32,0	20	15	21	6	0,031
21T5/19-2	21T5019	6F	F12	19	30,40	29,40	36,0	22	15	21	6	0,036
21T5/20-2	21T5020	6F	F12	20	32,00	31,00	36,0	23	15	21	6	0,038
21T5/22-2	21T5022	6F	F14	22	35,15	34,15	38,0	24	15	21	6	0,054
21T5/24-2	21T5024	6F	F15	24	38,40	37,40	42,0	26	15	21	6	0,056
21T5/25-2	21T5025	6F	F17	25	39,95	38,95	44,0	26	15	21	6	0,058
21T5/26-2	21T5026	6F	F17	26	41,60	40,60	44,0	26	15	21	6	0,064
21T5/27-2	21T5027	6F	F18	27	43,20	42,20	48,0	30	15	21	8	0,070
21T5/28-2	21T5028	6F	F18	28	44,75	43,75	48,0	32	15	21	8	0,075
21T5/30-2	21T5030	6F	F19	30	47,95	46,95	51,0	34	15	21	8	0,081
21T5/32-2	21T5032	6F	F20	32	51,10	50,10	54,0	38	15	21	8	0,088
21T5/36-2	21T5036	6F	F24	36	57,45	56,45	64,0	38	15	21	8	0,114
21T5/40-2	21T5040	6F	F25	40	63,85	62,85	66,0	40	15	21	8	0,138
21T5/42-2	21T5042	6F	F26	42	67,00	66,00	70,0	40	15	21	8	0,165
21T5/44-0	21T5044	6	-	44	70,20	69,20	-	45	15	21	8	0,200
21T5/48-0	21T5048	6	-	48	76,55	75,55	-	50	15	21	8	0,307
21T5/60-0	21T5060	6	-	60	95,65	94,65	-	65	15	21	8	0,180

(Passo 5 mm) (Pitch 5 mm) (Teilung 5 mm) (Pas 5 mm) (Paso 5 mm)
per cinghia larghezza 16 mm for belt width 16 mm für Riemenbreite 16 mm pour courroies largeur 16 mm para correas ancho 16 mm

Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
27T5/10-2	27T5010	6F	F06	10	16,05	15,05	20,0	8	21	27	4	0,016
27T5/12-2	27T5012	6F	F07	12	19,25	18,25	23,0	11	21	27	4	0,022
27T5/14-2	27T5014	6F	F08	14	22,45	21,45	25,0	13	21	27	4	0,026
27T5/15-2	27T5015	6F	F09	15	24,05	23,05	28,0	16	21	27	6	0,029
27T5/16-2	27T5016	6F	F10	16	25,06	24,60	32,0	18	21	27	6	0,035
27T5/18-2	27T5018	6F	F10	18	28,80	27,80	32,0	20	21	27	6	0,043
27T5/19-2	27T5019	6F	F12	19	30,40	29,40	36,0	22	21	27	6	0,049
27T5/20-2	27T5020	6F	F12	20	32,00	31,00	36,0	23	21	27	6	0,053
27T5/22-2	27T5022	6F	F14	22	35,15	34,15	38,0	24	21	27	6	0,062
27T5/24-2	27T5024	6F	F15	24	38,40	37,40	42,0	26	21	27	6	0,076
27T5/25-2	27T5025	6F	F17	25	39,95	38,95	44,0	26	21	27	6	0,081
27T5/26-2	27T5026	6F	F17	26	41,60	40,60	44,0	26	21	27	6	0,085
27T5/27-2	27T5027	6F	F18	27	43,20	42,20	48,0	30	21	27	8	0,090
27T5/28-2	27T5028	6F	F18	28	44,75	43,75	48,0	32	21	27	8	0,095
27T5/30-2	27T5030	6F	F19	30	47,95	46,95	51,0	34	21	27	8	0,105
27T5/32-2	27T5032	6F	F20	32	51,10	50,10	54,0	38	21	27	8	0,123
27T5/36-2	27T5036	6F	F24	36	57,45	56,45	64,0	38	21	27	8	0,160
27T5/40-2	27T5040	6F	F25	40	63,85	62,85	66,0	40	21	27	8	0,193
27T5/42-2	27T5042	6F	F26	42	67,00	66,00	70,0	40	21	27	8	0,245
27T5/44-0	27T5044	6	-	44	70,20	69,20	-	45	21	27	8	0,280
27T5/48-0	27T5048	6	-	48	76,55	75,55	-	50	21	27	8	0,430
27T5/60-0	27T5060	6	-	60	95,65	94,65	-	65	21	27	8	0,108

(Passo 5 mm) (Pitch 5 mm) (Teilung 5 mm) (Pas 5 mm) (Paso 5 mm)
per cinghia larghezza 25 mm for belt width 25 mm für Riemenbreite 25 mm pour courroies largeur 25 mm para correas ancho 25 mm

Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
36T5/10-2	36T5010	6F	F06	10	16,05	15,05	20,0	8	30	36	4	0,023
36T5/12-2	36T5012	6F	F07	12	19,25	18,25	23,0	11	30	36	4	0,031
36T5/14-2	36T5014	6F	F08	14	22,45	21,45	25,0	13	30	36	4	0,037
36T5/15-2	36T5015	6F	F09	15	24,05	23,05	28,0	16	30	36	6	0,041
36T5/16-2	36T5016	6F	F10	16	25,06	24,60	32,0	18	30	36	6	0,050
36T5/18-2	36T5018	6F	F10	18	28,80	27,80	32,0	20	30	36	6	0,061
36T5/19-2	36T5019	6F	F12	19	30,40	29,40	36,0	22	30	36	6	0,070
36T5/20-2	36T5020	6F	F12	20	32,00	31,00	36,0	23	30	36	6	0,076
36T5/22-2	36T5022	6F	F14	22	35,15	34,15	38,0	24	30	36	6	0,092
36T5/24-2	36T5024	6F	F15	24	38,40	37,40	42,0	26	30	36	8	0,109
36T5/25-2	36T5025	6F	F17	25	39,95	38,95	44,0	26	30	36	8	0,116
36T5/26-2	36T5026	6F	F17	26	41,60	40,60	44,0	26	30	36	8	0,121
36T5/27-2	36T5027	6F	F18	27	43,20	42,20	48,0	30	30	36	8	0,128
36T5/28-2	36T5028	6F	F18	28	44,75	43,75	48,0	32	30	36	8	0,142
36T5/30-2	36T5030	6F	F19	30	47,95	46,95	51,0	34	30	36	8	0,150
36T5/32-2	36T5032	6F	F20	32	51,10	50,10	54,0	38	30	36	8	0,176
36T5/36-2	36T5036	6F	F24	36	57,45	56,45	64,0	38	30	36	8	0,230
36T5/40-2	36T5040	6F	F25	40	63,85	62,85	66,0	40	30	36	8	0,276
36T5/42-2	36T5042	6F	F26	42	67,00	66,00	70,0	40	30	36	8	0,352
36T5/44-0	36T5044	6	-	44	70,20	69,20	-	45	30	36	8	0,400
36T5/48-0	36T5048	6	-	48	76,55	75,55	-	50	30	36	8	0,614
36T5/60-0	36T5060	6	-	60	95,65	94,65	-	65	30	36	8	0,180


Pullegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch

Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas métrique


Poleas dentadas para correas con paso metrico

Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico	Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment	Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation	Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique	Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidación anodica
---	--	---	---	--

Tipo / Type
6F



Tipo / Type
6



T 10

(Passo 10 mm) per cinghia larghezza 16 mm	(Pitch 10 mm) for belt width 16 mm	(Teilung 10 mm) für Riemenbreite 16 mm	(Pas 10 mm) pour courroies largeur 16 mm	(Paso 10 mm) para correas ancho 16 mm
--	---------------------------------------	---	---	--

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
31T10/12-2	31T1012	6F	F15	12	38,35	36,35	42	28	21	31	6	0,076
31T10/14-2	31T1014	6F	F18	14	44,70	42,70	48	32	21	31	8	0,104
31T10/15-2	31T1015	6F	F19	15	47,90	45,90	51	32	21	31	8	0,116
31T10/16-2	31T1016	6F	F20	16	51,10	49,10	54	35	21	31	8	0,134
31T10/18-2	31T1018	6F	F22	18	57,45	55,45	60	40	21	31	8	0,167
31T10/19-2	31T1019	6F	F25	19	60,65	58,65	66	44	21	31	8	0,184
31T10/20-2	31T1020	6F	F25	20	63,80	61,80	66	46	21	31	8	0,208
31T10/22-2	31T1022	6F	F27	22	70,20	68,20	75	52	21	31	8	0,240
31T10/24-2	31T1024	6F	F29	24	76,55	74,55	83	58	21	31	8	0,288
31T10/25-2	31T1025	6F	F29	25	79,75	77,70	83	60	21	31	8	0,295
31T10/26-2	31T1026	6F	F30	26	82,90	80,90	87	60	21	31	8	0,310
31T10/27-2	31T1027	6F	F31	27	86,10	84,10	91	60	21	31	8	0,364
31T10/28-2	31T1028	6F	F32	28	89,25	87,25	93	60	21	31	8	0,441
31T10/30-2	31T1030	6F	F33	30	95,65	93,65	97	60	21	31	8	0,493
31T10/32-2	31T1032	6F	F35	32	102,00	100,00	106	65	21	31	10	0,623
31T10/36-2	31T1036	6F	F38	36	114,75	112,75	120	70	21	31	10	0,767
31T10/40-2	31T1040	6F	F41	40	127,45	125,45	131	80	21	31	10	0,950
31T10/44-0	31T1044	6	-	44	140,20	138,20	-	88	21	31	10	1,090
31T10/48-0	31T1048	6	-	48	152,95	150,95	-	95	21	31	16	1,704
31T10/60-0	31T1060	6	-	60	191,15	189,10	-	110	21	31	16	1,704

(Passo 10 mm) per cinghia larghezza 25 mm	(Pitch 10 mm) for belt width 25 mm	(Teilung 10 mm) für Riemenbreite 25 mm	(Pas 10 mm) pour courroies largeur 25 mm	(Paso 10 mm) para correas ancho 25 mm
--	---------------------------------------	---	---	--


40T10/12-2	40T1012	6F	F15	12	38,35	36,35	42	28	30	40	6	0,099
40T10/14-2	40T1014	6F	F18	14	44,70	42,70	48	32	30	40	8	0,134
40T10/15-2	40T1015	6F	F19	15	47,90	45,90	51	32	30	40	8	0,152
40T10/16-2	40T1016	6F	F20	16	51,10	49,10	54	35	30	40	8	0,176
40T10/18-2	40T1018	6F	F22	18	57,45	55,45	60	40	30	40	8	0,224
40T10/19-2	40T1019	6F	F25	19	60,65	58,65	66	44	30	40	8	0,247
40T10/20-2	40T1020	6F	F25	20	63,80	61,80	66	46	30	40	8	0,276
40T10/22-2	40T1022	6F	F27	22	70,20	68,20	75	52	30	40	8	0,310
40T10/24-2	40T1024	6F	F29	24	76,55	74,55	83	58	30	40	8	0,392
40T10/25-2	40T1025	6F	F29	25	79,75	77,70	83	60	30	40	8	0,422
40T10/26-2	40T1026	6F	F30	26	82,90	80,90	87	60	30	40	8	0,480
40T10/27-2	40T1027	6F	F31	27	86,10	84,10	91	60	30	40	8	0,536
40T10/28-2	40T1028	6F	F32	28	89,25	87,25	93	60	30	40	8	0,590
40T10/30-2	40T1030	6F	F33	30	95,65	93,65	97	60	30	40	8	0,640
40T10/32-2	40T1032	6F	F35	32	102,00	100,00	106	65	30	40	10	0,693
40T10/36-2	40T1036	6F	F38	36	114,75	112,75	120	70	30	40	10	0,873
40T10/40-2	40T1040	6F	F41	40	127,45	125,45	131	80	30	40	10	1,067
40T10/44-0	40T1044	6	-	44	140,20	138,20	-	88	30	40	10	1,310
40T10/48-0	40T1048	6	-	48	152,95	150,95	-	95	30	40	16	1,516
40T10/60-0	40T1060	6	-	60	191,15	189,10	-	110	30	40	16	2,339

Pulegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch
Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas métrique
Poleas dentadas para correas con paso metrico




Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico	Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment	Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation	Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique	Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidacion anodica
---	--	---	---	--

Tipo / Type
6F



Tipo / Type
6



T 10

(Paso 10 mm) per cinghia larghezza 32 mm	(Pitch 10 mm) for belt width 32 mm	(Teilung 10 mm) für Riemenbreite 32 mm	(Pas 10 mm) pour courroies largeur 32 mm	(Paso 10 mm) para correas ancho 32 mm
---	---------------------------------------	---	---	--

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	Dp	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
47T10/18-2	47T1018	6F	F22	18	57,45	55,45	60	40	37	47	10	0,253
47T10/19-2	47T1019	6F	F25	19	60,65	58,65	66	44	37	47	10	0,286
47T10/20-2	47T1020	6F	F25	20	63,80	61,80	66	46	37	47	12	0,322
47T10/22-2	47T1022	6F	F27	22	70,20	68,20	75	52	37	47	12	0,393
47T10/24-2	47T1024	6F	F29	24	76,55	74,55	83	58	37	47	12	0,475
47T10/25-2	47T1025	6F	F29	25	79,75	77,70	83	60	37	47	12	0,527
47T10/26-2	47T1026	6F	F30	26	82,90	80,90	87	60	37	47	12	0,564
47T10/27-2	47T1027	6F	F31	27	86,10	84,10	91	60	37	47	12	0,602
47T10/28-2	47T1028	6F	F32	28	89,25	87,25	93	60	37	47	12	0,642
47T10/30-2	47T1030	6F	F33	30	95,65	93,65	97	60	37	47	12	0,740
47T10/32-2	47T1032	6F	F35	32	102,00	100,00	106	65	37	47	12	0,844
47T10/36-2	47T1036	6F	F38	36	114,75	112,75	120	70	37	47	16	1,063
47T10/40-2	47T1040	6F	F41	40	127,45	125,45	131	80	37	47	16	1,371
47T10/44-0	47T1044	6	-	44	140,20	138,20	-	88	37	47	16	1,611
47T10/48-0	47T1048	6	-	48	152,95	150,95	-	95	37	47	16	1,913
47T10/60-0	47T1060	6	-	60	191,10	189,10	-	110	37	47	16	3,004

(Paso 10 mm) per cinghia larghezza 50 mm	(Pitch 10 mm) for belt width 50 mm	(Teilung 10 mm) für Riemenbreite 50 mm	(Pas 10 mm) pour courroies largeur 50 mm	(Paso 10 mm) para correas ancho 50 mm
---	---------------------------------------	---	---	--

66T10/18-2	66T1018	6F	F22	18	57,45	55,45	60	40	56	66	10	0,422
66T10/19-2	66T1019	6F	F25	19	60,65	58,65	66	44	56	66	10	0,466
66T10/20-2	66T1020	6F	F25	20	63,80	61,80	66	46	56	66	12	0,520
66T10/22-2	66T1022	6F	F27	22	70,20	68,20	75	52	56	66	12	0,640
66T10/24-2	66T1024	6F	F29	24	76,55	74,55	83	58	56	66	12	0,736
66T10/25-2	66T1025	6F	F29	25	79,75	77,70	83	60	56	66	12	0,766
66T10/26-2	66T1026	6F	F30	26	82,90	80,90	87	60	56	66	12	0,845
66T10/27-2	66T1027	6F	F31	27	86,10	84,10	91	60	56	66	12	0,946
66T10/28-2	66T1028	6F	F32	28	89,25	87,25	93	60	56	66	12	0,110
66T10/30-2	66T1030	6F	F33	30	95,65	93,65	97	60	56	66	12	1,169
66T10/32-2	66T1032	6F	F35	32	102,00	100,00	106	65	56	66	12	1,300
66T10/36-2	66T1036	6F	F38	36	114,75	112,75	120	70	56	66	16	1,637
66T10/40-2	66T1040	6F	F41	40	127,45	125,45	131	80	56	66	16	1,999
66T10/44-0	66T1044	6	-	44	140,20	138,20	-	88	56	66	16	2,420
66T10/48-0	66T1048	6	-	48	152,95	150,95	-	95	56	66	16	2,830
66T10/60-0	66T1060	6	-	60	191,10	189,10	-	110	56	66	16	4,366

Pulegge dentate per cinghie passo metrico / Timing belt pulleys metric pitch

Zahnriemenscheiben metrische Teilung / Poulies dentées pour courroies pas métrique

Poleas dentadas para correas con paso metrico


Materiale:
Ghisa

Material:
Cast iron


Werkstoff:
Grauguss

Matière:
Fonte


Material:
Hierro fundido



Tipo / Type
6F



Tipo / Type
6W



Tipo / Type
6A

T 20

(Passo 20 mm)
per cinghia larghezza 32 mm

(Pitch 20 mm)
for belt width 32 mm

(Teilung 20 mm)
für Riemenbreite 32 mm

(Pas 20 mm)
pour courroies largeur 32 mm

(Paso 20 mm)
para correas ancho 32 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnzahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
53T20/18-2	53T2018	6F	F38	18	111,75	120	80	38	53	15	
53T20/20-2	53T2020	6F	F43	20	124,50	138	90	38	53	15	
53T20/22-2	53T2022	6F	F46	22	137,20	146	90	38	53	15	
53T20/24-2	53T2024	6F	F50	24	149,95	158	95	38	53	15	
53T20/25-2	53T2025	6F	F52	25	156,30	168	95	38	53	15	
53T20/30-2	53T2030	6F	F59	30	188,15	200	110	38	53	15	
53T20/32-2	53T2032	6W		32	200,85	-	110	38	53	18	
53T20/36-2	53T2036	6W		36	226,35	-	110	38	53	18	
53T20/40-2	53T2040	6A		40	251,80	-	110	38	53	20	
53T20/48-2	53T2048	6A		48	302,70	-	130	38	53	20	
53T20/60-2	53T2060	6A		60	379,10	-	130	38	53	20	
53T20/72-2	53T2072	6A		72	455,50	-	140	38	53	20	

(Passo 20 mm)
per cinghia larghezza 50 mm

(Pitch 20 mm)
for belt width 50 mm

(Teilung 20 mm)
für Riemenbreite 50 mm

(Pas 20 mm)
pour courroies largeur 50 mm

(Paso 20 mm)
para correas ancho 50 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnzahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
71T20/18-2	71T2018	6F	F38	18	111,75	120	80	56	71	18	
71T20/20-2	71T2020	6F	F43	20	124,50	138	90	56	71	18	
71T20/22-2	71T2022	6F	F46	22	137,20	146	90	56	71	18	
71T20/24-2	71T2024	6F	F50	24	149,95	158	95	56	71	18	
71T20/25-2	71T2025	6F	F52	25	156,30	168	95	56	71	18	
71T20/30-2	71T2030	6F	F59	30	188,15	200	110	56	71	18	
71T20/32-2	71T2032	6W		32	200,85	-	110	56	71	20	
71T20/36-2	71T2036	6W		36	226,35	-	110	56	71	20	
71T20/40-2	71T2040	6A		40	251,80	-	110	56	71	20	
71T20/48-2	71T2048	6A		48	302,70	-	130	56	71	24	
71T20/60-2	71T2060	6A		60	379,10	-	130	56	71	24	
71T20/72-2	71T2072	6A		72	455,50	-	140	56	71	24	

(Passo 20 mm)
per cinghia larghezza 100 mm

(Pitch 20 mm)
for belt width 100 mm

(Teilung 20 mm)
für Riemenbreite 100 mm

(Pas 20 mm)
pour courroies largeur 100 mm

(Paso 20 mm)
para correas ancho 100 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnzahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
123T20/18-2	123T2018	6F	F38	18	111,75	120	80	108	123	24	
123T20/20-2	123T2020	6F	F43	20	124,50	138	90	108	123	24	
123T20/22-2	123T2022	6F	F46	22	137,20	146	90	108	123	24	
123T20/24-2	123T2024	6F	F50	24	149,95	158	95	108	123	24	
123T20/25-2	123T2025	6F	F52	25	156,30	168	95	108	123	24	
123T20/30-2	123T2030	6F	F59	30	188,15	200	110	108	123	24	
123T20/32-2	123T2032	6W		32	200,85	-	110	108	123	32	
123T20/36-2	123T2036	6W		36	226,35	-	110	108	123	32	
123T20/40-2	123T2040	6A		40	251,80	-	110	108	123	32	
123T20/48-2	123T2048	6A		48	302,70	-	130	108	123	32	
123T20/60-2	123T2060	6A		60	379,10	-	130	108	123	32	
123T20/72-2	123T2072	6A		72	455,50	-	140	108	123	32	

Barre dentate standard / Standard toothed bars

Standard Zahnriemensstagen / Barreaux dentés standard

Barras dentadas de serie




Materiale:
alluminio 6082 T6 UNI
9006/4 adatto al trattamento
anodico

Material:
aluminium 6082 T6 UNI
9006/4 suitable for anodic
treatment

Werkstoff:
aluminium 6082 T6 UNI
9006/4 geeignet für
anodischen oxydation

Matière:
aluminium 6082 T6 UNI
9006/4 apte au traitement
anodique

Material:
aluminio 6082 T6 UNI
9006/4 apto para la
oxidacion anodica



T 2,5

(Passo 2,5 mm) / (Pitch 2,5 mm) / (Teilung 2,5 mm)
(Pas 2,5 mm) / (Paso 2,5 mm)

Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	Lu	L
T2,5-10	BT25010	10	7,42	50	75
T2,5-12	BT25012	12	9,00	50	75
T2,5-13	BT25013	13	9,80	50	75
T2,5-14	BT25014	14	10,60	50	75
T2,5-15	BT25015	15	11,40	50	75
T2,5-16	BT25016	16	12,20	50	75
T2,5-17	BT25017	17	13,00	50	75
T2,5-18	BT25018	18	13,80	50	75
T2,5-19	BT25019	19	14,60	90	120
T2,5-20	BT25020	20	15,40	90	120
T2,5-21	BT25021	21	16,20	90	120
T2,5-22	BT25022	22	17,00	125	140
T2,5-24	BT25024	24	18,55	125	140
T2,5-26	BT25026	26	20,15	125	140
T2,5-27	BT25027	27	20,95	125	140
T2,5-28	BT25028	28	21,75	125	140
T2,5-29	BT25029	29	22,55	125	140
T2,5-30	BT25030	30	23,35	125	140
T2,5-32	BT25032	32	24,95	125	140
T2,5-34	BT25034	34	26,55	125	140
T2,5-35	BT25035	35	27,35	132	140
T2,5-36	BT25036	36	28,10	132	140
T2,5-38	BT25038	38	29,70	132	140
T2,5-40	BT25040	40	31,30	132	140
T2,5-42	BT25042	42	32,90	140	140
T2,5-44	BT25044	44	34,50	140	140
T2,5-45	BT25045	45	35,30	140	140
T2,5-48	BT25048	48	37,70	140	140
T2,5-50	BT25050	50	39,29	160	160
T2,5-60	BT25060	60	47,25	160	160
T2,5-65	BT25065	65	51,20	160	160
T2,5-70	BT25070	70	55,20	160	160
T2,5-72	BT25072	72	56,80	160	160
T2,5-90	BT25090	90	71,12	160	160
T2,5-100	BT25100	100	79,08	160	160

T 5

(Passo 5 mm) / (Pitch 5 mm) / (Teilung 5 mm)
(Pas 5 mm) / (Paso 5 mm)

Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	Lu	L
T5-10	BT05010	10	15,05	125	140
T5-11	BT05011	11	16,65	125	140
T5-12	BT05012	12	18,25	125	140
T5-13	BT05013	13	19,85	125	140
T5-14	BT05014	14	21,45	132	140
T5-15	BT05015	15	23,05	132	140
T5-16	BT05016	16	24,60	140	140
T5-17	BT05017	17	26,20	140	140
T5-18	BT05018	18	27,80	140	140
T5-19	BT05019	19	29,40	140	140
T5-20	BT05020	20	31,00	160	160
T5-21	BT05021	21	32,70	160	160
T5-22	BT05022	22	34,15	160	160
T5-23	BT05023	23	35,85	160	160
T5-24	BT05024	24	37,40	160	160
T5-25	BT05025	25	38,95	160	160
T5-26	BT05026	26	40,60	160	160
T5-27	BT05027	27	42,20	160	160
T5-28	BT05028	28	43,75	160	160
T5-29	BT05029	29	45,35	160	160
T5-30	BT05030	30	46,95	160	160
T5-32	BT05032	32	50,10	160	160
T5-34	BT05034	34	53,25	160	160
T5-35	BT05035	35	54,85	160	160
T5-36	BT05036	36	56,45	160	160
T5-37	BT05037	37	58,06	160	160
T5-38	BT05038	38	59,65	160	160
T5-40	BT05040	40	62,85	160	160
T5-42	BT05042	42	66,00	160	160
T5-44	BT05044	44	69,20	160	160
T5-45	BT05045	45	70,80	160	160
T5-46	BT05046	46	72,40	160	160
T5-48	BT05048	48	75,55	160	160
T5-50	BT05050	50	78,75	160	160
T5-60	BT05060	60	94,65	160	160
T5-72	BT05072	72	113,75	160	160
T5-80	BT05080	80	126,48	160	160
T5-90	BT05090	90	142,40	160	160
T5-100	BT05100	100	158,31	160	160

T 10

(Passo 10 mm) / (Pitch 10 mm) / (Teilung 10 mm)
(Pas 10 mm) / (Paso 10 mm)

Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	Lu	L
T10-10	BT10010	10	29,98	140	140
T10-11	BT10011	11	33,16	140	140
T10-12	BT10012	12	36,35	140	140
T10-13	BT10013	13	39,50	140	140
T10-14	BT10014	14	42,70	160	160
T10-15	BT10015	15	45,90	160	160
T10-16	BT10016	16	49,10	160	160
T10-17	BT10017	17	52,25	160	160
T10-18	BT10018	18	55,45	160	160
T10-19	BT10019	19	58,65	160	160
T10-20	BT10020	20	61,80	160	160
T10-21	BT10021	21	65,00	160	160
T10-22	BT10022	22	68,20	160	160
T10-23	BT10023	23	71,35	160	160
T10-24	BT10024	24	74,55	160	160
T10-26	BT10026	26	80,90	160	160
T10-28	BT10028	28	87,25	160	160
T10-30	BT10030	30	93,65	160	160
T10-32	BT10032	32	100,00	160	160
T10-34	BT10034	34	106,40	160	160
T10-36	BT10036	36	112,75	160	160
T10-38	BT10038	38	119,10	160	160
T10-40	BT10040	40	125,45	160	160
T10-45	BT10045	45	141,40	160	160
T10-48	BT10048	48	150,95	160	160
T10-60	BT10060	60	189,10	160	160
T10-72	BT10072	72	227,29	160	160

Per barre con n. di denti non
inclusi in queste tavole, chiedete
per quotazione.


For bars with a number of teeth
not included in these tables
please ask for our quotation.

Verlangen sie Angebot für
Stangen mit Anzahl von Zähnen
die nicht in diesen Tafeln
aufgeführt sind.

Pour les barreaux avec un nombre
de dents différent du tableau,
nous consulter.

Pidan oferta por lo que concierne
una cantidad de dientes no
incluida en estas tablas.



N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Flangia / Flanges / Bordscheiben / Flasques / Tapetas				Tipo flangia Flanges type Bordcheiben Typ Type flasques Tipo tapetas			
	d = 0,5 mm	d = 1 mm	d = 1 mm	d = 1,5 mm				
	T 2,5	T 5	T 10	T 20				
8	-	-	-	-	F 01	13,0	10,0	6,0
9	-	-	-	-	F 02	15,0	12,0	8,0
10	-	F 06	-	-	F 03	16,0	13,0	9,5
11	-	-	-	-	F 04	17,5	14,5	11,6
12	F 01	F 07	F 15	-	F 05	18,0	15,0	11,5
13	-	-	-	-	F 06	20,0	16,5	12,2
14	F 02	F 08	F 18	-	F 07	23,0	18,0	12,5
15	F 02	F 09	F 19	-	F 08	25,0	21,5	15,0
16	F 03	F 10	F 20	-	F 09	28,0	24,0	17,8
17	-	-	-	-	F 10	32,0	27,5	23,0
18	F 04	F 10	F 22	F 38	F 11	35,0	30,5	23,0
19	F 05	F 12	F 25	-	F 12	36,0	31,0	25,0
20	F 06	F 12	F 25	F 43	F 13	37,0	33,0	25,0
21	-	-	-	-	F 14	38,0	34,0	26,5
22	F 07	F 14	F 27	F 46	F 15	42,0	38,0	30,5
23	-	-	-	-	F 16	43,0	39,0	31,0
24	F 07	F 15	F 29	F 50	F 17	44,0	40,5	32,5
25	F 07	F 17	F 29	F 52	F 18	48,0	43,5	37,0
26	F 08	F 17	F 30	-	F 19	51,0	47,0	40,0
27	-	F 18	F 31	-	F 20	54,0	50,5	43,0
28	F 08	F 18	F 32	-	F 21	57,0	52,0	46,0
29	-	-	-	-	F 22	60,0	57,0	47,0
30	F 09	F 19	F 33	F 59	F 23	61,0	56,5	49,0
31	-	-	-	-	F 24	64,0	57,0	47,0
32	F 10	F 20	F 35	-	F 25	66,0	63,0	52,0
33	-	-	-	-	F 26	70,0	66,5	53,0
34	-	-	-	-	F 27	75,0	68,5	60,0
35	-	-	-	-	F 28	79,0	72,5	60,0
36	F 12	F 24	F 38	-	F 29	83,0	78,0	68,0
37	-	-	-	-	F 30	87,0	82,5	72,0
38	-	-	-	-	F 31	91,0	85,5	76,0
39	-	-	-	-	F 32	93,0	89,0	80,0
40	F 14	F 25	F 41	-	F 33	97,0	93,8	83,0
41	-	-	-	-	F 34	102,0	97,0	82,5
42	-	F 26	-	-	F 35	106,0	101,0	90,0
43	-	-	-	-	F 36	112,0	105,5	91,0
44	F 15	-	-	-	F 37	115,0	109,0	94,0
45	-	-	-	-	F 38	120,0	112,5	99,5
46	-	-	-	-	F 39	123,0	117,5	107,0
47	-	-	-	-	F 40	128,0	124,0	107,0
48	-	-	-	-	F 41	131,0	125,5	115,0
49	-	-	-	-	F 42	135,0	128,5	115,0
50	-	-	-	-	F 43	138,0	132,0	121,0
51	-	-	-	-	F 44	140,0	125,0	107,0
52	-	-	-	-	F 45	142,0	137,0	120,0
53	-	-	-	-	F 46	146,0	133,0	107,0
54	-	-	-	-	F 47	148,0	143,0	132,0
55	-	-	-	-	F 48	150,0	145,0	130,0
56	-	-	-	-	F 49	154,0	142,0	122,0
57	-	-	-	-	F 50	158,0	153,0	138,5
58	-	-	-	-	F 51	160,0	148,0	120,0
59	-	-	-	-	F 52	168,0	161,0	148,0
60	-	-	-	-	F 53	175,0	170,0	157,0
61	-	-	-	-	F 54	180,0	174,0	154,0
62	-	-	-	-	F 55	184,0	168,0	135,0
63	-	-	-	-	F 56	188,0	176,0	150,0
64	-	-	-	-	F 57	192,0	187,0	173,0
65	-	-	-	-	F 58	198,0	180,0	150,0
66	-	-	-	-	F 59	200,0	193,0	180,0
					F 60	205,0	189,0	160,0
					F 61	212,0	200,0	162,0
					F 62	226,0	214,0	190,0
					F 63	230,0	222,0	200,0
					F 64	240,0	224,0	192,0
					F 65	250,0	228,0	200,0
					F 66	256,0	240,0	220,0
					F 67	265,0	240,0	213,0
					F 68	275,0	253,0	225,0
					F 69	286,0	277,0	242,0
					F 70	296,0	287,0	260,0
					F 71	300,0	280,0	252,0
					F 72	325,0	305,0	278,0
					F 73	350,0	330,0	302,0
					F 74	375,0	355,0	328,0
					F 75	405,0	380,0	354,0
					F 76	430,0	406,0	380,0
					F 77	455,0	432,0	405,0
					F 78	480,0	457,0	430,0
					F 79	530,0	508,0	481,0
					F 80	595,0	572,0	544,0


**Pulegge per cinghie dentate
passo metrico ST per cinghie «AT»**

ST Timing belt pulleys metric pitch for «AT» belts

**ST Zahnriemenscheiben metrische
Teilung für «AT» riemen**

**Poulies dentées ST
pour courroies «AT» pas métrique**

**Poleas dentadas ST para correas «AT»
con paso metrico**



Pulegge per cinghie dentate passo metrico ST per cinghie "AT"
ST Timing belt pulleys metric pitch for "AT" belts
ST Zahnriemenscheiben metrische Teilung für "AT" riemen
Poulies dentées ST pour courroies "AT" pas métrique
Poleas dentadas ST para correas "AT" con paso metrico

Materiale:
alluminio 6082 T6 UNI
9006/4 adatto al trattamento
anodico


Material:
aluminium 6082 T6 UNI
9006/4 suitable for anodic
treatment

Werkstoff:
aluminium 6082 T6 UNI
9006/4 geeignet für
anodischen oxydation


Matière:
aluminium 6082 T6 UNI
9006/4 apte au traitement
anodique

Material:
aluminio 6082 T6 UNI
9006/4 apto para la
oxidación anodica

Tipo / Type
6F



Tipo / Type
6



ST 5

(Passo 5 mm)

(Pitch 5 mm)

(Teilung 5 mm)

(Pas 5 mm)

(Paso 5 mm)

per cinghia larghezza 10 mm

for belt width 10 mm

für Riemenbreite 10 mm

pour courroies largeur 10 mm

para correas ancho 10 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
21 ST5/12-2	21ST512	6F	F07	12	17,85	23,0	11	15	21	4	0,018
21 ST5/14-2	21ST514	6F	F08	14	21,05	25,0	14	15	21	4	0,019
21 ST5/15-2	21ST515	6F	F09	15	22,65	28,0	16	15	21	6	0,021
21 ST5/16-2	21ST516	6F	F10	16	24,20	32,0	18	15	21	6	0,025
21 ST5/18-2	21ST518	6F	F10	18	27,40	32,0	20	15	21	6	0,031
21 ST5/19-2	21ST519	6F	F12	19	29,00	36,0	22	15	21	6	0,036
21 ST5/20-2	21ST520	6F	F12	20	30,60	36,0	23	15	21	6	0,038
21 ST5/22-2	21ST522	6F	F14	22	33,85	38,0	24	15	21	6	0,048
21 ST5/24-2	21ST524	6F	F15	24	37,00	42,0	26	15	21	6	0,054
21 ST5/25-2	21ST525	6F	F17	25	38,60	44,0	26	15	21	6	0,058
21 ST5/26-2	21ST526	6F	F17	26	40,20	44,0	26	15	21	6	0,062
21 ST5/27-2	21ST527	6F	F18	27	41,80	48,0	30	15	21	8	0,064
21 ST5/28-2	21ST528	6F	F18	28	43,35	48,0	32	15	21	8	0,071
21 ST5/30-2	21ST530	6F	F19	30	46,55	51,0	34	15	21	8	0,076
21 ST5/32-2	21ST532	6F	F20	32	49,70	54,0	36	15	21	8	0,088
21 ST5/36-2	21ST536	6F	F24	36	56,05	64,0	38	15	21	8	0,114
21 ST5/40-2	21ST540	6F	F25	40	62,45	66,0	40	15	21	8	0,138
21 ST5/42-2	21ST542	6F	F26	42	65,60	70,0	40	15	21	8	0,180
21 ST5/44-0	21ST544	6		44	68,80	-	45	15	21	8	0,185
21 ST5/48-0	21ST548	6		48	75,15	-	50	15	21	8	0,200
21 ST5/60-0	21ST560	6		60	94,25	-	65	15	21	8	0,307

(Passo 5 mm)

(Pitch 5 mm)

(Teilung 5 mm)

(Pas 5 mm)

(Paso 5 mm)

per cinghia larghezza 16 mm

for belt width 16 mm

für Riemenbreite 16 mm

pour courroies largeur 16 mm

para correas ancho 16 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
27 ST5/12-2	27ST512	6F	F07	12	17,85	23,0	11	21	27	4	0,022
27 ST5/14-2	27ST514	6F	F08	14	21,05	25,0	14	21	27	4	0,026
27 ST5/15-2	27ST515	6F	F09	15	22,65	28,0	16	21	27	6	0,029
27 ST5/16-2	27ST516	6F	F10	16	24,20	32,0	18	21	27	6	0,035
27 ST5/18-2	27ST518	6F	F10	18	27,40	32,0	20	21	27	6	0,043
27 ST5/19-2	27ST519	6F	F12	19	29,00	36,0	22	21	27	6	0,049
27 ST5/20-2	27ST520	6F	F12	20	30,60	36,0	23	21	27	6	0,053
27 ST5/22-2	27ST522	6F	F14	22	33,85	38,0	24	21	27	6	0,054
27 ST5/24-2	27ST524	6F	F15	24	37,00	42,0	26	21	27	6	0,076
27 ST5/25-2	27ST525	6F	F17	25	38,60	44,0	26	21	27	6	0,081
27 ST5/26-2	27ST526	6F	F17	26	40,20	44,0	26	21	27	6	0,085
27 ST5/27-2	27ST527	6F	F18	27	41,80	48,0	30	21	27	8	0,090
27 ST5/28-2	27ST528	6F	F18	28	43,35	48,0	32	21	27	8	0,092
27 ST5/30-2	27ST530	6F	F19	30	46,55	51,0	34	21	27	8	0,105
27 ST5/32-2	27ST532	6F	F20	32	49,70	54,0	36	21	27	8	0,123
27 ST5/36-2	27ST536	6F	F24	36	56,05	64,0	38	21	27	8	0,160
27 ST5/40-2	27ST540	6F	F25	40	62,45	66,0	40	21	27	8	0,193
27 ST5/42-2	27ST542	6F	F26	42	65,60	70,0	40	21	27	8	0,205
27 ST5/44-0	27ST544	6		44	68,80	-	45	21	27	8	0,228
27 ST5/48-0	27ST548	6		48	75,15	-	50	21	27	8	0,280
27 ST5/60-0	27ST560	6		60	94,25	-	65	21	27	8	0,430

(Passo 5 mm)

(Pitch 5 mm)

(Teilung 5 mm)

(Pas 5 mm)

(Paso 5 mm)

per cinghia larghezza 25 mm

for belt width 25 mm

für Riemenbreite 25 mm

pour courroies largeur 25 mm


para correas ancho 25 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
36 ST5/12-2	36ST512	6F	F07	12	17,85	23,0	11	30	36	4	0,031
36 ST5/14-2	36ST514	6F	F08	14	21,05	25,0	14	30	36	4	0,037
36 ST5/15-2	36ST515	6F	F09	15	22,65	28,0	16	30	36	6	0,041
36 ST5/16-2	36ST516	6F	F10	16	24,20	32,0	18	30	36	6	0,050
36 ST5/18-2	36ST518	6F	F10	18	27,40	32,0	20	30	36	6	0,061
36 ST5/19-2	36ST519	6F	F12	19	29,00	36,0	22	30	36	6	0,070
36 ST5/20-2	36ST520	6F	F12	20	30,60	36,0	23	30	36	6	0,076
36 ST5/22-2	36ST522	6F	F14	22	33,85	38,0	24	30	36	6	0,080
36 ST5/24-2	36ST524	6F	F15	24	37,00	42,0	26	30	36	6	0,109
36 ST5/25-2	36ST525	6F	F17	25	38,60	44,0	26	30	36	6	0,118
36 ST5/26-2	36ST526	6F	F17	26	40,20	44,0	26	30	36	6	0,120
36 ST5/27-2	36ST527	6F	F18	27	41,80	48,0	30	30	36	8	0,128
36 ST5/28-2	36ST528	6F	F18	28	43,35	48,0	32	30	36	8	0,135
36 ST5/30-2	36ST530	6F	F19	30	46,55	51,0	34	30	36	8	0,150
36 ST5/32-2	36ST532	6F	F20	32	49,70	54,0	36	30	36	8	0,178
36 ST5/36-2	36ST536	6F	F24	36	56,05	64,0	38	30	36	8	0,230
36 ST5/40-2	36ST540	6F	F25	40	62,45	66,0	40	30	36	8	0,278
36 ST5/42-2	36ST542	6F	F26	42	65,60	70,0	40	30	36	8	0,284
36 ST5/44-0	36ST544	6		44	68,80	-	45	30	36	8	0,315
36 ST5/48-0	36ST548	6		48	75,15	-	50	30	36	8	0,400
36 ST5/60-0	36ST560	6		60	94,25	-	65	30	36	8	0,614

Pulegge per cinghie dentate passo metrico ST per cinghie "AT"
ST Timing belt pulleys metric pitch for "AT" belts
ST Zahnriemenscheiben metrische Teilung für "AT" riemen
Poulies dentées ST pour courroies "AT" pas métrique
Poleas dentadas ST para correas "AT" con paso metrico



Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico
Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment
Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation
Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique
Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidación anodica



ST 10

(Passo 10 mm) (Pitch 10 mm) (Teilung 10 mm) (Pas 10 mm) (Paso 10 mm)
 per cinghia larghezza 16 mm for belt width 16 mm für Riemenbreite 16 mm pour courroies largeur 16 mm para correas ancho 16 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
31 ST10/15-2	31ST115	6F	F19	15	45,90	51	31	21	31	8	0,118
31 ST10/16-2	31ST116	6F	F20	16	49,05	54	35	21	31	8	0,134
31 ST10/18-2	31ST118	6F	F22	18	55,45	60	40	21	31	8	0,167
31 ST10/19-2	31ST119	6F	F25	19	58,60	66	44	21	31	8	0,184
31 ST10/20-2	31ST120	6F	F25	20	61,80	66	46	21	31	8	0,208
31 ST10/22-2	31ST122	6F	F27	22	68,15	75	52	21	31	8	0,253
31 ST10/24-2	31ST124	6F	F29	24	74,55	83	58	21	31	8	0,288
31 ST10/25-2	31ST125	6F	F29	25	77,70	83	60	21	31	8	0,310
31 ST10/26-2	31ST126	6F	F30	26	80,90	87	60	21	31	8	0,357
31 ST10/27-2	31ST127	6F	F31	27	84,10	91	60	21	31	8	0,364
31 ST10/28-2	31ST128	6F	F32	28	87,25	93	60	21	31	8	0,401
31 ST10/30-2	31ST130	6F	F33	30	93,65	97	60	21	31	8	0,441
31 ST10/32-2	31ST132	6F	F35	32	100,00	106	65	21	31	10	0,493
31 ST10/36-2	31ST136	6F	F38	36	112,75	120	70	21	31	10	0,623
31 ST10/40-2	31ST140	6F	F42	40	125,45	135	80	21	31	10	0,787
31 ST10/44-0	31ST144	6		44	138,20	-	88	21	31	10	0,993
31 ST10/48-0	31ST148	6		48	150,95	-	95	21	31	16	1,090
31 ST10/60-0	31ST160	6		60	189,10	-	110	21	31	16	1,701

(Passo 10 mm) (Pitch 10 mm) (Teilung 10 mm) (Pas 10 mm) (Paso 10 mm)
 per cinghia larghezza 25 mm for belt width 25 mm für Riemenbreite 25 mm pour courroies largeur 25 mm para correas ancho 25 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
40 ST10/15-2	40ST115	6F	F19	15	45,90	51	32	30	40	8	0,152
40 ST10/16-2	40ST116	6F	F20	16	49,05	54	35	30	40	8	0,176
40 ST10/18-2	40ST118	6F	F22	18	55,45	60	40	30	40	8	0,224
40 ST10/19-2	40ST119	6F	F25	19	58,60	66	44	30	40	8	0,247
40 ST10/20-2	40ST120	6F	F25	20	61,80	66	46	30	40	8	0,276
40 ST10/22-2	40ST122	6F	F27	22	68,15	75	52	30	40	8	0,337
40 ST10/24-2	40ST124	6F	F29	24	74,55	83	58	30	40	8	0,392
40 ST10/25-2	40ST125	6F	F29	25	77,70	83	60	30	40	8	0,422
40 ST10/26-2	40ST126	6F	F30	26	80,90	87	60	30	40	8	0,477
40 ST10/27-2	40ST127	6F	F31	27	84,10	91	60	30	40	8	0,536
40 ST10/28-2	40ST128	6F	F32	28	87,25	93	60	30	40	8	0,540
40 ST10/30-2	40ST130	6F	F33	30	93,65	97	60	30	40	8	0,640
40 ST10/32-2	40ST132	6F	F35	32	100,00	106	65	30	40	10	0,693
40 ST10/36-2	40ST136	6F	F38	36	112,75	120	70	30	40	10	0,873
40 ST10/40-2	40ST140	6F	F42	40	125,45	135	80	30	40	10	1,067
40 ST10/44-0	40ST144	6		44	138,20	-	88	30	40	10	1,350
40 ST10/48-0	40ST148	6		48	150,95	-	95	30	40	16	1,516
40 ST10/60-0	40ST160	6		60	189,10	-	110	30	40	16	2,339

Pulegge per cinghie dentate passo metrico ST per cinghie "AT"

ST Timing belt pulleys metric pitch for "AT" belts

ST Zahnriemenscheiben metrische Teilung für "AT" riemen

Poulies dentées ST pour courroies "AT" pas métrique

Poleas dentadas ST para correas "AT" con paso metrico



Materiale:
alluminio 6082 T6 UNI
9006/4 adatto al trattamento
anodico

Material:
aluminium 6082 T6 UNI
9006/4 suitable for anodic
treatment

Werkstoff:
aluminium 6082 T6 UNI
9006/4 geeignet für
anodischen oxydation

Matière:
aluminium 6082 T6 UNI
9006/4 apte au traitement
anodique

Material:
aluminio 6082 T6 UNI
9006/4 apto para la
oxidación anodica



ST 10

(Passo 10 mm)
per cinghia larghezza 32 mm

(Pitch 10 mm)
for belt width 32 mm

(Teilung 10 mm)
für Riemenbreite 32 mm

(Pas 10 mm)
pour courroies largeur 32 mm

(Paso 10 mm)
para correas ancho 32 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
47 ST10/18-2	47ST118	6F	F22	18	55,45	60	40	37	47	10	0,253
47 ST10/19-2	47ST119	6F	F25	19	58,60	66	44	37	47	10	0,286
47 ST10/20-2	47ST120	6F	F25	20	61,80	66	46	37	47	12	0,322
47 ST10/22-2	47ST122	6F	F27	22	68,15	75	52	37	47	12	0,393
47 ST10/24-2	47ST124	6F	F29	24	74,55	83	58	37	47	12	0,475
47 ST10/25-2	47ST125	6F	F29	25	77,70	83	60	37	47	12	0,527
47 ST10/26-2	47ST126	6F	F30	26	80,90	87	60	37	47	12	0,564
47 ST10/27-2	47ST127	6F	F31	27	84,10	91	60	37	47	12	0,602
47 ST10/28-2	47ST128	6F	F32	28	87,25	93	60	37	47	12	0,642
47 ST10/30-2	47ST130	6F	F33	30	93,65	97	60	37	47	12	0,740
47 ST10/32-2	47ST132	6F	F35	32	100,00	106	65	37	47	12	0,844
47 ST10/36-2	47ST136	6F	F38	36	112,75	120	70	37	47	16	1,063
47 ST10/40-2	47ST140	6F	F42	40	125,45	135	80	37	47	16	1,317
47 ST10/44-0	47ST144	6		44	138,20	-	88	37	47	16	1,611
47 ST10/48-0	47ST148	6		48	150,95	-	95	37	47	16	1,931
47 ST10/60-0	47ST160	6		60	189,10	-	110	37	47	16	3,004

(Passo 10 mm)
per cinghia larghezza 50 mm

(Pitch 10 mm)
for belt width 50 mm

(Teilung 10 mm)
für Riemenbreite 50 mm


(Pas 10 mm)
pour courroies largeur 50 mm

(Paso 10 mm)
para correas ancho 50 mm

Codice Code symbol / Fabriknummer Code symbole / Numero de fabrica	Nostro codice Our code / Unser kode Notre code / Nuestro codigo	Tipo Type / Typ Type / Tipo	Tipo flangia Flanges type / Bordscheiben Typ Type flasques / Tipo tapetas	N. denti N. of teeth / Zahnezahl N. bre de dents / Cantidad de dientes	De	Df	Dm	F	L	d	Peso / Weight Gewicht / Poids / Peso Kg
66 ST10/18-2	66ST118	6F	F22	18	55,45	60	40	56	66	10	0,422
66 ST10/19-2	66ST119	6F	F25	19	58,60	66	44	56	66	10	0,466
66 ST10/20-2	66ST120	6F	F25	20	61,80	66	46	56	66	12	0,520
66 ST10/22-2	66ST122	6F	F27	22	68,15	75	52	56	66	12	0,570
66 ST10/24-2	66ST124	6F	F29	24	74,55	83	58	56	66	12	0,736
66 ST10/25-2	66ST125	6F	F29	25	77,70	83	60	56	66	12	0,766
66 ST10/26-2	66ST126	6F	F30	26	80,90	87	60	56	66	12	0,816
66 ST10/27-2	66ST127	6F	F31	27	84,10	91	60	56	66	12	0,946
66 ST10/28-2	66ST128	6F	F32	28	87,25	93	60	56	66	12	0,960
66 ST10/30-2	66ST130	6F	F33	30	93,65	97	60	56	66	12	1,169
66 ST10/32-2	66ST132	6F	F35	32	100,00	106	65	56	66	12	1,300
66 ST10/36-2	66ST136	6F	F38	36	112,75	120	70	56	66	16	1,637
66 ST10/40-2	66ST140	6F	F42	40	125,45	135	80	56	66	16	1,999
66 ST10/44-0	66ST144	6		44	138,20	-	88	56	66	16	2,357
66 ST10/48-0	66ST148	6		48	150,95	-	95	56	66	16	2,830
66 ST10/60-0	66ST160	6		60	189,10	-	110	56	66	16	4,368

Barre dentate standard ST per cinghie " AT "
ST Standard toothed bars for " AT " belts
ST Standard Zahnriemenstangen für " AT "
Barreaux dentés standard ST pour courroies " AT "
Barras dentadas de serie ST para correas " AT "

Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico	Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment	Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation	Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique	Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidacion anodica
---	--	---	---	--



ST 5

(Passo 5 mm) / (Pitch 5 mm) / (Teilung 5 mm) / (Pas 5 mm) / (Paso 5 mm)


Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	Lu	L
ST05012	BST0512	12	17,85	125	140
ST05013	BST0513	13	19,45	125	140
ST05014	BST0514	14	21,05	132	140
ST05015	BST0515	15	22,65	132	140
ST05016	BST0516	16	24,20	140	140
ST05017	BST0517	17	25,80	140	140
ST05018	BST0518	18	27,40	140	140
ST05019	BST0519	19	29,00	140	140
ST05020	BST0520	20	30,60	160	160
ST05021	BST0521	21	32,30	160	160
ST05022	BST0522	22	33,85	160	160
ST05023	BST0523	23	35,45	160	160
ST05024	BST0524	24	37,00	160	160
ST05025	BST0525	25	38,60	160	160
ST05026	BST0526	26	40,20	160	160
ST05027	BST0527	27	41,80	160	160
ST05028	BST0528	28	43,35	160	160
ST05029	BST0529	29	44,95	160	160
ST05030	BST0530	30	46,55	160	160
ST05031	BST0531	31	48,15	160	160
ST05032	BST0532	32	49,70	160	160
ST05033	BST0533	33	51,30	160	160
ST05034	BST0534	34	52,85	160	160
ST05035	BST0535	35	54,45	160	160
ST05036	BST0536	36	56,05	160	160
ST05038	BST0538	38	59,25	160	160
ST05040	BST0540	40	62,45	160	160
ST05042	BST0542	42	65,60	160	160
ST05044	BST0544	44	68,80	160	160
ST05045	BST0545	45	70,40	160	160
ST05046	BST0546	46	72,00	160	160
ST05048	BST0548	48	75,15	160	160
ST05050	BST0550	50	78,35	160	160
ST05052	BST0552	52	81,55	160	160
ST05054	BST0554	54	84,70	160	160
ST05055	BST0555	55	86,30	160	160
ST05056	BST0556	56	87,90	160	160
ST05058	BST0558	58	91,10	160	160
ST05060	BST0560	60	94,25	160	160
ST05062	BST0562	62	97,45	160	160
ST05064	BST0564	64	100,65	160	160
ST05065	BST0565	65	102,25	160	160
ST05070	BST0570	70	110,20	160	160
ST05072	BST0572	72	113,25	160	160

ST 10


(Passo 10 mm) / (Pitch 10 mm) / (Teilung 10 mm) / (Pas 10 mm) / (Paso 10 mm)


Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	De	Lu	L
ST10015	BST1015	15	45,90	160	160
ST10016	BST1016	16	49,05	160	160
ST10017	BST1017	17	52,25	160	160
ST10018	BST1018	18	55,45	160	160
ST10019	BST1019	19	58,60	160	160
ST10020	BST1020	20	61,80	160	160
ST10021	BST1021	21	65,00	160	160
ST10022	BST1022	22	68,15	160	160
ST10023	BST1023	23	71,35	160	160
ST10024	BST1024	24	74,55	160	160
ST10025	BST1025	25	77,70	160	160
ST10026	BST1026	26	80,90	160	160
ST10027	BST1027	27	84,10	160	160
ST10028	BST1028	28	87,25	160	160
ST10029	BST1029	29	90,45	160	160
ST10030	BST1030	30	93,65	160	160
ST10031	BST1031	31	96,80	160	160
ST10032	BST1032	32	100,00	160	160
ST10033	BST1033	33	103,20	160	160
ST10034	BST1034	34	106,40	160	160
ST10035	BST1035	35	109,55	160	160
ST10036	BST1036	36	112,75	160	160
ST10037	BST1037	37	115,90	160	160
ST10038	BST1038	38	119,10	160	160
ST10040	BST1040	40	125,45	160	160
ST10041	BST1041	41	128,65	160	160
ST10042	BST1042	42	131,85	160	160
ST10044	BST1044	44	138,20	160	160
ST10045	BST1045	45	141,40	160	160
ST10046	BST1046	46	144,55	160	160
ST10048	BST1048	48	150,95	160	160
ST10050	BST1050	50	157,30	160	160
ST10051	BST1051	51	160,50	160	160
ST10052	BST1052	52	163,65	160	160
ST10054	BST1054	54	170,05	160	160
ST10055	BST1055	55	173,20	160	160
ST10056	BST1056	56	176,40	160	160
ST10057	BST1057	57	179,60	160	160
ST10058	BST1058	58	182,75	160	160
ST10059	BST1059	59	185,95	160	160
ST10060	BST1060	60	189,10	160	160
ST10062	BST1062	62	195,50	160	160
ST10070	BST1070	70	220,95	160	160
ST10075	BST1075	75	236,90	160	160




N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Flangia / Flanges / Bordscheiben / Flasques / Tapetas		Tipo flangia Flanges type Bordcheiben Typ Type flasques Tipo tapetas			
	d = 1 mm	d = 1 mm				
	AT 5	AT 10				
8	-	-	F 01	13,0	10,0	6,0
9	-	-	F 02	15,0	12,0	8,0
10	-	-	F 03	16,0	13,0	9,5
11	-	-	F 04	17,5	14,5	11,6
12	F 07	-	F 05	18,0	15,0	11,5
13	-	-	F 06	20,0	16,5	12,2
14	F 08	-	F 07	23,0	18,0	12,5
15	F 09	F 19	F 08	25,0	21,5	15,0
16	F 10	F 20	F 09	28,0	24,0	17,8
17	-	-	F 10	32,0	27,5	23,0
18	F 10	F 22	F 11	35,0	30,5	23,0
19	F 12	F 25	F 12	36,0	31,0	25,0
20	F 12	F 25	F 13	37,0	33,0	25,0
21	-	-	F 14	38,0	34,0	26,5
22	F 14	F 27	F 15	42,0	38,0	30,5
23	-	-	F 16	43,0	39,0	31,0
24	F 15	F 29	F 17	44,0	40,5	32,5
25	F 17	F 29	F 18	48,0	43,5	37,0
26	F 17	F 30	F 19	51,0	47,0	40,0
27	F 18	F 31	F 20	54,0	50,5	43,0
28	F 18	F 32	F 21	57,0	52,0	46,0
29	-	-	F 22	60,0	57,0	47,0
30	F 19	F 33	F 23	61,0	56,5	49,0
31	-	-	F 24	64,0	57,0	47,0
32	F 20	F 35	F 25	66,0	63,0	52,0
33	-	-	F 26	70,0	66,5	53,0
34	-	-	F 27	75,0	68,5	60,0
35	-	-	F 28	79,0	72,5	60,0
36	F 24	F 38	F 29	83,0	78,0	68,0
37	-	-	F 30	87,0	82,5	72,0
38	-	-	F 31	91,0	85,5	76,0
39	-	-	F 32	93,0	89,0	80,0
40	F 25	F 42	F 33	97,0	93,8	83,0
41	-	-	F 34	102,0	97,0	82,5
42	F 26	-	F 35	106,0	101,0	90,0
43	-	-	F 36	112,0	105,5	91,0
44	-	-	F 37	115,0	109,0	94,0
45	-	-	F 38	120,0	112,5	99,5
46	-	-	F 39	123,0	117,5	107,0
47	-	-	F 40	128,0	124,0	107,0
48	-	-	F 41	131,0	125,5	115,0
49	-	-	F 42	135,0	128,5	115,0
50	-	-	F 43	138,0	132,0	121,0
51	-	-	F 44	140,0	125,0	107,0
52	-	-	F 45	142,0	137,0	120,0
53	-	-	F 46	146,0	133,0	107,0
54	-	-	F 47	148,0	143,0	132,0
55	-	-	F 48	150,0	145,0	130,0
56	-	-	F 49	154,0	142,0	122,0
57	-	-	F 50	158,0	153,0	138,5
58	-	-	F 51	160,0	148,0	120,0
59	-	-	F 52	168,0	161,0	148,0
60	-	-	F 53	175,0	170,0	157,0
61	-	-	F 54	180,0	174,0	154,0
62	-	-	F 55	184,0	177,0	162,0
63	-	-	F 56	188,0	176,0	150,0
64	-	-	F 57	192,0	187,0	173,0
65	-	-	F 58	198,0	180,0	150,0
66	-	-	F 59	200,0	193,0	180,0
			F 60	205,0	189,0	160,0
			F 61	212,0	200,0	162,0
			F 62	226,0	214,0	190,0
			F 63	230,0	222,0	200,0
			F 64	240,0	224,0	192,0
			F 65	250,0	228,0	200,0
			F 66	256,0	240,0	220,0
			F 67	265,0	240,0	213,0
			F 68	275,0	253,0	225,0
			F 69	286,0	277,0	242,0
			F 70	296,0	287,0	260,0
			F 71	300,0	280,0	252,0
			F 72	325,0	305,0	278,0
			F 73	350,0	330,0	302,0
			F 74	375,0	355,0	328,0
			F 75	405,0	380,0	354,0
			F 76	430,0	406,0	380,0
			F 77	455,0	432,0	405,0
			F 78	480,0	457,0	430,0
			F 79	530,0	508,0	481,0
			F 80	595,0	572,0	544,0
			F 81	184,0	168,0	135,0

Pulegge dentate per cinghie HTD®
Timing belt pulleys HTD®
HTD® Zahnriemenscheiben
Poulies dentées HTD®
Poleas para correas dentadas HTD®






Tipo / Type
1F



Tipo / Type
6F



Tipo / Type
6

HTD® 3M-06

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Alluminio / Aluminium / Aluminium / Aluminium / Aluminium 6082 T6 UNI 9006/4	con flangia / with flanges mit Flanges / avec flasques con tapetas	10 3M 06	03M0610	1F	F01	10	9,55	8,79	13,0	6,0	7,2	14,5	4	
		12 3M 06	03M0612	1F	F02	12	11,46	10,70	15,0	8,0	7,2	14,5	4	
		14 3M 06	03M0614	1F	F03	14	13,37	12,61	16,0	9,5	7,2	14,5	4	
		153M 06	03M0615	1F	F04	15	14,32	13,56	17,5	11,6	7,2	14,5	4	
		16 3M 06	03M0616	6F	F05	16	15,28	14,52	18,0	10,0	9,8	17,5	4	
		18 3M 06	03M0618	6F	F06	18	17,19	16,43	20,0	11,0	9,8	17,5	6	
		20 3M 06	03M0620	6F	F07	20	19,10	18,34	23,0	13,0	9,8	17,5	6	
		21 3M 06	03M0621	6F	F08	21	20,05	19,29	25,0	13,0	9,8	17,5	6	
		22 3M 06	03M0622	6F	F08	22	21,01	20,25	25,0	13,0	9,8	17,5	6	
		24 3M 06	03M0624	6F	F08	24	22,92	22,16	25,0	13,0	9,8	17,5	6	
		26 3M 06	03M0626	6F	F09	26	24,83	24,07	28,0	16,0	9,8	17,5	6	
		28 3M 06	03M0628	6F	F10	28	26,74	25,98	32,0	18,0	9,8	17,5	6	
		30 3M 06	03M0630	6F	F10	30	28,65	27,89	32,0	20,0	9,8	17,5	6	
		32 3M 06	03M0632	6F	F12	32	30,56	29,80	36,0	22,0	9,8	17,5	6	
		36 3M 06	03M0636	6F	F14	36	34,38	33,62	38,0	26,0	10,3	18,0	6	
	40 3M 06	03M0640	6F	F15	40	38,20	37,44	42,0	28,0	10,3	18,0	6		
	44 3M 06	03M0644	6F	F18	44	42,02	41,26	48,0	33,0	10,3	18,0	6		
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	48 3M 06	03M0648	6		48	45,84	45,08	-	33,0	10,3	18,6	8	
		60 3M 06	03M0660	6		60	57,30	56,54	-	33,0	10,3	18,6	8	
72 3M 06		03M0672	6		72	68,75	67,99	-	33,0	10,3	18,6	8		

Pulegge dentate per cinghie HTD® / Timing belt pulleys HTD®
HTD® Zahnriemenscheiben / Poulies dentées HTD®
Poleas para correas dentadas HTD®




HTD® 3M-09


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Alluminio / Aluminium / Aluminium / Aluminium / Aluminium 6082 T6 UNI 9006/4	con flangia / with flanges mit Flanges / avec flasques con tapetas	10 3M 09	03M0910	1F	F01	10	9,55	8,79	13,0	6,0	10,2	17,5	4	0,004
		12 3M 09	03M0912	1F	F02	12	11,46	10,70	15,0	8,0	10,2	17,5	4	0,006
		14 3M 09	03M0914	1F	F03	14	13,37	12,61	16,0	9,5	10,2	17,5	4	0,007
		15 3M 09	03M0915	1F	F04	15	14,32	13,56	17,5	11,6	10,2	17,5	4	0,008
		16 3M 09	03M0916	6F	F05	16	15,28	14,52	18,0	10,0	12,8	20,6	4	0,007
		18 3M 09	03M0918	6F	F06	18	17,19	16,43	20,0	11,0	12,8	20,6	6	0,008
		20 3M 09	03M0920	6F	F07	20	19,10	18,34	23,0	13,0	12,8	20,6	6	0,010
		21 3M 09	03M0921	6F	F08	21	20,05	19,29	25,0	13,0	12,8	20,6	6	0,013
		22 3M 09	03M0922	6F	F08	22	21,01	20,25	25,0	13,0	12,8	20,6	6	0,014
		24 3M 09	03M0924	6F	F08	24	22,92	22,16	25,0	13,0	12,8	20,6	6	0,016
		26 3M 09	03M0926	6F	F09	26	24,83	24,07	28,0	16,0	12,8	20,6	6	0,018
		28 3M 09	03M0928	6F	F10	28	26,74	25,98	32,0	18,0	12,8	20,6	6	0,024
		30 3M 09	03M0930	6F	F10	30	28,65	27,89	32,0	20,0	12,8	20,6	6	0,028
		32 3M 09	03M0932	6F	F12	32	30,56	29,80	36,0	22,0	12,8	20,6	6	0,032
		36 3M 09	03M0936	6F	F14	36	34,38	33,62	38,0	26,0	13,4	22,2	6	0,045
		40 3M 09	03M0940	6F	F15	40	38,20	37,44	42,0	28,0	13,4	22,2	6	0,055
		44 3M 09	03M0944	6F	F18	44	42,02	41,26	48,0	33,0	13,4	22,2	6	0,074
		senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	48 3M 09	03M0948	6		48	45,84	45,08	-	33,0	13,4	22,2	8
	60 3M 09		03M0960	6		60	57,30	56,54	-	33,0	13,4	22,2	8	0,106
	72 3M 09		03M0972	6		72	68,75	67,99	-	33,0	13,4	22,2	8	0,145

HTD® 3M-15

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Alluminio / Aluminium / Aluminium / Aluminium / Aluminium 6082 T6 UNI 9006/4	con flangia / with flanges mit Flanges / avec flasques con tapetas	10 3M 15	03M1510	1F	F01	10	9,55	8,79	13,0	6,0	17,0	26	4	0,006
		12 3M 15	03M1512	1F	F02	12	11,46	10,70	15,0	8,0	17,0	26	4	0,008
		14 3M 15	03M1514	1F	F03	14	13,37	12,61	16,0	9,5	17,0	26	4	0,010
		15 3M 15	03M1515	1F	F04	15	14,32	13,56	17,5	11,6	17,0	26	4	0,012
		16 3M 15	03M1516	6F	F05	16	15,28	14,52	18,0	10,0	19,5	26	4	0,010
		18 3M 15	03M1518	6F	F06	18	17,19	16,43	20,0	11,0	19,5	26	6	0,012
		20 3M 15	03M1520	6F	F07	20	19,10	18,34	23,0	12,0	19,5	26	6	0,014
		21 3M 15	03M1521	6F	F08	21	20,05	19,29	25,0	13,0	19,5	26	6	0,016
		22 3M 15	03M1522	6F	F08	22	21,01	20,25	25,0	13,0	19,5	26	6	0,018
		24 3M 15	03M1524	6F	F08	24	22,92	22,16	25,0	13,0	19,5	26	6	0,020
		26 3M 15	03M1526	6F	F09	26	24,83	24,07	28,0	16,0	19,5	26	6	0,027
		28 3M 15	03M1528	6F	F10	28	26,74	25,98	32,0	18,0	19,5	26	6	0,030
		30 3M 15	03M1530	6F	F10	30	28,65	27,89	32,0	20,0	19,5	26	6	0,035
		32 3M 15	03M1532	6F	F12	32	30,56	29,80	36,0	22,0	19,5	26	6	0,042
		36 3M 15	03M1536	6F	F14	36	34,38	33,62	38,0	26,0	20,0	30	6	0,060
		40 3M 15	03M1540	6F	F15	40	38,20	37,44	42,0	28,0	20,0	30	6	0,075
		44 3M 15	03M1544	6F	F18	44	42,02	41,26	48,0	33,0	20,0	30	6	0,095
		senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	48 3M 15	03M1548	6		48	45,84	45,08	-	33,0	20,0	30	8
	60 3M 15		03M1560	6		60	57,30	56,54	-	33,0	20,0	30	8	0,150
	72 3M 15		03M1572	6		72	68,75	67,99	-	33,0	20,0	30	8	0,212



Tipo / Type
6F



Tipo / Type
6W

HTD® 5M-09

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	12 5M 09	05M0912	6F	F07	12	19,10	17,96	23	12,0	-	14,5	20,0	4	0,028
	14 5M 09	05M0914	6F	F08	14	22,28	21,14	25	13,0	-	14,5	20,0	6	0,034
	15 5M 09	05M0915	6F	F09	15	23,87	22,73	28	16,0	-	14,5	20,0	6	0,042
	16 5M 09	05M0916	6F	F09	16	25,46	24,32	28	16,5	-	14,5	20,0	6	0,050
	18 5M 09	05M0918	6F	F10	18	28,65	27,51	32	20,0	-	14,5	20,0	6	0,070
	20 5M 09	05M0920	6F	F12	20	31,83	30,69	36	23,0	-	14,5	22,5	6	0,094
	21 5M 09	05M0921	6F	F14	21	33,42	32,28	38	24,0	-	14,5	22,5	6	0,110
	22 5M 09	05M0922	6F	F14	22	35,01	33,87	38	25,5	-	14,5	22,5	6	0,118
	24 5M 09	05M0924	6F	F15	24	38,20	37,06	42	27,0	-	14,5	22,5	6	0,145
	26 5M 09	05M0926	6F	F17	26	41,38	40,24	44	30,0	-	14,5	22,5	6	0,170
	28 5M 09	05M0928	6F	F18	28	44,56	43,42	48	30,5	-	14,5	22,5	6	0,200
	30 5M 09	05M0930	6F	F19	30	47,75	46,60	51	35,0	-	14,5	22,5	6	0,236
	32 5M 09	05M0932	6F	F20	32	50,93	49,79	54	38,0	-	14,5	22,5	8	0,210
	36 5M 09	05M0936	6F	F22	36	57,30	56,16	60	38,0	-	14,5	22,5	8	0,324
	40 5M 09	05M0940	6F	F26	40	63,66	62,52	70	38,0	-	14,5	22,5	8	0,400
Alluminio / Aluminium Aluminium / Aluminium Aluminio	44 5M 09	05M0944	6W		44	70,03	68,89	-	38,0	54	14,5	25,5	8	0,170
	48 5M 09	05M0948	6W		48	76,39	75,25	-	45,0	61	14,5	25,5	8	0,182
	60 5M 09	05M0960	6W		60	95,46	94,35	-	45,0	80	14,5	25,5	8	0,230
	72 5M 09	05M0972	6W		72	114,59	113,45	-	45,0	100	14,5	25,5	8	0,270

Pulegge dentate per cinghie HTD® / Timing belt pulleys HTD®
HTD® Zahnriemenscheiben / Poulies dentées HTD®
Poleas para correas dentadas HTD®




HTD® 5M-15


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	12 5M 15	05M1512	6F	F07	12	19,10	17,96	23	12,0	-	20,5	26	4	0,034
		14 5M 15	05M1514	6F	F08	14	22,28	21,14	25	13,0	-	20,5	26	6	0,046
		15 5M 15	05M1515	6F	F09	15	23,87	22,73	28	16,0	-	20,5	26	6	0,056
		16 5M 15	05M1516	6F	F09	16	25,46	24,32	28	16,5	-	20,5	26	6	0,064
		18 5M 15	05M1518	6F	F10	18	28,65	27,51	32	20,0	-	20,5	26	6	0,086
		20 5M 15	05M1520	6F	F12	20	31,83	30,69	36	23,0	-	20,5	26	6	0,112
		21 5M 15	05M1521	6F	F14	21	33,42	32,28	38	24,0	-	20,5	26	6	0,130
		22 5M 15	05M1522	6F	F14	22	35,01	33,87	38	25,5	-	20,5	26	6	0,140
		24 5M 15	05M1524	6F	F15	24	38,20	37,06	42	27,0	-	20,5	28	6	0,180
		26 5M 15	05M1526	6F	F17	26	41,38	40,24	44	30,0	-	20,5	28	6	0,220
		28 5M 15	05M1528	6F	F18	28	44,56	43,42	48	30,5	-	20,5	28	6	0,250
		30 5M 15	05M1530	6F	F19	30	47,75	46,60	51	35,0	-	20,5	28	6	0,300
		32 5M 15	05M1532	6F	F20	32	50,93	49,79	54	38,0	-	20,5	28	8	0,350
		36 5M 15	05M1536	6F	F24	36	57,30	56,16	60	38,0	-	20,5	28	8	0,426
		40 5M 15	05M1540	6F	F26	40	63,66	62,52	70	38,0	-	20,5	28	8	0,520
Alluminio / Aluminium Aluminium / Aluminium Aluminio	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	44 5M 15	05M1544	6W		44	70,03	68,89	-	38,0	54	20,5	30	8	0,225
		48 5M 15	05M1548	6W		48	76,39	75,25	-	45,0	61	20,5	30	8	0,187
		60 5M 15	05M1560	6W		60	95,46	94,35	-	45,0	80	20,5	30	8	0,305
		72 5M 15	05M1572	6W		72	114,59	113,45		45,0	100	20,5	30	8	0,305

HTD® 5M-25


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	Foro stock Stock bore Vor bohrung Alesage en stock Agujero de stock	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	12 5M 25	05M2512	6F	F07	12	19,10	17,96	23	12,0	-	30,5	36	4	0,050
		14 5M 25	05M2514	6F	F08	14	22,28	21,14	25	13,0	-	30,5	36	6	0,070
		15 5M 25	05M2515	6F	F09	15	23,87	22,73	28	16,0	-	30,5	36	6	0,080
		16 5M 25	05M2516	6F	F09	16	25,46	24,32	28	16,5	-	30,5	36	6	0,100
		18 5M 25	05M2518	6F	F10	18	28,65	27,51	32	20,0	-	30,5	36	6	0,120
		20 5M 25	05M2520	6F	F12	20	31,83	30,69	36	23,0	-	30,5	36	6	0,160
		21 5M 25	05M2521	6F	F14	21	33,42	32,28	38	24,0	-	30,5	38	6	0,190
		22 5M 25	05M2522	6F	F14	22	35,01	33,87	38	25,5	-	30,5	38	6	0,210
		24 5M 25	05M2524	6F	F15	24	38,20	37,06	42	27,0	-	30,5	38	6	0,250
		26 5M 25	05M2526	6F	F17	26	41,38	40,24	44	30,0	-	30,5	38	6	0,300
		28 5M 25	05M2528	6F	F18	28	44,56	43,42	48	30,5	-	30,5	38	6	0,350
		30 5M 25	05M2530	6F	F19	30	47,75	46,60	51	35,0	-	30,5	38	6	0,420
		32 5M 25	05M2532	6F	F20	32	50,93	49,79	54	38,0	-	30,5	38	8	0,480
		36 5M 25	05M2536	6F	F22	36	57,30	56,16	60	38,0	-	30,5	38	8	0,590
		40 5M 25	05M2540	6F	F26	40	63,66	62,52	70	38,0	-	30,5	38	8	0,740
Alluminio / Aluminium Aluminium / Aluminium Aluminio	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	44 5M 25	05M2544	6W		44	70,03	68,89	-	38,0	54	30,5	40	8	0,320
		48 5M 25	05M2548	6W		48	76,39	75,25	-	45,0	61	30,5	40	8	0,275
		60 5M 25	05M2560	6W		60	95,46	94,35	-	45,0	80	30,5	40	8	0,435
		72 5M 25	05M2572	6W		72	114,59	113,45		45,0	100	30,5	40	8	0,525




Tipo / Type
6




Tipo / Type
6F




Tipo / Type
6WF




Tipo / Type
6AF




Tipo / Type
6A



Tipo / Type
10WF



Tipo / Type
10W



Tipo / Type
10A

Pulegge dentate per cinghie HTD® / Timing belt pulleys HTD®
HTD® Zahnriemenscheiben / Poulies dentées HTD®
Poleas para correas dentadas HTD®



HTD® 8M-20

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	22 8M 20	08M2022	6F	F22	22	56,02	54,65	60	43	-	28	38	12	0,54
		24 8M 20	08M2024	6F	F25	24	61,12	59,75	66	45	-	28	38	12	0,65
		26 8M 20	08M2026	6F	F26	26	66,21	64,84	70	48	-	28	38	12	0,80
		28 8M 20	08M2028	6F	F27	28	71,30	70,08	75	50	-	28	38	15	0,87
		30 8M 20	08M2030	6F	F29	30	76,39	75,13	83	55	-	28	38	15	1,02
		32 8M 20	08M2032	6F	F30	32	81,49	80,16	87	60	-	28	38	15	1,20
		34 8M 20	08M2034	6F	F31	34	86,58	85,22	91	70	-	28	38	15	1,40
		36 8M 20	08M2036	6F	F33	36	91,67	90,30	97	75	-	28	38	15	1,55
		38 8M 20	08M2038	6F	F34	38	96,77	95,39	102	75	-	28	38	15	1,65
		40 8M 20	08M2040	6F	F35	40	101,86	100,49	106	75	-	28	38	15	1,74
		44 8M 20	08M2044	6F	F38	44	112,05	110,67	120	75	-	28	38	15	2,10
		48 8M 20	08M2048	6F	F40	48	122,23	120,86	128	75	-	28	38	15	2,44
		56 8M 20	08M2056	6WF	F48	56	142,60	141,23	150	80	116	28	38	15	2,60
		64 8M 20	08M2064	6WF	F52	64	162,97	161,60	168	80	137	28	38	15	2,90
		72 8M 20	08M2072	6WF	F57	72	183,35	181,97	192	80	158	28	38	15	3,10
Ghisa / Cast Iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	80 8M 20	08M2080	6W		80	203,72	202,35	-	90	180	28	38	15	3,80
		90 8M 20	08M2090	6A		90	229,18	227,81	-	90	204	28	38	15	4,20
		112 8M 20	08M2011	6A		112	285,21	283,83	-	90	254	28	38	18	5,20
		144 8M 20	08M2014	6A		144	366,69	365,32	-	90	336	28	38	20	7,50
		168 8M 20	08M2016	6A		168	427,81	426,44	-	100	400	28	38	20	10,00
		192 8M 20	08M2019	6A		192	488,92	487,55	-	100	460	28	38	20	14,40

HTD® 8M 30


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	22 8M 30	08M3022	6F	F22	22	56,02	54,65	60	43	-	38	48	12	0,69
		24 8M 30	08M3024	6F	F25	24	61,12	59,75	66	45	-	38	48	12	0,84
		26 8M 30	08M3026	6F	F26	26	66,21	64,84	70	48	-	38	48	12	1,00
		28 8M 30	08M3028	6F	F27	28	71,30	70,08	75	50	-	38	48	15	1,12
		30 8M 30	08M3030	6F	F29	30	76,39	75,13	83	55	-	38	48	15	1,32
		32 8M 30	08M3032	6F	F30	32	81,49	80,16	87	60	-	38	48	15	1,53
		34 8M 30	08M3034	6F	F31	34	86,58	85,22	91	70	-	38	48	15	1,80
		36 8M 30	08M3036	6F	F33	36	91,67	90,30	97	75	-	38	48	15	1,99
		38 8M 30	08M3038	6F	F34	38	96,77	95,39	102	75	-	38	48	15	2,27
		40 8M 30	08M3040	6F	F35	40	101,86	100,49	106	75	-	38	48	15	2,40
		44 8M 30	08M3044	6F	F38	44	112,05	110,67	120	75	-	38	48	15	2,80
		48 8M 30	08M3048	6F	F40	48	122,23	120,86	128	75	-	38	48	15	3,20
		56 8M 30	08M3056	6WF	F48	56	142,60	141,23	150	90	116	38	48	15	3,60
		64 8M 30	08M3064	6WF	F52	64	162,97	161,60	168	90	137	38	48	15	4,30
		72 8M 30	08M3072	6WF	F57	72	183,35	181,97	192	95	158	38	48	15	4,80
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	80 8M 30	08M3080	6W		80	203,72	202,35	-	100	180	38	48	15	5,10
		90 8M 30	08M3090	6A		90	229,18	227,81	-	100	204	38	48	15	5,70
		112 8M 30	08M3011	6A		112	285,21	283,83	-	100	254	38	48	18	6,80
		144 8M 30	08M3014	6A		144	366,69	365,32	-	100	336	38	48	20	9,30
		168 8M 30	08M3016	6A		168	427,81	426,44	-	100	400	38	48	20	11,40
		192 8M 30	08M3019	6A		192	488,92	487,55	-	100	460	38	48	20	16,00

HTD® 8M-50


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	22 8M 50	08M5022	6F	F22	22	56,02	54,65	60	43	-	60	70	12	1,00
		24 8M 50	08M5024	6F	F25	24	61,12	59,75	66	45	-	60	70	12	1,23
		26 8M 50	08M5026	6F	F26	26	66,21	64,84	70	48	-	60	70	15	1,50
		28 8M 50	08M5028	6F	F27	28	71,30	70,08	75	50	-	60	70	15	1,67
		30 8M 50	08M5030	6F	F29	30	76,39	75,13	83	55	-	60	70	15	1,97
		32 8M 50	08M5032	6F	F30	32	81,49	80,16	87	60	-	60	70	15	2,27
		34 8M 50	08M5034	6F	F31	34	86,58	85,22	91	66	-	60	70	15	2,69
		36 8M 50	08M5036	6F	F33	36	91,67	90,30	97	70	-	60	70	15	2,97
		38 8M 50	08M5038	6F	F34	38	96,77	95,39	102	75	-	60	70	15	3,23
		40 8M 50	08M5040	6F	F35	40	101,86	100,49	106	75	-	60	70	18	3,50
		44 8M 50	08M5044	6F	F38	44	112,05	110,67	120	75	-	60	70	18	3,90
		48 8M 50	08M5048	6F	F40	48	122,23	120,86	128	80	-	60	70	18	4,30
		56 8M 50	08M5056	10WF	F48	56	142,60	141,23	150	90	116	60	60	18	5,00
		64 8M 50	08M5064	10WF	F52	64	162,97	161,60	168	100	137	60	60	18	5,60
		72 8M 50	08M5072	10WF	F57	72	183,35	181,97	192	100	158	60	60	18	6,80
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	80 8M 50	08M5080	10W		80	203,72	202,35	-	110	180	60	60	18	6,90
		90 8M 50	08M5090	10A		90	229,18	227,81	-	110	204	60	60	18	8,60
		112 8M 50	08M5011	10A		112	285,21	283,83	-	110	254	60	60	18	9,60
		144 8M 50	08M5014	10A		144	366,69	365,32	-	110	336	60	60	20	13,80
		168 8M 50	08M5016	10A		168	427,81	426,44	-	120	400	60	60	20	16,00
		192 8M 50	08M5019	10A		192	488,92	487,55	-	130	460	60	60	20	22,40

HTD® 8M-85


Caratteristiche Features Merkmale Características Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	22 8M 85	08M8522	6F	F22	22	56,02	54,65	60	43	-	95	105	12	1,55
		24 8M 85	08M8524	6F	F25	24	61,12	59,75	66	45	-	95	105	12	1,90
		26 8M 85	08M8526	6F	F26	26	66,21	64,84	70	48	-	95	105	12	2,25
		28 8M 85	08M8528	6F	F27	28	71,30	70,08	75	50	-	95	105	15	2,55
		30 8M 85	08M8530	6F	F29	30	76,39	75,13	83	55	-	95	105	15	3,00
		32 8M 85	08M8532	6F	F30	32	81,49	80,16	87	60	-	95	105	15	3,57
		34 8M 85	08M8534	6F	F31	34	86,58	85,22	91	66	-	95	105	15	4,00
		36 8M 85	08M8536	6F	F33	36	91,67	90,30	97	70	-	95	105	15	4,50
		38 8M 85	08M8538	6F	F34	38	96,77	95,39	102	75	-	95	105	15	5,00
		40 8M 85	08M8540	6F	F35	40	101,86	100,49	106	75	-	95	105	18	5,20
		44 8M 85	08M8544	6F	F38	44	112,05	110,67	120	75	-	95	105	18	6,60
		48 8M 85	08M8548	6F	F40	48	122,23	120,86	128	80	-	95	105	18	7,00
		56 8M 85	08M8556	6F	F48	56	142,60	141,23	150	90	-	95	105	18	10,00
		64 8M 85	08M8564	10WF	F52	64	162,97	161,60	168	100	137	95	95	20	10,40
		72 8M 85	08M8572	10WF	F57	72	183,35	181,97	192	100	158	95	95	20	11,40
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	80 8M 85	08M8580	10W		80	203,72	202,35	-	110	180	95	95	20	11,10
		90 8M 85	08M8590	10A		90	229,18	227,81	-	110	204	95	95	20	12,20
		112 8M 85	08M8511	10A		112	285,21	283,83	-	110	254	95	95	24	15,00
		144 8M 85	08M8514	10A		144	366,69	365,32	-	110	336	95	95	24	21,50
		168 8M 85	08M8516	10A		168	427,81	426,44	-	120	400	95	95	24	24,10
		192 8M 85	08M8519	10A		192	488,92	487,55	-	130	460	95	95	24	30,60



Tipo / Type
6F



Tipo / Type
6WF



Tipo / Type
6A

HTD® 14M-40

Caratteristiche Features Merkmale Caracteristiques Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	28 14M 40	14M4028	6F	F40	28	124,78	122,12	128	100	-	54	69	24	4,73
		29 14M 40	14M4029	6F	F43	29	129,23	126,57	138	100	-	54	69	24	5,09
		30 14M 40	14M4030	6F	F43	30	133,69	130,99	138	100	-	54	69	24	5,45
		32 14M 40	14M4032	6F	F49	32	142,60	139,88	154	100	-	54	69	24	6,17
		34 14M 40	14M4034	6F	F51	34	151,52	148,79	160	100	-	54	69	24	6,88
		36 14M 40	14M4036	6F	F52	36	160,43	157,68	168	100	-	54	69	24	7,60
		38 14M 40	14M4038	6F	F81	38	169,34	166,60	184	120	-	54	69	24	8,28
		40 14M 40	14M4040	6F	F56	40	178,25	175,49	188	120	-	54	69	24	9,26
		44 14M 40	14M4044	6F	F61	44	196,08	193,28	212	120	-	54	69	24	10,32
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	48 14M 40	14M4048	6WF	F62	48	213,90	211,11	226	135	170	54	69	24	11,50
		56 14M 40	14M4056	6WF	F66	56	249,55	246,76	256	135	207	54	69	28	13,05
		64 14M 40	14M4064	6WF	F70	64	285,21	282,41	296	135	240	54	69	28	14,40
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	72 14M 40	14M4072	6A		72	320,86	318,06	-	135	278	54	69	28	16,90
		80 14M 40	14M4080	6A		80	356,51	353,71	-	135	314	54	69	28	18,50
		90 14M 40	14M4090	6A		90	401,07	398,28	-	135	358	54	69	28	20,00
		112 14M 40	14M4011	6A		112	499,11	496,32	-	135	456	54	69	28	26,70
		144 14M 40	14M4014	6A		144	641,71	638,92	-	135	600	54	69	28	35,00
		168 14M 40	14M4016	6A		168	748,66	745,87	-	135	706	54	69	28	44,20
		192 14M 40	14M4019	6A		192	855,62	852,82	-	135	813	54	69	28	52,20
		216 14M 40	14M4021	6A		216	962,57	959,76	-	150	920	54	69	28	62,50

HTD® 14M-55

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	28 14M 55	14M5528	6F	F40	28	124,78	122,12	128	100	-	70	85	24	5,60
		29 14M 55	14M5529	6F	F43	29	129,23	126,57	138	100	-	70	85	24	6,10
		30 14M 55	14M5530	6F	F43	30	133,69	130,99	138	100	-	70	85	24	6,60
		32 14M 55	14M5532	6F	F49	32	142,60	139,88	154	100	-	70	85	24	7,60
		34 14M 55	14M5534	6F	F51	34	151,52	148,79	160	100	-	70	85	24	8,60
		36 14M 55	14M5536	6F	F52	36	160,43	157,68	168	100	-	70	85	24	9,60
		38 14M 55	14M5538	6F	F81	38	169,34	166,60	184	120	-	70	85	24	10,80
		40 14M 55	14M5540	6F	F56	40	178,25	175,49	188	120	-	70	85	24	11,20
		44 14M 55	14M5544	6F	F61	44	196,08	193,28	212	120	-	70	85	24	12,50
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	48 14M 55	14M5548	10WF	F62	48	213,90	211,11	226	135	170	70	70	24	13,70
		56 14M 55	14M5556	10WF	F66	56	249,55	246,76	256	135	207	70	70	28	14,50
		64 14M 55	14M5564	10WF	F70	64	285,21	282,41	296	135	240	70	70	28	15,60
		72 14M 55	14M5572	10A		72	320,86	318,06	-	135	278	70	70	28	16,90
	80 14M 55	14M5580	10A		80	356,51	353,71	-	135	314	70	70	28	20,00	
	90 14M 55	14M5590	10A		90	401,07	398,28	-	135	358	70	70	28	22,60	
	112 14M 55	14M5511	10A		112	499,11	496,32	-	135	456	70	70	28	29,50	
	144 14M 55	14M5514	10A		144	641,71	638,92	-	135	600	70	70	28	39,00	
	168 14M 55	14M5516	10A		168	748,66	745,87	-	135	706	70	70	28	48,50	
	192 14M 55	14M5519	10A		192	855,62	852,82	-	135	813	70	70	28	57,80	
	216 14M 55	14M5521	10A		216	962,57	959,76	-	150	920	70	70	28	67,00	

HTD® 14M-85

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	28 14M 85	14M8528	6F	F40	28	124,78	122,12	128	100	-	102	117	24	7,70
		29 14M 85	14M8529	6F	F43	29	129,23	126,57	138	100	-	102	117	24	8,40
		30 14M 85	14M8530	6F	F43	30	133,69	130,99	138	100	-	102	117	24	9,10
		32 14M 85	14M8532	6F	F49	32	142,60	139,88	154	100	-	102	117	24	10,50
		34 14M 85	14M8534	6F	F51	34	151,52	148,79	160	100	-	102	117	24	11,90
		36 14M 85	14M8536	6F	F52	36	160,43	157,68	168	100	-	102	117	32	13,20
		38 14M 85	14M8538	6F	F81	38	169,34	166,60	184	120	-	102	117	32	15,15
		40 14M 85	14M8540	6F	F56	40	178,25	175,49	188	135	-	102	117	32	17,10
		44 14M 85	14M8544	6F	F61	44	196,08	193,28	212	135	-	102	117	32	23,30
		48 14M 85	14M8548	6F	F62	48	213,90	211,11	226	150	-	102	117	32	25,00
Ghisa / Cast Iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	56 14M 85	14M8556	10WF	F66	56	249,55	246,76	256	150	207	102	117	32	25,00
		64 14M 85	14M8564	10WF	F70	64	285,21	282,41	296	150	240	102	102	32	30,50
		72 14M 85	14M8572	10A		72	320,86	318,06	-	150	278	102	102	32	28,80
	80 14M 85	14M8580	10A		80	356,51	353,71	-	150	314	102	102	32	30,10	
	90 14M 85	14M8590	10A		90	401,07	398,28	-	150	358	102	102	32	33,00	
	112 14M 85	14M8511	10A		112	499,11	496,32	-	150	456	102	102	32	41,80	
	144 14M 85	14M8514	10A		144	641,71	638,92	-	150	600	102	102	32	52,40	
	168 14M 85	14M8516	10A		168	748,66	745,87	-	150	706	102	102	32	60,30	
	192 14M 85	14M8519	10A		192	855,62	852,82	-	165	813	102	102	32	70,20	
	216 14M 85	14M8521	10A		216	962,57	959,76	-	165	920	102	102	32	81,00	

Pulegge dentate per cinghie HTD® / Timing belt pulleys HTD®
HTD® Zahnriemenscheiben / Poulies dentées HTD®
Poleas para correas dentadas HTD®



HTD® 14M-115

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	28 14M 115	14M1128	6F	F40	28	124,78	122,12	128	100	-	133	148	32	9,20
		29 14M 115	14M1129	6F	F43	29	129,23	126,57	138	100	-	133	148	32	10,20
		30 14M 115	14M1130	6F	F43	30	133,69	130,99	138	100	-	133	148	32	11,20
		32 14M 115	14M1132	6F	F49	32	142,60	139,88	154	100	-	133	148	32	13,20
		34 14M 115	14M1134	6F	F51	34	151,52	148,79	160	100	-	133	148	32	14,80
		36 14M 115	14M1136	6F	F52	36	160,43	157,68	168	100	-	133	148	32	16,60
		38 14M 115	14M1138	6F	F81	38	169,34	166,60	184	120	-	133	148	32	19,20
		40 14M 115	14M1140	6F	F56	40	178,25	175,49	188	135	-	133	148	32	20,56
		44 14M 115	14M1144	6F	F61	44	196,08	193,28	212	140	-	133	148	32	21,93
		48 14M 115	14M1148	6F	F62	48	213,90	211,11	226	150	-	133	148	32	25,00
		56 14M 115	14M1156	6F	F66	56	249,55	246,76	256	150	-	133	148	32	27,50
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne flanschen sans flasques / sin tapetas	64 14M 115	14M1164	10WF	F70	64	285,21	282,41	296	150	240	133	133	32	30,10
		72 14M 115	14M1172	10A		72	320,86	318,06	-	150	278	133	133	32	32,83
		80 14M 115	14M1180	10A		80	356,51	353,71	-	150	314	133	133	32	35,55
		90 14M 115	14M1190	10A		90	401,07	398,28	-	150	358	133	133	32	41,00
		112 14M 115	14M1111	10A		112	499,11	496,32	-	150	456	133	133	32	54,40
		144 14M 115	14M1114	10A		144	641,71	638,92	-	165	600	133	133	32	67,80
		168 14M 115	14M1116	10A		168	748,66	745,87	-	165	706	133	133	32	75,80
		192 14M 115	14M1119	10A		192	855,62	852,82	-	165	813	133	133	32	88,30
		216 14M 115	14M1121	10A		216	962,57	959,76	-	165	920	133	133	32	98,00

HTD® 14M-170

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	d	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	28 14M 170	14M1728	6F	F40	28	124,78	122,12	128	100	-	187	202	32	9,20
		29 14M 170	14M1729	6F	F43	29	129,23	126,57	138	100	-	187	202	32	10,20
		30 14M 170	14M1730	6F	F43	30	133,69	130,99	138	100	-	187	202	32	11,20
		32 14M 170	14M1732	6F	F49	32	142,60	139,88	154	100	-	187	202	32	13,20
		34 14M 170	14M1734	6F	F51	34	151,52	148,79	160	100	-	187	202	32	14,80
		36 14M 170	14M1736	6F	F52	36	160,43	157,68	168	100	-	187	202	32	16,60
		38 14M 170	14M1738	6F	F81	38	169,34	166,60	184	120	-	187	202	32	19,20
		40 14M 170	14M1740	6F	F56	40	178,25	175,49	188	135	-	187	202	32	20,56
		44 14M 170	14M1744	6F	F61	44	196,08	193,28	212	140	-	187	202	32	21,93
		48 14M 170	14M1748	6F	F62	48	213,90	211,11	226	150	-	187	202	32	25,00
		56 14M 170	14M1756	6F	F66	56	249,55	246,76	256	150	-	187	202	32	27,50
		64 14M 170	14M1764	10WF	F70	64	285,21	282,41	296	150	240	187	202	32	30,10
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	72 14M 170	14M1772	10A		72	320,86	318,06	-	150	278	187	187	32	32,83
		80 14M 170	14M1780	10A		80	356,51	353,71	-	150	314	187	187	32	35,55
		90 14M 170	14M1790	10A		90	401,07	398,28	-	150	358	187	187	32	41,00
		112 14M 170	14M1711	10A		112	499,11	496,32	-	150	456	187	187	32	54,40
		144 14M 170	14M1714	10A		144	641,71	638,92	-	165	600	187	187	32	67,80
		168 14M 170	14M1716	10A		168	748,66	745,87	-	165	706	187	187	32	75,80
		192 14M 170	14M1719	10A		192	855,62	852,82	-	165	813	187	187	32	88,30
		216 14M 170	14M1721	10A		216	962,57	959,76	-	165	920	187	187	32	98,00

HTD® 20M-115

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	e	d	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron / Grauguss / Fonte / Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	34 20M 115	20M1134	6F	F64	34	216,45	212,13	240	165	-	136,5	168,5	-	32	39
		36 20M 115	20M1136	6F	F65	36	229,18	224,87	250	178	-	136,5	168,5	-	32	44
		38 20M 115	20M1138	6F	F67	38	241,92	237,60	265	181	-	136,5	168,5	-	32	49
		40 20M 115	20M1140	6F	F68	40	254,65	250,33	275	203	-	136,5	168,5	-	32	
		44 20M 115	20M1144	6F	F71	44	280,11	275,79	300	210	-	136,5	168,5	-	32	
		48 20M 115	20M1148	6F	F72	48	305,58	301,26	325	228	-	136,5	168,5	-	32	
		52 20M 115	20M1152	6F	F73	52	331,04	326,72	350	228	-	136,5	168,5	-	32	
		56 20M 115	20M1156	6F	F74	56	356,51	352,19	375	228	-	136,5	168,5	-	32	
		60 20M 115	20M1160	6WF	F75	60	381,97	377,65	405	228	318	136,5	168,5	-	38	
		64 20M 115	20M1164	6WF	F76	64	407,44	403,12	430	228	343	136,5	168,5	-	38	
		68 20M 115	20M1168	6WF	F77	68	432,90	428,58	455	228	366	136,5	168,5	-	38	
		72 20M 115	20M1172	6AF	F78	72	458,37	454,05	480	228	435	136,5	168,5	-	38	
		80 20M 115	20M1180	6AF	F79	80	509,30	504,98	530	280	445	136,5	168,5	-	38	
		90 20M 115	20M1190	6AF	F80	90	572,96	568,64	595	280	508	136,5	168,5	-	38	
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	112 20M 115	20M1111	6A		112	713,01	708,70	-	280	648	136,5	168,5	-	38	
		144 20M 115	20M1114	6A		144	916,73	912,41	-	300	852	136,5	168,5	-	44	
		168 20M 115	20M1116	6A		168	1069,52	1065,21	-	300	1005	136,5	168,5	-	44	
		192 20M 115	20M1119	6A		192	1222,31	1218,00	-	300	1158	136,5	168,5	-	48	
		216 20M 115	20M1121	6A		216	1375,10	1370,78	-	300	1300	136,5	168,5	-	48	

HTD® 20M-170

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	e	d	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron / Grauguss / Fonte / Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	34 20M 170	20M1734	6F	F64	34	216,45	212,13	240	165	-	190,5	222,5	-	32	44,8
		36 20M 170	20M1736	6F	F65	36	229,18	224,87	250	178	-	190,5	222,5	-	32	50,5
		38 20M 170	20M1738	6F	F67	38	241,92	237,60	265	181	-	190,5	222,5	-	32	55,0
		40 20M 170	20M1740	6F	F68	40	254,65	250,33	275	203	-	190,5	222,5	-	32	
		44 20M 170	20M1744	6F	F71	44	280,11	275,79	300	210	-	190,5	222,5	-	32	
		48 20M 170	20M1748	6F	F72	48	305,58	301,26	325	240	-	190,5	222,5	-	32	
		52 20M 170	20M1752	6F	F73	52	331,04	326,72	350	280	-	190,5	222,5	-	32	
		56 20M 170	20M1756	6F	F74	56	356,51	352,19	375	280	-	190,5	222,5	-	32	
		60 20M 170	20M1760	6F	F75	60	381,97	377,65	405	280	-	190,5	222,5	-	38	
		64 20M 170	20M1764	6F	F76	64	407,44	403,12	430	280	-	190,5	222,5	-	38	
		68 20M 170	20M1768	6F	F77	68	432,90	428,58	455	280	-	190,5	222,5	-	38	
		72 20M 170	20M1772	10AF	F78	72	458,37	454,05	480	280	394	190,5	190,5	-	38	
		80 20M 170	20M1780	10AF	F79	80	509,30	504,98	530	280	445	190,5	190,5	-	38	
		90 20M 170	20M1790	10AF	F80	90	572,96	568,64	595	280	508	190,5	190,5	-	38	
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	112 20M 170	20M1711	10A		112	713,01	708,70	-	300	648	190,5	190,5	-	38	
		144 20M 170	20M1714	10A		144	916,73	912,41	-	300	852	190,5	190,5	-	44	
		168 20M 170	20M1716	10A		168	1069,52	1065,21	-	350	1005	190,5	190,5	-	44	
		192 20M 170	20M1719	10A		192	1222,31	1218,00	-	350	1158	190,5	190,5	-	48	
		216 20M 170	20M1721	10A		216	1375,10	1370,78	-	350	1300	190,5	190,5	-	48	

Pulegge dentate per cinghie HTD® / Timing belt pulleys HTD®
HTD® Zahnriemenscheiben / Poulies dentées HTD®
Poleas para correas dentadas HTD®



HTD® 20M-230

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	e	d	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron / Grauguss / Fonte / Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	38 20M 230	20M2338	6F	F67	38	241,92	237,60	265	181	-	250,8	282,8	-	38	67,5
		40 20M 230	20M2340	6F	F68	40	254,65	250,33	275	203	-	250,8	282,8	-	38	
		44 20M 230	20M2344	6F	F71	44	280,11	275,79	300	210	-	250,8	282,8	-	38	
		48 20M 230	20M2348	6F	F72	48	305,58	301,26	325	228	-	250,8	282,8	-	38	
		52 20M 230	20M2352	6F	F73	52	331,04	326,72	350	280	-	250,8	282,8	-	38	
		56 20M 230	20M2356	6F	F74	56	356,51	352,19	375	280	-	250,8	282,8	-	32	
		60 20M 230	20M2360	6F	F75	60	381,97	377,65	405	280	-	250,8	282,8	-	38	
		64 20M 230	20M2364	6F	F76	64	407,44	403,12	430	300	-	250,8	282,8	-	38	
		68 20M 230	20M2368	6F	F77	68	432,90	428,58	455	300	-	250,8	282,8	-	38	
		72 20M 230	20M2372	6F	F78	72	458,37	454,05	480	300	-	250,8	282,8	-	38	
		80 20M 230	20M2380	10WF	F79	80	509,30	504,98	530	300	445	250,8	250,8	-	38	
	90 20M 230	20M2390	10AF	F80	90	572,96	568,64	595	300	508	250,8	250,8	-	38		
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	112 20M 230	20M2311	10A		112	713,01	708,70	-	300	648	250,8	250,8	-	38	
		144 20M 230	20M2314	10A		144	916,73	912,41	-	350	852	250,8	250,8	-	44	
		168 20M 230	20M2316	10A		168	1069,52	1065,21	-	350	1005	250,8	250,8	-	44	
		192 20M 230	20M2319	10A		192	1222,31	1218,00	-	400	1158	250,8	250,8	-	48	
		216 20M 230	20M2321	10A		216	1375,10	1370,78	-	400	1300	250,8	250,8	-	48	

HTD® 20M-290

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	e	d	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron / Grauguss / Fonte / Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	52 20M 290	20M2952	6F	F73	52	331,04	326,72	350	280	-	311,2	343	-	38	
		56 20M 290	20M2956	6F	F74	56	356,51	352,19	375	280	-	311,2	343	-	38	
		60 20M 290	20M2960	6F	F75	60	381,97	377,65	405	300	-	311,2	343	-	38	
		64 20M 290	20M2964	6F	F76	64	407,44	403,12	430	300	-	311,2	343	-	38	
		68 20M 290	20M2968	6F	F77	68	432,90	428,58	455	300	-	311,2	343	-	38	
		72 20M 290	20M2972	6F	F78	72	458,37	454,05	480	300	-	311,2	343	-	44	
		80 20M 290	20M2980	6F	F79	80	509,30	504,98	530	300	-	311,2	343	-	44	
		90 20M 290	20M2990	10WF	F80	90	572,96	568,64	595	300	508	311,2	311,2	-	44	
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	112 20M 290	20M2911	10A		112	713,01	708,70	-	350	648	311,2	311,2	-	48	
		144 20M 290	20M2914	10A		144	916,73	912,41	-	350	852	311,2	311,2	-	48	
		168 20M 290	20M2916	10A		168	1069,52	1065,21	-	400	1005	311,2	311,2	-	48	
		192 20M 290	20M2919	10A		192	1222,31	1218,00	-	400	1158	311,2	311,2	-	48	
		216 20M 290	20M2921	10A		216	1375,10	1370,78	-	400	1300	311,2	311,2	-	48	



HTD® 20M-340

Caratteristiche Features Merkmale Caractéristiques Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro código	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Df	Dm	Di	F	L	e	d	Peso Weight / Gewicht Poids / Peso Kg
Ghisa / Cast iron / Grauguss / Fonte / Hierro fundido	con flangia / with flanges mit Flanges / avec flasques con tapetas	52 20M 340	20M3452	6F	F73	52	331,04	326,72	350	280	-	362	394	-	38	
		56 20M 340	20M3456	6F	F74	56	356,51	352,19	375	280	-	362	394	-	38	
		60 20M 340	20M3460	6F	F75	60	381,97	377,65	405	300	-	362	394	-	38	
		64 20M 340	20M3464	6F	F76	64	407,44	403,12	430	300	-	362	394	-	44	
		68 20M 340	20M3468	6F	F77	68	432,90	428,58	455	300	-	362	394	-	44	
		72 20M 340	20M3472	6F	F78	72	458,37	454,05	480	300	-	362	394	-	44	
		80 20M 340	20M3480	6F	F79	80	509,30	504,98	530	300	-	362	394	-	44	
		90 20M 340	20M3490	10WF	F80	90	572,96	568,64	595	300	508	362	394	-	48	
	senza flangia / without flanges / ohne Flanschen sans flasques / sin tapetas	112 20M 340	20M3411	10A		112	713,01	708,70	-	350	648	362	362	-	48	
		144 20M 340	20M3414	10A		144	916,73	912,41	-	350	852	362	362	-	48	
		168 20M 340	20M3416	10A		168	1069,52	1065,21	-	400	1005	362	362	-	48	
		192 20M 340	20M3419	10A		192	1222,31	1218,00	-	400	1158	362	362	-	48	
		216 20M 340	20M3421	10A		216	1375,10	1370,78	-	400	1300	362	362	-	48	

Barre dentate HTD® / HTD® Standard toothed bars
HTD® Standard Zahnriemenstangen / Barreaux dentés standard HTD®
Barras dentadas de serie HTD®



Materiale: alluminio 6082 T6 UNI 9006/4 adatto al trattamento anodico
Material: aluminium 6082 T6 UNI 9006/4 suitable for anodic treatment
Werkstoff: aluminium 6082 T6 UNI 9006/4 geeignet für anodischen oxydation
Matière: aluminium 6082 T6 UNI 9006/4 apte au traitement anodique
Material: aluminio 6082 T6 UNI 9006/4 apto para la oxidación anodica



HTD® 3M



Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Lu	L
9 3M	B03M009	9	8,59	7,83	75	100
10 3M	B03M010	10	9,55	8,79	75	100
11 3M	B03M011	11	10,50	9,74	75	100
12 3M	B03M012	12	11,46	10,70	100	125
13 3M	B03M013	13	12,41	11,65	100	125
14 3M	B03M014	14	13,37	12,61	100	125
15 3M	B03M015	15	14,32	13,56	100	125
16 3M	B03M016	16	15,28	14,52	125	155
17 3M	B03M017	17	16,23	15,47	125	155
18 3M	B03M018	18	17,19	16,43	125	155
19 3M	B03M019	19	18,14	17,38	125	155
20 3M	B03M020	20	19,10	18,34	150	165
21 3M	B03M021	21	20,05	19,25	150	165
22 3M	B03M022	22	21,01	20,25	150	165
23 3M	B03M023	23	21,96	21,20	150	165
24 3M	B03M024	24	22,92	22,16	150	165
25 3M	B03M025	25	23,87	23,11	150	165
26 3M	B03M026	26	24,83	24,07	150	165
27 3M	B03M027	27	25,78	25,02	150	165
28 3M	B03M028	28	26,74	25,98	150	165
29 3M	B03M029	29	27,69	26,93	150	165
30 3M	B03M030	30	28,65	27,89	175	183
31 3M	B03M031	31	29,60	28,84	175	183
32 3M	B03M032	32	30,56	29,80	175	183
33 3M	B03M033	33	31,54	30,75	175	183
34 3M	B03M034	34	32,47	31,71	175	183
35 3M	B03M035	35	33,42	32,66	175	183
36 3M	B03M036	36	34,38	33,62	200	200
37 3M	B03M037	37	35,33	34,57	200	200
38 3M	B03M038	38	36,29	35,53	200	200
39 3M	B03M039	39	37,24	36,48	200	200
40 3M	B03M040	40	38,20	37,44	200	200
42 3M	B03M042	42	40,11	39,34	200	200
44 3M	B03M044	44	42,02	41,26	200	200
45 3M	B03M045	45	42,97	41,21	200	200
48 3M	B03M048	48	45,84	45,08	200	200
50 3M	B03M050	50	47,75	46,99	200	200
52 3M	B03M052	52	49,66	48,90	200	200
54 3M	B03M054	54	51,57	50,81	200	200
56 3M	B03M056	56	53,48	52,72	200	200
60 3M	B03M060	60	57,30	56,54	200	200
62 3M	B03M062	62	59,21	58,45	200	200
64 3M	B03M064	64	61,12	60,36	200	200
66 3M	B03M066	66	63,03	62,27	200	200
68 3M	B03M068	68	64,94	64,18	200	200
70 3M	B03M070	70	66,85	66,09	200	200
72 3M	B03M072	72	68,75	67,99	200	200

HTD® 5M


Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Dp	De	Lu	L
12 - 5M	B05M012	12	19,10	17,96	150	165
13 - 5M	B05M013	13	20,69	19,55	150	165
14 - 5M	B05M014	14	22,28	21,14	175	183
15 - 5M	B05M015	15	23,87	22,73	175	183
16 - 5M	B05M016	16	25,46	24,32	175	183
17 - 5M	B05M017	17	27,06	25,92	175	183
18 - 5M	B05M018	18	28,65	27,51	200	200
19 - 5M	B05M019	19	30,24	29,10	200	200
20 - 5M	B05M020	20	31,83	30,69	200	200
21 - 5M	B05M021	21	33,42	32,28	200	200
22 - 5M	B05M022	22	35,01	33,87	200	200
23 - 5M	B05M023	23	36,61	35,47	200	200
24 - 5M	B05M024	24	38,20	37,06	200	200
25 - 5M	B05M025	25	39,79	38,65	200	200
26 - 5M	B05M026	26	41,38	40,24	200	200
27 - 5M	B05M027	27	42,97	41,83	200	200
28 - 5M	B05M028	28	44,56	43,42	200	200
29 - 5M	B05M029	29	46,15	45,01	200	200
30 - 5M	B05M030	30	47,75	46,60	200	200
31 - 5M	B05M031	31	49,34	48,20	200	200
32 - 5M	B05M032	32	50,93	49,79	200	200
33 - 5M	B05M033	33	52,52	51,38	200	200
34 - 5M	B05M034	34	54,11	52,97	200	200
35 - 5M	B05M035	35	55,70	54,56	200	200
36 - 5M	B05M036	36	57,30	56,16	200	200
38 - 5M	B05M038	38	60,48	59,34	200	200
40 - 5M	B05M040	40	63,66	62,52	200	200
42 - 5M	B05M042	42	66,85	65,71	200	200
44 - 5M	B05M044	44	70,03	68,89	200	200
45 - 5M	B05M045	45	71,62	70,48	200	200
46 - 5M	B05M046	46	73,21	72,07	200	200
48 - 5M	B05M048	48	76,39	75,25	200	200
50 - 5M	B05M050	50	79,58	78,43	200	200
54 - 5M	B05M054	54	85,94	84,80	200	200
60 - 5M	B05M060	60	95,49	94,35	200	200
62 - 5M	B05M062	62	98,68	97,54	200	200
72 - 5M	B05M072	72	114,59	113,45	200	200




N. denti N. of teeth Zahnezahl N. bre de dents Cantidad de dientes	Flangia / Flanges / Bordscheiben / Flasques / Tapetas				
	d = 0,5 mm	d = 1 mm	d = 1,5 mm	d = 2,5 mm	d = 4 mm
	HTD® 3M	HTD® 5M	HTD® 8M	HTD® 14M	HTD® 20M
10	F 01	-	-	-	-
11	-	-	-	-	-
12	F 02	F 07	-	-	-
13	-	-	-	-	-
14	F 03	F 08	-	-	-
15	F 04	F 09	-	-	-
16	F 05	F 09	-	-	-
17	-	-	-	-	-
18	F 06	F 10	-	-	-
19	-	-	-	-	-
20	F 07	F 12	-	-	-
21	F 08	F 14	-	-	-
22	F 08	F 14	F 22	-	-
23	-	-	-	-	-
24	F 08	F 15	F 25	-	-
25	-	-	-	-	-
26	F 09	F 17	F 26	-	-
27	-	-	-	-	-
28	F 10	F 18	F 27	F 40	-
29	-	-	-	F 43	-
30	F 10	F 19	F 29	F 43	-
31	-	-	-	-	-
32	F 12	F 20	F 30	F 49	-
33	-	-	-	-	-
34	-	F 21	F 31	F 51	F 64
35	-	-	-	-	-
36	F 14	F 22	F 33	F 52	F 65
37	-	-	-	-	-
38	-	F 25	F 34	F 81	F 67
39	-	-	-	-	-
40	F 15	F 26	F 35	F 56	F 68
41	-	-	-	-	-
42	-	-	-	-	-
43	-	-	-	-	-
44	F 18	F 27	F 38	F 61	F 71
45	-	-	-	-	-
46	-	-	-	-	-
47	-	-	-	-	-
48	-	F 29	F 40	F 62	F 72
49	-	-	-	-	-
50	-	-	-	-	-
51	-	-	-	-	-
52	-	-	-	-	F 73
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	F 32	F 48	F 66	F 74
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60	-	-	-	-	F 75
61	-	-	-	-	-
62	-	-	-	-	-
63	-	-	-	-	-
64	-	F 35	F 52	F 70	F 76
65	-	-	-	-	-
66	-	-	-	-	-
67	-	-	-	-	-
68	-	-	-	-	F 77
69	-	-	-	-	-
70	-	-	-	-	-
71	-	-	-	-	-
72	-	-	F 57	-	F 78
80	-	-	-	-	F 79
90	-	-	-	-	F 80


Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas			
F 01	13,0	10,0	6,0
F 02	15,0	12,0	8,0
F 03	16,0	13,0	9,5
F 04	17,5	14,5	11,6
F 05	18,0	15,0	11,5
F 06	20,0	16,5	12,2
F 07	23,0	18,0	12,5
F 08	25,0	21,5	15,0
F 09	28,0	24,0	17,8
F 10	32,0	27,5	23,0
F 11	35,0	30,5	23,0
F 12	36,0	31,0	25,0
F 13	37,0	33,0	25,0
F 14	38,0	34,0	26,5
F 15	42,0	38,0	30,5
F 16	43,0	39,0	31,0
F 17	44,0	40,5	32,5
F 18	48,0	43,5	37,0
F 19	51,0	47,0	40,0
F 20	54,0	50,5	43,0
F 21	57,0	52,0	46,0
F 22	60,0	57,0	47,0
F 23	61,0	56,5	49,0
F 24	64,0	57,0	47,0
F 25	66,0	63,0	52,0
F 26	70,0	66,5	53,0
F 27	75,0	68,5	60,0
F 28	79,0	72,5	60,0
F 29	83,0	78,0	68,0
F 30	87,0	82,5	72,0
F 31	91,0	85,5	76,0
F 32	93,0	89,0	80,0
F 33	97,0	93,8	83,0
F 34	102,0	97,0	82,5
F 35	106,0	101,0	90,0
F 36	112,0	105,5	91,0
F 37	115,0	109,0	94,0
F 38	120,0	112,5	99,5
F 39	123,0	117,5	107,0
F 40	128,0	124,0	107,0
F 41	131,0	125,5	115,0
F 42	135,0	128,5	115,0
F 43	138,0	132,0	121,0
F 44	140,0	125,0	107,0
F 45	142,0	137,0	120,0
F 46	146,0	133,0	107,0
F 47	148,0	143,0	132,0
F 48	150,0	145,0	130,0
F 49	154,0	142,0	122,0
F 50	158,0	153,0	138,5
F 51	160,0	148,0	120,0
F 52	168,0	161,0	148,0
F 53	175,0	170,0	157,0
F 54	180,0	174,0	154,0
F 55	184,0	177,0	162,0
F 56	188,0	176,0	150,0
F 57	192,0	187,0	173,0
F 58	198,0	180,0	150,0
F 59	200,0	193,0	180,0
F 60	205,0	189,0	160,0
F 61	212,0	200,0	162,0
F 62	226,0	214,0	190,0
F 63	230,0	222,0	200,0
F 64	240,0	224,0	192,0
F 65	250,0	228,0	200,0
F 66	256,0	240,0	220,0
F 67	265,0	240,0	213,0
F 68	275,0	253,0	225,0
F 69	286,0	277,0	242,0
F 70	296,0	287,0	260,0
F 71	300,0	280,0	252,0
F 72	325,0	305,0	278,0
F 73	350,0	330,0	302,0
F 74	375,0	355,0	328,0
F 75	405,0	380,0	354,0
F 76	430,0	406,0	380,0
F 77	455,0	432,0	405,0
F 78	480,0	457,0	430,0
F 79	530,0	508,0	481,0
F 80	595,0	572,0	544,0
F 81	184,0	168,0	135,0

Pulegge dentate HTD® per bussola conica
HTD® Timing belt pulleys for taper bushes
HTD® Zahnriemenscheiben für Spannbüchsen
Poulies dentées HTD® à moyeu amovible
Poleas dentadas HTD® para casquillos
cónicos (taper)







Tipo / Type
3F




Tipo / Type
3A




Tipo / Type
4F




Tipo / Type
4




Tipo / Type
5F




Tipo / Type
7A




Tipo / Type
8F




Tipo / Type
8A




Tipo / Type
8W




Tipo / Type
9W




Tipo / Type
9WF




Tipo / Type
9A




Tipo / Type
3F



Tipo / Type
8F



Tipo / Type
8



Tipo / Type
7A

HTD® 5M-15

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser code Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	34 5M 15	0515034	3F	F21	1008	25	54,11	52,97	57	-	-	22	22	-	
		36 5M 15	0515036	3F	F22	1108	25	57,30	56,15	60	-	-	22	22	-	
		38 5M 15	0515038	3F	F25	1108	25	60,48	59,34	66	-	-	22	22	-	
		40 5M 15	0515040	3F	F26	1108	25	63,66	62,52	70	-	-	22	22	-	
		44 5M 15	0515044	3F	F27	1108	25	70,03	68,89	75	-	-	22	22	-	
		48 5M 15	0515048	8F	F29	1210	32	76,39	75,25	83	59	-	22	25	3	
		56 5M 15	0515056	8F	F32	1210	32	89,13	87,98	93	70	-	22	25	3	
		64 5M 15	0515064	8F	F35	1210	32	101,86	100,72	106	80	-	22	25	3	
	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	72 5M 15	0515072	8	-	1610	42	114,59	113,45	-	92	-	22	25	3	
		80 5M 15	0515080	8	-	1610	42	127,32	126,18	-	92	-	22	25	3	
		90 5M 15	0515090	8	-	1610	42	143,24	142,10	-	92	-	22	25	3	
		112 5M 15	0515112	8	-	2012	50	178,25	177,11	-	110	-	20	32	12	
		136 5M 15	0515136	7A	-	2012	50	216,45	215,31	-	110	199	20	32	6	

HTD® 8M-20

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	22-8M-20	0820022	5F	F22	1008	25	56,02	54,65	60	-	37	28	22	6	0,25
		24 8M 20	0820024	5F	F25	1108	25	61,12	59,75	66	-	44	28	22	6	0,30
		26 8M 20	0820026	5F	F26	1108	25	66,21	64,84	70	-	45	28	22	6	0,36
		28 8M 20	0820028	5F	F27	1108	25	71,30	70,08	75	-	50	28	22	6	0,44
		30 8M 20	0820030	5F	F29	1108	25	76,39	75,13	83	-	58	28	22	6	0,53
		32 8M 20	0820032	5F	F30	1610	42	81,49	80,16	87	-	63	28	25	3	0,42
		34 8M 20	0820034	5F	F31	1610	42	86,58	85,22	91	-	64	28	25	3	0,55
		36 8M 20	0820036	5F	F33	1610	42	91,67	90,30	97	-	68	28	25	3	0,68
		38 8M 20	0820038	5F	F34	1610	42	96,77	95,39	102	-	72	28	25	3	0,80
		40 8M 20	0820040	5F	F35	1610	42	101,86	100,49	106	-	76	28	25	3	1,00
		44 8M 20	0820044	8F	F38	2012	50	112,05	110,67	120	93	-	28	32	4	1,20
		48 8M 20	0820048	8F	F40	2012	50	122,23	120,86	128	96	-	28	32	4	1,60
		56 8M 20	0820056	8F	F48	2012	50	142,60	141,23	150	110	-	28	32	4	2,40
		64 8M 20	0820064	9WF	F52	2012	50	162,97	161,60	168	110	137	28	32	4	2,70
		72 8M 20	0820072	9WF	F57	2012	50	183,35	181,97	192	110	158	28	32	4	3,30
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	80 8M 20	0820080	8W		2012	50	203,72	202,35	-	110	180	28	32	4	3,50
		90 8M 20	0820090	8A		2012	50	229,18	227,81	-	110	204	28	32	4	3,65
		144 8M 20	0820144	8A		2517	60	366,69	365,32	-	125	336	28	45	17	4,80

HTD® 8M-30

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	22 8M 30	0830022	5F	F22	1008	25	56,02	54,65	60	-	37	38	22	16	0,31
		24 8M 30	0830024	5F	F25	1108	25	61,12	59,75	66	-	44	38	22	16	0,38
		26 8M 30	0830026	5F	F26	1108	25	66,21	64,84	70	-	44	38	22	16	0,45
		28 8M 30	0830028	5F	F27	1210	32	71,30	70,08	75	-	50	38	25	13	0,50
		30 8M 30	0830030	3F	F29	1615	42	76,39	75,13	83	-	-	38	38	-	0,55
		32 8M 30	0830032	3F	F30	1615	42	81,49	80,16	87	-	-	38	38	-	0,59
		34 8M 30	0830034	3F	F31	1615	42	86,58	85,22	91	-	-	38	38	-	0,77
		36 8M 30	0830036	3F	F33	1615	42	91,67	90,30	97	-	-	38	38	-	0,96
		38 8M 30	0830038	3F	F34	1615	42	96,77	95,39	102	-	-	38	38	-	1,15
		40 8M 30	0830040	3F	F35	1615	42	101,86	100,49	106	-	-	38	38	-	1,34
		44 8M 30	0830044	4F	F38	2012	50	112,05	110,67	120	-	86	38	32	3	1,33
		48 8M 30	0830048	4F	F40	2012	50	122,23	120,86	128	-	90	38	32	3	1,78
		56 8M 30	0830056	4F	F48	2012	50	142,60	141,23	150	-	110	38	32	3	3,76
		64 8M 30	0830064	8F	F52	2517	60	162,97	161,60	168	125	-	38	45	7	4,20
		72 8M 30	0830072	9WF	F57	2517	60	183,35	181,97	192	125	158	38	45	7	4,30
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	80 8M 30	0830080	8W		2517	60	203,72	202,35	-	125	180	38	45	7	4,60
		90 8M 30	0830090	8A		2517	60	229,18	227,81	-	125	204	38	45	7	5,00
		112 8M 30	0830112	8A		2517	60	285,21	283,83	-	125	254	38	45	7	6,20
		144 8M 30	0830144	8A		2517	60	366,69	365,32		125	336	38	45	7	9,00

Pulegge dentate HTD® per bussola conica / HTD® Timing belt pulleys for taper bushes
HTD® Zahnriemenscheiben für Spannbüchsen / Poulies dentées HTD® à moyeu amovible
Poleas dentadas HTD® para casquillos cónicos




HTD® 8M-50


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	28 8M 50	0850028	4F	F27	1210	32	71,30	70,08	75	-	50	60	25	17,5	0,60
		30 8M 50	0850030	5F	F29	1615	42	76,39	75,13	83	-	58	60	38	22,0	0,65
		32 8M 50	0850032	5F	F30	1615	42	81,49	80,16	87	-	62	60	38	22,0	0,82
		34 8M 50	0850034	5F	F31	1615	42	86,58	85,22	91	-	65	60	38	22,0	1,06
		36 8M 50	0850036	5F	F33	1615	42	91,67	90,30	97	-	68	60	38	22,0	1,30
		38 8M 50	0850038	5F	F34	1615	42	96,77	95,39	102	-	72	60	38	22,0	1,60
		40 8M 50	0850040	4F	F35	2012	50	101,86	100,49	106	-	82	60	32	14,0	1,71
		44 8M 50	0850044	4F	F38	2012	50	112,05	110,67	120	-	91	60	32	14,0	1,78
		48 8M 50	0850048	4F	F40	2012	50	122,23	120,86	128	-	95	60	32	14,0	2,30
		56 8M 50	0850056	4F	F48	2517	60	142,60	141,23	150	-	116	60	45	7,5	3,40
		64 8M 50	0850064	4F	F52	2517	60	162,97	161,60	168	-	137	60	45	7,5	5,00
		72 8M 50	0850072	9WF	F57	2517	60	183,35	181,97	192	125	158	60	45	7,5	6,70
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	80 8M 50	0850080	4		3020	75	203,72	202,35	-	-	180	60	51	4,5	8,80
		90 8M 50	0850090	9W		3020	75	229,18	227,81	-	170	204	60	51	4,5	10,00
		112 8M 50	0850112	9W		3020	75	285,21	283,83	-	170	260	60	51	4,5	12,00
		144 8M 50	0850144	9A		3020	75	366,69	365,32	-	170	341	60	51	4,5	15,20
		168 8M 50	0850168	7A		3525	90	427,81	426,44	-	198	402	60	65	2,5	17,50
		192 8M 50	0850192	7A		3525	90	488,92	487,55	-	198	460	60	65	2,5	24,00

HTD® 8M-85


Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	34 8M 85	0885034	4F	F31	1615	42	86,58	85,22	91	-	65	95	38	28,5	1,43
		36 8M 85	0885036	4F	F33	1615	42	91,67	90,30	97	-	68	95	38	28,5	1,87
		38 8M 85	0885038	4F	F34	1615	42	96,77	95,39	102	-	72	95	38	28,5	2,20
		40 8M 85	0885040	4F	F35	2012	50	101,86	100,49	106	-	82	95	32	31,5	1,80
		44 8M 85	0885044	4F	F38	2012	50	112,05	110,67	120	-	91	95	32	31,5	2,30
		48 8M 85	0885048	4F	F40	2517	60	122,23	120,86	128	-	100	95	45	25,0	2,66
		56 8M 85	0885056	4F	F48	2517	60	142,60	141,23	150	-	117	95	45	25,0	4,45
		64 8M 85	0885064	4F	F52	2517	60	162,97	161,60	168	-	137	95	45	25,0	6,20
		72 8M 85	0885072	4F	F57	3020	75	183,35	181,97	192	-	158	95	51	22,0	8,00
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	80 8M 85	0885080	4		3020	75	203,72	202,35	-	-	180	95	51	22,0	10,00
		90 8M 85	0885090	9W		3020	75	229,18	227,81	-	170	204	95	51	22,0	10,80
		112 8M 85	0885112	9W		3020	75	285,21	283,83	-	170	260	95	51	22,0	15,00
		144 8M 85	0885144	9A		3525	90	366,69	365,32	-	198	336	95	65	15,0	20,00
		168 8M 85	0885168	9A		3525	90	427,81	426,44	-	198	395	95	65	15,0	22,00
		192 8M 85	0885192	9A		3525	90	488,92	487,55	-	198	455	95	65	15,0	26,00




Tipo / Type
4F




Tipo / Type
9WF




Tipo / Type
9A



Tipo / Type
9W



Tipo / Type
3A



Tipo / Type
7A

HTD® 14M-40

Caratteristiche Features Merkmale Características	Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	28 14M 40	1440028	4F	F40	2012	50	124,78	122,12	128	-	94	54	32	11,0	2,07
	29 14M 40	1440029	4F	F43	2012	50	129,23	126,57	138	-	98	54	32	11,0	2,38
	30 14M 40	1440030	4F	F43	2012	50	133,69	130,99	138	-	98	54	32	11,0	2,65
	32 14M 40	1440032	4F	F49	2012	50	142,60	139,88	154	-	108	54	32	11,0	3,40
	34 14M 40	1440034	4F	F51	2517	60	151,52	148,79	160	-	110	54	45	4,5	3,87
	36 14M 40	1440036	4F	F52	2517	60	160,43	157,68	168	-	120	54	45	4,5	4,80
	38 14M 40	1440038	4F	F81	2517	60	169,34	166,60	184	-	130	54	45	4,5	5,40
	40 14M 40	1440040	4F	F56	2517	60	178,25	175,49	188	-	138	54	45	4,5	6,00
	44 14M 40	1440044	4F	F61	3020	75	196,08	193,28	212	-	155	54	51	1,5	7,80
	48 14M 40	1440048	4F	F62	3020	75	213,90	211,11	226	-	170	54	51	1,5	9,40
Ghisa / Cast iron Grauguss / Fonte Hierro fundido	56 14M 40	1440056	9WF	F66	3020	75	249,55	246,76	256	170	208	54	51	1,5	10,80
	64 14M 40	1440064	9WF	F70	3020	75	285,21	282,41	296	170	240	54	51	1,5	13,40
	72 14M 40	1440072	9W		3020	75	320,86	318,06	-	170	280	54	51	1,5	15,20
	80 14M 40	1440080	9A		3020	75	356,51	353,71	-	170	315	54	51	1,5	16,00
	90 14M 40	1440090	9A		3020	75	401,07	398,28	-	170	360	54	51	1,5	17,80
	112 14M 40	1440112	9A		3020	75	499,11	496,32	-	170	457	54	51	1,5	25,60
	144 14M 40	1440144	9A		3020	75	641,71	638,92	-	170	600	54	51	1,5	32,00
	168 14M 40	1440168	9A		3020	75	748,66	745,87	-	170	706	54	51	1,5	44,00
	192 14M 40	1440192	7A		3535	90	855,62	852,82	-	190	813	54	89	17,5	49,00
	216 14M 40	1440216	7A		3535	90	962,57	959,76	-	190	920	54	89	17,5	55,00

Pulegge dentate HTD® per bussola conica / HTD® Timing belt pulleys for taper bushes
HTD® Zahnriemenscheiben für Spannbüchsen / Poulies dentées HTD® à moyeu amovible
Poleas dentadas HTD® para casquillos cónicos



HTD® 14M-55

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	28 14M 55	1455028	4F	F40	2012	50	124,78	122,12	128	-	94	70	32	19,0	2,20
		29 14M 55	1455029	4F	F43	2012	50	129,23	126,57	138	-	100	70	32	19,0	2,74
		30 14M 55	1455030	4F	F43	2517	60	133,69	130,99	138	-	100	70	45	12,5	2,70
		32 14M 55	1455032	4F	F49	2517	60	142,60	139,88	154	-	108	70	45	12,5	3,66
		34 14M 55	1455034	4F	F51	2517	60	151,52	148,79	160	-	110	70	45	12,5	4,55
		36 14M 55	1455036	4F	F52	2517	60	160,43	157,68	168	-	120	70	45	12,5	5,20
		38 14M 55	1455038	4F	F81	2517	60	169,34	166,60	184	-	130	70	45	12,5	6,20
		40 14M 55	1455040	4F	F56	2517	60	178,25	175,49	188	-	138	70	45	12,5	7,00
		44 14M 55	1455044	4F	F61	3020	75	196,08	193,28	212	-	155	70	51	9,5	8,60
		48 14M 55	1455048	4F	F62	3020	75	213,90	211,11	226	-	170	70	51	9,5	10,40
		56 14M 55	1455056	9WF	F66	3020	75	249,55	246,76	256	170	208	70	51	9,5	12,40
		64 14M 55	1455064	9WF	F70	3020	75	285,21	282,41	296	170	240	70	51	9,5	14,50
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	72 14M 55	1455072	9W		3020	75	320,86	318,06	-	170	280	70	51	9,5	16,20
		80 14M 55	1455080	9A		3020	75	356,51	353,71	-	170	315	70	51	9,5	17,50
		90 14M 55	1455090	9A		3020	75	401,07	398,28	-	170	360	70	51	9,5	20,10
		112 14M 55	1455112	9A		3020	75	499,11	496,32	-	170	457	70	51	9,5	28,40
		144 14M 55	1455144	9A		3020	75	641,71	638,92	-	170	600	70	51	9,5	36,20
		168 14M 55	1455168	9A		3020	75	748,66	745,87	-	170	706	70	51	9,5	49,00
		192 14M 55	1455192	7A		3535	90	855,62	852,82	-	190	813	70	89	9,5	53,00
		216 14M 55	1455216	7A		3535	90	962,57	959,76	-	190	920	70	89	9,5	65,80

HTD® 14M 85

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	28 14M 85	1485028	4F	F40	2517	60	124,78	122,12	128	-	98	102	45	28,5	2,70
		29 14M 85	1485029	4F	F43	2517	60	129,23	126,57	138	-	100	102	45	28,5	3,40
		30 14M 85	1485030	4F	F43	2517	60	133,69	130,99	138	-	100	102	45	28,5	3,75
		32 14M 85	1485032	4F	F49	2517	60	142,60	139,88	154	-	108	102	45	28,5	4,80
		34 14M 85	1485034	4F	F51	2517	60	151,52	148,79	160	-	110	102	45	28,5	6,00
		36 14M 85	1485036	4F	F52	3020	75	160,43	157,68	168	-	120	102	51	25,5	5,80
		38 14M 85	1485038	4F	F81	3020	75	169,34	166,60	184	-	130	102	51	25,5	6,80
		40 14M 85	1485040	4F	F56	3020	75	178,25	175,49	188	-	138	102	51	25,5	8,00
		44 14M 85	1485044	4F	F61	3020	75	196,08	193,28	212	-	153	102	51	25,5	11,80
		48 14M 85	1485048	4F	F62	3020	75	213,90	211,11	226	-	170	102	51	25,5	15,10
		56 14M 85	1485056	4F	F66	3525	90	249,55	246,76	256	-	210	102	65	18,5	19,00
		64 14M 85	1485064	9WF	F70	3525	90	285,21	282,41	296	190	240	102	65	18,5	23,00
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	72 14M 85	1485072	9W		3525	90	320,86	318,06	-	190	280	102	65	18,5	25,00
		80 14M 85	1485080	9A		3525	90	356,51	353,71	-	190	315	102	65	18,5	26,00
		90 14M 85	1485090	9A		3525	90	401,07	398,28	-	190	360	102	65	18,5	27,80
		112 14M 85	1485112	9A		3525	90	499,11	496,32	-	190	457	102	65	18,5	36,50
		144 14M 85	1485144	9A		3525	90	641,71	638,92	-	190	600	102	65	18,5	48,00
		168 14M 85	1485168	9A		3525	90	748,66	745,87	-	190	706	102	65	18,5	60,00
		192 14M 85	1485192	3A		4040	100	855,62	852,82	-	190	813	102	102	-	86,00
		216 14M 85	1485216	3A		4040	100	962,57	959,76	-	190	920	102	102	-	91,50

HTD® 14M-115

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques / con tapetas	28-14M-115	1411028	4F	F40	2517	60	124,78	122,12	128	-	98	133	45	44,0	3,77
		29-14M-115	1411029	4F	F43	2517	60	129,23	126,57	138	-	100	133	45	44,0	4,00
		30-14M-115	1411030	4F	F43	2517	60	133,69	130,99	138	-	100	133	45	44,0	5,00
		32-14M-115	1411032	4F	F49	2517	60	142,60	139,88	154	-	108	133	45	44,0	6,80
		34-14M-115	1411034	4F	F51	2517	60	151,52	148,79	160	-	110	133	45	44,0	6,80
		36-14M-115	1411036	4F	F52	3020	75	160,43	157,68	168	-	125	133	51	41,0	7,00
		38-14M-115	1411038	4F	F81	3020	75	169,34	166,60	184	-	130	133	51	41,0	8,40
		40-14M-115	1411040	4F	F56	3020	75	178,25	175,49	188	-	138	133	51	41,0	9,20
		44-14M-115	1411044	4F	F61	3030	75	196,08	193,28	212	-	155	133	76	28,5	14,00
		48-14M-115	1411048	4F	F62	3030	75	213,90	211,11	226	-	170	133	76	28,5	17,10
		56-14M-115	1411056	4F	F66	3535	90	249,55	246,76	256	-	208	133	89	22,0	24,80
		64-14M-115	1411064	9WF	F70	3535	90	285,21	282,41	296	190	240	133	89	22,0	27,00
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	72-14M-115	1411072	9W		3535	90	320,86	318,06	-	190	280	133	89	22,0	29,00
		80-14M-115	1411080	9A		3535	90	356,51	353,71	-	190	315	133	89	22,0	32,00
		90-14M-115	1411090	9A		3535	90	401,07	398,28	-	190	360	133	89	22,0	36,50
		112-14M-115	1411112	9A		3535	90	499,11	496,32	-	190	457	133	89	22,0	46,00
		144-14M-115	1411144	9A		4040	100	641,71	638,92	-	230	600	133	102	15,5	68,00
		168-14M-115	1411168	9A		4040	100	748,66	745,87	-	230	706	133	102	15,5	82,60
		192-14M-115	1411192	9A		4040	100	855,62	852,82	-	230	813	133	102	15,5	96,00
		216-14M-115	1411216	9A		4040	100	962,57	959,76	-	230	920	133	102	15,5	107,00

HTD® 14M-170

Caratteristiche Features Merkmale Características		Codice Code symbol Fabriknummer Code symbole Numero de fabrica	Nostro codice Our code Unser kode Notre code Nuestro codigo	Tipo Type Typ Type Tipo	Tipo flangia Flanges type Bordscheiben Typ Type flasques Tipo tapetas	Bussola Bush Buchse Moyeu Casquillo	Foro max. Max. Bore Max. Bohrung Alesage max. Agujero max.	Dp	De	Df	Dm	Di	F	S	R	Peso Weight / Gewicht Poids / Peso Kg
Acciaio / Steel / Stahl Acier / Acero	con flangia / with flanges mit Flanges / avec flasques con tapetas	38-14M-170	1417038	4F	F81	3030	75	169,34	166,60	184	-	130	187	76	55,5	11,70
		40-14M-170	1417040	4F	F56	3030	75	178,25	175,49	188	-	138	187	76	55,5	13,00
		44-14M-170	1417044	4F	F61	3535	90	196,08	193,28	212	-	153	187	89	49,0	15,00
		48-14M-170	1417048	4F	F62	3535	90	213,90	211,11	226	-	170	187	89	49,0	19,00
		56-14M-170	1417056	4F	F66	3535	90	249,55	246,76	256	-	208	187	89	49,0	28,50
	64-14M-170	1417064	4F	F70	4040	100	285,21	282,41	296	-	240	187	102	42,5	41,00	
Ghisa / Cast iron / Grauguss Fonte / Hierro fundido	senza flangia / without flanges ohne Flanschen / sans flasques sin tapetas	72-14M-170	1417072	9W		4040	100	320,86	318,06	-	230	280	187	102	42,5	46,90
		80-14M-170	1417080	9W		4040	100	356,51	353,71	-	230	315	187	102	42,5	48,00
		90-14M-170	1417090	9A		4040	100	401,07	398,28	-	230	360	187	102	42,5	52,50
		112-14M-170	1417112	9A		5050	125	499,11	496,32	-	265	457	187	127	30,0	74,50
		144-14M-170	1417144	9A		5050	125	641,71	638,92	-	265	600	187	127	30,0	91,00
		168-14M-170	1417168	9A		5050	125	748,66	745,87	-	265	706	187	127	30,0	116,00
		192-14M-170	1417192	9A		5050	125	855,62	852,82	-	265	813	187	127	30,0	134,00
		216-14M-170	1417216	9A		5050	125	962,57	959,76	-	265	920	187	127	30,0	146,50